

Common User Data

Machine Name: Xerox Versalink C415 Color MFP (46:6...  
IP Address: 13.61.1.2.247  
Machine Serial Number: 5334205420

Machine URL: https://13.61.1.2.247  
Machine Activation Date: Jan 01, 1970 05:30:00

Black Impressions: 1640  
Color Impressions: 1811  
Total Impressions: 3451

Machine Profile

Xerox Asset Tag: Xerox Asset Tag:  
Service Phone Number: Service Phone Number:  
Customer Support Number: Customer Support Number:

Managed by  
Machine Location: machine location not set  
Primary Mib Server: Primary Mib Server:

Machine Hardware

Fax Card: not present  
Extended Fax Card: not present  
Fax Card Memory Size: 0 MB  
Foreign Interface Card: not present

Device RAM Size: 1984 MB  
Device Storage Size: used=3757MB/total=13925MB (MEMC)

Productivity Kit: Not Installed  
EPC Memory Size: 187 MB

Finisher Type: Simple Catch Tray  
Finisher Punch: Not Installed  
Finisher Folder: not present

Multi-feed Detection Kit: Not Installed  
DHC Server: Not Installed

General Setup  
Remote Services: Enabled  
Remote Services Trans. Time: 04:40

Remote Software Download: Enabled  
Remote Software Trans. Time: 04:40

E-mail Alerts: Disabled  
Xerox Workplace Cloud: Disabled

Service Plan: Neutral  
Geographic Region: unknown  
GMT Offset: +05:30

Energy Saver  
Deep Sleep: Enabled  
Energy Saver Mode: Job Activated

Smart Proximity Sensor  
Wake on Arrival: Not Available  
Sleep on Departure: Not Available

Software Versions

Device Software: 121.028.003.22100  
Patch Version: None  
Network Controller: 121.028.22100

Machine Upgrades  
Last Successful Upgrade: August 14, 2023 13:10:58

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")  
Tray 2: Plain, White and Letter (8.5 x 11")  
Tray 3: Plain, White and Letter (8.5 x 11")

Bypass Tray: Manual Feeder  
Tray 3: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing Discovery: Enabled  
AirPrint / Mopria Scanning: Enabled

Authentication: Disabled  
Physical Connections: Enabled  
Wi-Fi: 78:8c:77:46:60:5f

Wireless: Disabled  
Wireless MAC Address: auto  
Ethernet Speed/Duplex Setting: auto

Network Name (SSID): Disabled  
SSID: Disabled  
Security Mode: Disabled

Status: Enabled  
Encryption Algorithm: Not Installed  
Wi-Fi Direct: Not Installed

Wireless Hardware: Not Installed  
Wi-Fi Protected Setup (WPS) Name: Not Installed  
Access Point (SSID): Not Installed

NFC: Enabled  
Show Password on Device Touch Screen: Enabled  
Beacon Hardware: Not Installed

Beacon (Bluetooth®) for AirPrint Di...: Not Installed  
Bluetooth Device Address: Not Installed  
Beacon IP Address: Not Installed

Protocols

TCP/IPv4: Enabled  
IP Address: 13.61.1.2.247  
Subnet Mask: 255.255.255.0

Router/Gateway: 13.61.1.2.1  
Automatic Addressing: DHCP  
DHCP Server: 13.61.1.18

DHC Lease Expiration: Thu Aug 24 13:48:22 2023  
DHCP Broadcast: Disabled  
Self Assigned Address: Enabled

TCP/IPv6: Enabled  
Link Local Address: fe80::708c:77ff:fe46:605f  
Use Router Supplied Prefix: Enabled

Stateless Global Address 1: fd12:cccc0000:0:708c:77ff:fe46:605f  
Stateless Global Address 2: ::  
Manual Address: Use DHCP as directed by a router

DNS Settings: fe80::80fc:5dff:fe75:282  
DUID (DHCP Unique Identifier): XRX788C7746605F

Requested Host Name: Verified Host Name: XRX788C7746605F  
Requested Domain Name: Verified Domain Name: XRX788C7746605F

Release DHCP Leases and DNS Registrat...: Disabled  
Primary DNS Server: 13.61.13.20  
Prefer IPv6 DNS over IPv4: Enabled

Bonjour: Enabled  
Bonjour Printer Name: Xerox Versalink C415 Color MFP (46:6...  
HTTP: Enabled

SNMP: Enabled  
SNMP v1/v2: 221.133  
SNMP v3: 000,000,000

Raw IP Printing: Enabled  
LPR/LPD: Enabled  
SNMP v1/v2: 221.133

LDAP: Enabled  
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
LDAP Server 1 Search Directory Root: Disabled

SMTP: Disabled  
SMTP Server: 0.0.0.25  
Connect Encryption (TLS): No Encryption

Validate Server Certificate (TLS): Disabled  
LDAP Server 1 Validate Server Certificate: Disabled

Plain, White and A4 (210 x 297 mm): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled

Plain, White and Letter (8.5 x 11"): Disabled  
Plain, White and Letter (8.5 x 11"): Disabled



**Protocols (cont.)**

POP3 Server: 0.0.0.1:10  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address: Enabled  
 NTP: Enabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

**Apps**

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 6.2.3.1.5  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 PCL: 6  
 Version: Courier  
 Font Name: Enabled  
 Custom Color Tables: Not installed  
 Label: not installed  
 Embedded Fax: Enabled

Fax Line1: Enabled  
 Fax Line2: FTP  
 Server Fax: Repository Protocol: 0.0.0.0  
 Repository Server: Enabled

Workflow Scanning: Repository Document Path: Enabled  
 Repository Protocol: Enabled  
 Repository Server: 0.0.0.0  
 Email: Enabled  
 Scan to Mailbox: Enabled/Displayed  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 91 MB  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

Scan to Home: Disabled  
 Scan To: Enabled  
 Cloud Services: Disabled  
 Print From: Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From Mailbox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Retrieve E-mail from LDAP  
 Xerox Secure Access: Enabled  
 Audit Log: Enabled  
 IP Sec: Disabled  
 IP Filtering: Disabled  
 Security Certificates: Disabled  
 Machine Certificate: Signed  
 Root Certificates Installed: 66  
 802.1X: Disabled  
 Authentication Method: EAP-MS-CHAPV2  
 Job Data Removal: Disabled  
 Scheduled: Disabled  
 FIPS 140-3: Disabled  
 TLS: Disabled  
 TLS Hash: TLS 1 and TLS 1.2  
 TLS 1.1, SHA-256 and above  
 Enhanced Security

**Trellix Embedded Control:**



Bonjour:		Xerox VersoLink C415 Color MFP (465)	
HTTP:		Xerox VersoLink C415 Color MFP (465)	
Port Number:		80	
Secure HTTP Port Number:		443	
Proxy Server Address:		0.0.0.8080	
IPP:		Enabled	
Secure IPP Mode:		IPP and Secure IPPS	
IPP Network Path:		http://173.61.12.247:631	
SNMP v3:		Enabled	
SNMP v1/v2:		Disabled	
LPR/LPD:		Enabled	
Port Number:		1515	
PDL Switching:		Disabled	
PDL Banner Override:		Disabled	
Raw IP Printing:		Enabled	
Port Number 1:		9100	
Bidirectional:		Disabled	
End of Job Timeout:		300	
PDL Switching:		Disabled	
PDL Switching:		Disabled	
LDAP Server 1 Friendly Name:		LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:		0.0.0.389	
LDAP Server 1 Alternate LDAP Address:		0.0.0.389	
LDAP Server 1 Search Directory Root:		0.0.0.389	
LDAP Server 1 Secure Connection (LDAPS):		Disabled	
LDAP Server 1 Validate Server Certificate:		Disabled	
SMTP:		0.0.0.25	
SMTP Server:		0.0.0.25	
Connect Encryption (TLS):		No Encryption	
Validate Server Certificate (TLS):		-	
Max Message Size (KB):		10240	
Number of Fragments:		1	
Total Job Size (KB):		300000	
Job Splitting Boundary:		None	
Credentials for Auto E-mails:		None	
Credentials for Walkup User:		None	
POP3 Server:		0.0.0.110	
POP3 Secure Connection (TLS):		Disabled	
E-mail Address:		-	
Send Confirm on Request:		Disabled	
Receipt of E-mail via POP3:		Enabled	
Incoming E-mail cover sheet:		Enabled	
NTP:		0.0.0.123	
Primary Server:		0.0.0.123	
Alternate Server:		0.0.0.123	
SLP:		0.0.0.0	
FTP Client:		0.0.0.0	
FTP Client Mode:		Passive	
Web Services on Device:		Enabled	
WS-Discovery:		Enabled	
WS-Discovery Multicast:		Enabled	
WS-Print:		Enabled	
WS-Scan:		Enabled	
Copy Submission:		Enabled	
Digital Certificate Management and Security:		Enabled	
Job Limits:		Enabled	
Job Management Extension:		Enabled	
Device Configuration:		Enabled	
Scan Subsystem:		Enabled	
Scan Workflow Management:		Enabled	
Session Data:		Enabled	
User Interface Configuration:		Enabled	
EIP Proxy Configuration:		Enabled	
Xerox Secure Access:		Disabled	
EIP SNMP Configuration:		Enabled	
Print Submission:		Enabled	
Scan Template Mgmt:		Enabled	
Mass Storage Access:		Enabled	
Card Reader Access:		Enabled	
Authentication & Accounting Configuration:		Enabled	
Export Audit Log:		Enabled	
Trellix Embedded Control:		Enabled	
Banner Sheet:		Disabled	
Sys/Start Job:		Disabled	
Delete Held Jobs After:		3 Day(s) 0 Hour(s) 0 Minute(s)	
Error Sheets:		Enabled	
Paper Substitution:		Enabled	
Troy Priority:		6,2,3,1,5	
Default Copies:		1	
Default Job Type:		Normal Print	
Default Paper Size:		x=8.50 inches, y=11.00 inches	
Default Paper Color:		White	
Default 2 Sided Printing:		1 Sided	
Default Output Tray:		Center Tray	
Default Output Color:		Color	
Default Calated Sets:		Enabled	
Default Stopping:		Not Available	
Offsetting Between Jobs:		No Offset Between Jobs	
PostScript:		Installed	
Level:		3	
Version:		3021.101	
Image Quality:		Enhanced	
PCL:		6	
Version:		10.00	
Pitch Size:		12.00	
Point Size:		12.00	
Font Name:		Courier	
Lines Per Page:		60	
Custom Color Tables:		Enabled	
Label:		Not Installed	
Embedded Fax:		0.0.0.25	
Fax Line1:		0.0.0.25	
Fax Line2:		-	
Server Fax:		Enabled	
Confirmation Sheet:		Errors Only	
Delay Start:		Disabled	
Repository Protocol:		FTP	
Repository Server:		0.0.0.0	
Repository Document Path:		0.0.0.0	
Workflow Scanning:		Enabled	
Default Repository Protocol:		FTP	
Default Repository Server:		0.0.0.0	
Default Repository Login Credentials:		0.0.0.0	
Default Repository Document Path:		0.0.0.0	
Alt1 Repository Protocol:		FTP	
Alt1 Repository Server:		0.0.0.0	
Alt1 Repository Document Path:		0.0.0.0	
Alt1 Repository Login Credentials:		0.0.0.0	
Workflow Pool Server:		0.0.0.0	
Workflow Pool Protocol:		FTP	
Email:		Enabled	
Default From Address:		Errors Only	
Confirmation Sheet:		Disabled	
Auto Send to Self:		Disabled	
E-mail Security:		Disabled	
Scan to Mailbox:		Enabled/Displayed	
View Mailboxes by Default:		Enabled	
Storage Capacity (MB):		67.2 MB	
Storage Used (MB):		91 MB	
Cleanup of Public Folders:		Enabled	
Cleanup Time:		Daily	
Scan to Home:		Disabled	
Friendly Name:		-	
Workflow Name:		-	
Auto Create Subdir:		Disabled	
Append User Name to Path:		Disabled	
Auto Create User Name Dir:		Disabled	
Scan To:		Disabled	
Cloud Services:		Enabled	
Print From:		Enabled	
Print From USB:		Enabled	
Saved Jobs for Reprint:		Enabled	
Print From Mailbox:		Disabled	
Cloud Services:		Disabled	

Apps

Protocols (cont.)



