

Common User Data

Machine Name:	Xerox AltaLink B8270 MFP (A2:27:3B)
IP Address:	10.61.16.50
Machine Serial Number:	3141925023
Fax Line1:	
Machine URL:	https://10.61.16.50
Machine Activation Date:	Dec 15, 2023 09:03:26
Total Impressions:	538

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3447MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	13:06
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor	
Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	121.042.004.05310
Patch Version:	None
Network Controller:	121.042.05310
UI Panel Firmware:	003.002.00000
Marking Engine:	064.022.000
Document Feeder:	001.035.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	017.023.006
Machine Upgrades:	Allowed
Last Successful Upgrade:	February 29, 2024 12:33:15

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and x=105mm, y=241mm

Installed Options

IPS:	Installed
------	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:27:3b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.50
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Mar 8 16:09:48 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:273b
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116::9e93:4eff:fea2:273b
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:Sdff fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XXRX9C934EA2273B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registration:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled
Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8270 MFP (A2:27:3B)
HTTP:	Enabled
Force Traffic over Secure Connection (HTTPS):	Yes
IPP	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDAPS):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021 101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	not installed

Fax Line1:	
Fax Line2:	

Server Fax:

Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:

Email:

Scan to Mailbox:	Enabled/Displayed
Storage Capacity (MB):	46978 MB
Storage Used (MB):	2486 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan To:

Cloud Services:	Disabled
-----------------	----------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Remotely on the Network
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Remotely on the Network
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Xerox Secure Access:

Audit Log:

IP Sec:

IP Filtering:

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	55
802.1x:	Disabled

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

TLS:

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:

Enhanced Security

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Embedded Fax:

Fax Line1:	not installed
------------	---------------

Fax Line2:	
------------	--

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0

Workflow Scanning:

Email:	Enabled
Scan to Mailbox:	Enabled/Displayed
Storage Capacity (MB):	46978 MB
Storage Used (MB):	2486 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan To:	Disabled
----------	----------

Scan To:

Cloud Services:	Enabled
-----------------	---------

Print From:

Cloud Services:	Disabled
Saved Jobs for Reprint:	Disabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Remotely on the Network
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Remotely on the Network
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos
Xerox Secure Access:	Disabled
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	55
802.1x:	Disabled
Job Data Removal:	
Scheduled:	Disabled
FIPS 140-3:	Disabled
TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

Common User Data

Machine Name:	Xerox AltaLink B8270 MFP (A2:27:3B)
IP Address:	10.61.16.50
Machine Serial Number:	3141925023
Fax Line1:	
Machine URL:	https://10.61.16.50
Machine Activation Date:	Dec 15, 2023 09:03:26
Total Impressions:	536

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3438MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	13:06
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	121.042.004.05310
Patch Version:	None
Network Controller:	121.042.05310
UI Panel Firmware:	003.002.00000
Marking Engine:	064.022.000
Document Feeder:	001.035.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	017.023.006
Machine Upgrades:	Allowed
Last Successful Upgrade:	February 29, 2024 12:33:15

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and x=105mm, y=241mm

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

Mopria Printing Discovery:	Enabled
Mopria Scanning:	Enabled
Authentication:	Disabled

Physical Connections

USB Settings	All Enabled
Usb Type A Ports	Enabled
Wired:	
Ethernet MAC Address:	9c:93:4e:a2:27:3b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:

IP Address:	Enabled
Subnet Mask:	10.61.16.50
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Fri Mar 8 16:09:48 2024
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:273b
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:9e93:4eff:fea2:273b
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XR9C934EA2273B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8270 MFP (A2:27:3B)
-----------------------	-------------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP:	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
LDAP:	

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	