

Common User Data

Machine Name:	Xerox AltaLink B8270 MFP (A2:27:38)
IP Address:	10.61.16.50
Machine Serial Number:	3141925023
Fax Line1:	
Machine URL:	https://10.61.16.50
Machine Activation Date:	Dec 15, 2023 09:03:26
Total Impressions:	550

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3468MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	13.06
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.042.004.05310
Patch Version:	None
Network Controller:	121.042.05310
UI Panel Firmware:	003.002.00000
User Interface:	121.042.05310
Marking Engine:	064.022.000
Copy Controller:	121.042.05310
Document Feeder:	001.035.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	121.004.05310
Scanner:	017.023.006
Software Upgrade:	121.042.05310

Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	February 29, 2024 12:33:15
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0000:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and x=105mm, y=241mm

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning Authentication:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Disabled
Not Registered	
Physical Connections	
USB Settings	
Usb Type A Ports:	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4ea2:27:3b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IP v4:	Enabled
IP Address:	10.61.16.50
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Mar 8 16:09:48 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IP v6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:273b
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:273b
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XR9C934EA2273B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registration:	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.13.20
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8270 MFP (A2:27:3B)
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.50:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	Enabled
PDLC Switching:	515
PDLC Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	Disabled
Bidirectional:	9100
End of Job Timeout:	Disabled
PDLC Switching:	300
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mail:	None
Credentials for Walkup User:	None
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	Enabled
Alternate Server:	0.0.0.0:123
SLP:	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Enabled
Passive:	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	
Label:	Enabled
	Not Installed
	not installed

Embedded Fax:

Fax Line 1:	
Fax Line 2:	

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0:0

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	10.61.23.93:21
Default Repository Login Credentials:	\
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	FTP
Alt1 Repository Document Path:	0.0.0.0:0
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	

Email:

Default From Address:	Enabled
Confirmation Sheet:	
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46978 MB
Cleanup of Public Folders:	2487 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily
	Disabled

Scan to Home:

Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
	Disabled
Print From:	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Remotely on the Network
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Remotely on the Network
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Kerberos
Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 55

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

