

Common User Data

Machine Name: Xerox AltaLink C8235 Color MFP (A2:6...
 IP Address: 10.61.5.98
 Machine Serial Number: EKZ336522
 Fax Line1: 3338
 Machine URL: https://10.61.5.98
 Machine Activation Date: Jan 01, 2021 05:35:33
 Black Impressions: 1075
 Color Impressions: 879
 Total Impressions: 1954

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator:
 Machine Location:
Managed By
 Primary MB Server:

System Administrator name not set
 machine location not set

Machine Hardware

Fax Card: present
 Extended Fax Card: present
 Fax Card Memory Size: 1936 MB
 Foreign Interface Card: not present
 Device RAM Size: 4096 MB
 Device Storage Size: used=3539MB/total=256060MB (SSD)
 EPC Memory Size: 900 MB
 Finisher Type: Offsetting Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 10:19
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Billing Impression Mode: A3 Impressions
 Geographic Region: unknown
 Startup Config Report: Enabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 120 minutes
 Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled
 Maximize Detection Range: Disabled

Software Versions

Device Software: 121.038.004.09420
 Patch Version: None
 Network Controller: 121.038.09420
 UI Panel Firmware: 003.002.00000
 User Interface: 121.038.09420
 Marking Engine: 030.045.000
 Copy Controller: 121.038.09420
 Document Feeder: 023.026.000
 Finisher: 000.000.000
 Fax: 003.020.008
 OS: 121.004.09420
 Scanner: 017.023.009
 Software Upgrade: 121.038.09420
 Tray 2:
 Tray 3:
 Tray 4:

Machine Upgrades:

Allowed
 Last Successful Upgrade: April 9, 2024 12:24:19
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)
 Tray 2: Plain, White and A3 (297 x 420 mm)
 Tray 3: Plain, White and Letter (8.5 x 11")
 Tray 4: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and SRA3 (320 x 450 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Universal Print: Disabled
 Universal Print Registration Status: Disabled
 Physical Connections: Not Registered

USB Settings

Usb Type A Ports: All Enabled
 Printing Timeout: 5 seconds
 Wired: Enabled
 Ethernet MAC Address: 9c:93:4e:a2:6e:e3
 Ethernet Speed/Duplex Setting: auto
 Wireless: Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
 Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
 NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint DL... Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4:

Enabled
 IP Address: 10.61.5.98
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.5.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Tue Apr 16 12:59:48 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Enabled
 Link Local Address: fe80::9e93:4eff:feo2:6ee3
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1:
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway:
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934EA26EE3
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati... Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.7.16
 Alternate DNS Server 2:
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: HCLT.CORP.HCL.IN.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox AltaLink C8235 Color MFP (A2.6...
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...: Yes
 Secure HTTP Port Number: 443
 Proxy Server: Disabled
 Proxy Server Address: 0.0.0.0:8080
IPP:
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.5.98:631
SNMP:
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled
Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
LDAP:
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled
SMTP:
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
POP3:
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled
NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
SLP:
 Disabled
FTP Client:
 FTP Client Mode: Passive
Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
Web Services:
 Copy Submission: Enabled
 Digital Certificate Management and Secur...: Enabled
 Extensible Service Registration: Enabled
 Job Limits:
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Enabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Main Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: Offset Between Jobs
PostScript:
 Level: Installed
 Version: 3
 Image Quality: 3021.101 Standard
PCL:
 Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
Custom Color Tables:
 Label: Enabled
 Not Installed
Embedded Fax:
 Enabled/Displayed
 Fax Line 1: 3338
 Fax Line 2:
Server Fax:
 Enabled
 Confirmation Sheet: Errors Only
 Delay Start: Disabled
 Repository Protocol: FTP
 Repository Server: 10.61.23.93:21
 Repository Document Path: /
Workflow Scanning:
 Confirmation Sheet: Enabled
 Errors Only: FTP
 Default Repository Protocol: 10.61.23.93.21
 Default Repository Server: /
 Default Repository Document Path: Device
 Default Repository Login Credentials: FTP
 Alt1 Repository Protocol: 0.0.0.0:0
 Alt1 Repository Server:
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials:
 Workflow Pool Protocol:
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:
Email:
 Enabled
 Default From Address: test@tls13.com
 Confirmation Sheet: Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled
Scan to Mailbox:
 Disabled
 View Mailboxes by Default: Enabled
 Storage Capacity (MB): 46978 MB
 Storage Used (MB): 2472 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
Scan to Home:
 Disabled
 Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled
Scan To:
 Enabled
 Cloud Services: Disabled
Print From:
 Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_240.5_011_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

