

Common User Data

Machine Name:	Xerox AltaLink B8245 MFP (A9:F3:A1)
IP Address:	10.61.9.176
Machine Serial Number:	ZQV624007
Fax Line1:	
Machine URL:	https://10.61.9.176
Machine Activation Date:	Jan 01, 2021 00:04:05
Total Impressions:	665

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=4190MB/total=256060MB (SSD)
EPC Memory Size:	1000 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	13:48
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.041.004.15100
Patch Version:	None
Network Controller:	121.041.15100
UI Panel Firmware:	003.004.00000
User Interface:	121.041.15100
Marking Engine:	072.001.000
Copy Controller:	121.041.15100
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
DS:	121.004.15100
Scanner:	017.023.011
Software Upgrade:	121.041.15100
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	January 21, 2021 17:11:11
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A3 (297 x 420 mm)
Tray 2:	Plain, White and Tabloid Oversized (305 x 438 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and A5 (148 x 210 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a9:f3:a1
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.9.176
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.9.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Fri Jan 29 17:17:57 2021
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea9:f3a1
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:109:9e93:4eff:fea9:f3a1
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:109:9901:ec27:4dfa:662d
Default Gateway:	
DUID (DHCP Unique Identifier):	00010001279dc5459c934ea9f3a1

DNS Settings:

Requested Host Name:	XRX9C934EA9F3A1
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.13.20
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

## Protocols (cont.)

## Bonjour:

Bonjour Printer Name:

Xerox AltaLink B8245 MFP (A9:F3:A1)

## HTTP:

Port Number:

Enabled

Force Traffic over Secure Connection (H...):

80

Secure HTTP Port Number:

Yes

Proxy Server:

443

Proxy Server Address:

Automatic

IPP:

0.0.0.0:8080

Secure IPP Mode:

Enabled

IPP Network Path:

IPP and Secure IPPS

http://10.61.9.176:631

## SNMP

SNMP v1/v2:

Enabled

SNMP v3:

Disabled

## LPR/LPD:

Port Number:

Enabled

PDL Switching:

515

PDL Banner Override:

Disabled

## Raw IP Printing:

Port Number 1:

Disabled

Bidirectional:

9100

End of Job Timeout:

Disabled

PDL Switching:

300

## LDAP

LDAP Server 1 Friendly Name:

Disabled

LDAP Server 1 Primary LDAP Address:

0.0.0.0:389

LDAP Server 1 Alternate LDAP Address:

0.0.0.0:389

LDAP Server 1 Search Directory Root:

Disabled

LDAP Server 1 Secure Connection (LDA...):

Disabled

LDAP Server 1 Validate Server Certificate:

Disabled

## SMTP

SMTP Server:

10.61.23.93:25

Connect Encryption (TLS):

No Encryption

Validate Server Certificate (TLS):

10240

Max Message Size (KB):

1

Number of Fragments:

300000

Total Job Size (KB):

Page Boundary

Job Splitting Boundary:

None

Credentials for Auto E-mails:

None

Credentials for Walkup User:

None

## POP3

POP3 Server:

0.0.0.0:110

POP3 Secure Connection (TLS):

Disabled

E-mail Address:

Disabled

Receipt of E-mail via POP3:

Enabled

Send Confirm on Request:

Enabled

Incoming E-mail cover sheet:

Enabled

## NTP:

Primary Server:

0.0.0.0:123

Alternate Server:

0.0.0.0:123

## SLP:

SLP Client:

Disabled

FTP Client Mode:

Enabled

## Web Services on Device:

WS-Discovery:

Passive

WS-Discovery Multicast:

Enabled

WS-Print:

Enabled

WS-Scan:

Enabled

## Web Services

Copy Submission:

Enabled

Digital Certificate Management and Securi...:

Enabled

Extensible Service Registration:

Enabled

Job Limits:

Enabled

Job Management Extension:

Enabled

Device Configuration:

Enabled

Scan Submission:

Enabled

Scan Workflow Management:

Enabled

Session Data:

Enabled

User Interface Configuration:

Enabled

EIP Proxy Configuration:

Enabled

Xerox Secure Access:

Disabled

EIP SNMP Configuration:

Enabled

Print Submission:

Enabled

Scan Template Mgmt:

Enabled

Mass Storage Access:

Enabled

Card Reader Access:

Enabled

Authentication &amp; Accounting Configur...:

Enabled

Export Audit Log:

Enabled

Trellix Embedded Control:

Enabled

## Apps

## Printing

Banner Sheet:

Enabled

Sys/Start Job:

Disabled

Delete Held Jobs After:

3 Day(s) 0 Hour(s) 0 Minute(s)

Error Sheets:

Enabled

Paper Substitution:

Enabled

Tray Priority:

1,2,3,4,5

Default Copies:

1

Default Job Type:

Normal Print

Default Paper Size:

x=8.50 inches, y=11.00 inches

Default Paper Color:

White

Default 2 Sided Printing:

1 Sided

Default Output Tray:

Main Tray

Default Output Color:

Black &amp; White

Default Collated Sets:

Enabled

Default Stapling:

Not Available

Offsetting Between Jobs:

Offset Between Jobs

PostScript

Level:

Installed

Version:

3

Image Quality:

3021.101

PCL

Version:

6

Pitch Size:

10.00

Point Size:

12.00

Font Name:

Courier

Lines Per Page:

60

Custom Color Tables

Label:

Enabled

Embedded Fax:

Label:

Not Installed

Fax Line1:

not installed

Fax Line2:

## Server Fax:

Confirmation Sheet:

Enabled

Delay Start:

Errors Only

Repository Protocol:

Disabled

Repository Server:

FTP

Repository Document Path:

10.61.23.93:21

Workflow Scanning:

/

Confirmation Sheet:

Enabled

Default Repository Protocol:

Errors Only

Default Repository Server:

FTP

Default Repository Document Path:

0.0.0.0

Default Repository Login Credentials:

Device

Alt1 Repository Protocol:

FTP

Alt1 Repository Server:

0.0.0.0

Alt1 Repository Document Path:

Device

Alt1 Repository Login Credentials:

FTP

Workflow Pool Protocol:

0.0.0.0

Workflow Pool Server:

0.0.0.0

Workflow Pool Path:

0.0.0.0

Email:

Default From Address:

Enabled

Confirmation Sheet:

test@ts13.com

Auto Send to Self:

Errors Only

E-mail Security:

Disabled

Scan to Mailbox:

Disabled

View Mailboxes by Default:

Enabled/Displayed

Storage Capacity (MB):

Enabled

Storage Used (MB):

46978 MB

Cleanup of Public Folders:

2516 MB

Cleanup of Created Folders:

Enabled

Cleanup Time:

Enabled

Scan to Home:

Daily

Friendly Name:

Disabled

Workflow Name:

Disabled

Auto Create Subdir:

Disabled

Append User Name to Path:

Disabled

Auto Create User Name Dir:

Disabled

Scan To:

Cloud Services:

Enabled

Print From:

Saved Jobs for Reprint:

Disabled

Print From USB:

Disabled

Print From MailBox:

Enabled

Cloud Services:

Enabled



Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: S4

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled

Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

xtensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

