

Common User Data

Machine Name: Xerox AltaLink B8245 MFP (A9:F3:A1)
 IP Address: 10.61.9.176
 Machine Serial Number: ZQV624007
 Fax Line1:
 Machine URL: https://10.61.9.176
 Machine Activation Date: Jan 01, 2021 00:04:05
 Total Impressions: 655

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator:
 Machine Location: System Administrator name not set
 machine location not set

Managed By

Primary MB Server

Machine Hardware

Fax Card: not present
 Extended Fax Card: not present
 Fax Card Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 8192 MB
 Device Storage Size: used=4158MB/total=256060MB (SSD)
 EPC Memory Size: 1000 MB
 Finisher Type: Offsetting Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 13:48
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: PagePack
 Billing Impression Mode: A3 Impressions
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: 00:00
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 30 minutes
 Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled
 Maximize Detection Range: Disabled

Software Versions

Device Software: 121.041.004.15100
 Patch Version: None
 Network Controller: 121.041.15100
 UI Panel Firmware: 003.004.00000
 User Interface: 121.041.15100
 Marking Engine: 072.001.000
 Copy Controller: 121.041.15100
 Document Feeder: 023.026.000
 Finisher: 000.000.000
 Fax: 000.000.000
 OS: 121.004.15100
 Scanner: 017.023.011
 Software Upgrade: 121.041.15100
 Tray 2:
 Tray 3:
 Tray 4:

Machine Upgrades:

Last Successful Upgrade: Not Allowed
 Scheduled Auto Upgrades: January 21, 2021 17:11:11
 Auto Upgrade Start Time: Disabled
 Auto Upgrade Server: Daily
 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)
 Tray 2: Plain, White and Tabloid Oversized (...)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and A5 (148 x 210 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 Usb Type A Ports: All Enabled
 Printing Timeout: 5 seconds
 Wired: Enabled
 Ethernet MAC Address: 9c:93:4e:a9:f3:a1
 Ethernet Speed/Duplex Setting: auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
 Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
 NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Enabled
 10.61.9.176
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.9.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Fri Jan 29 17:17:57 2021
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
 fe80::9e93:4eff:fea9:f3a1
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:109:9e93:4eff:fea9:f3a1
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address: fd00:0:2:109:9901:ec27:4dfa:662d
 Default Gateway:
 DUID (DHCP Unique Identifier): 00010001279dc5459c934ea9f3a1

DNS Settings:

Requested Host Name: XR9C934EA9F3A1
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.13.20
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

| | |
|---|-------------------------------------|
| Bonjour: | Xerox AltaLink B8245 MFP (A9:F3:A1) |
| Bonjour Printer Name: | Enabled |
| HTTP: | 80 |
| Port Number: | Yes |
| Force Traffic over Secure Connection (HTTPS): | 443 |
| Secure HTTP Port Number: | Automatic |
| Proxy Server: | 0.0.0.0:8080 |
| Proxy Server Address: | Enabled |
| IPP: | IPP and Secure IPPS |
| Secure IPP Mode: | http://10.61.9.176:631 |
| IPP Network Path: | |
| SNMP: | Enabled |
| SNMP v1/v2: | Disabled |
| SNMP v3: | Enabled |
| LPR/LPD: | 515 |
| Port Number: | Disabled |
| PDL Switching: | Disabled |
| PDL Banner Override: | Enabled |
| Raw IP Printing: | 9100 |
| Port Number 1: | Disabled |
| Bidirectional: | 300 |
| End of Job Timeout: | Disabled |
| PDL Switching: | |
| LDAP: | |
| LDAP Server 1 Friendly Name: | |
| LDAP Server 1 Primary LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Alternate LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Search Directory Root: | |
| LDAP Server 1 Secure Connection (LDAPS): | Disabled |
| LDAP Server 1 Validate Server Certificate: | Disabled |
| SMTP: | 10.61.23.93:25 |
| SMTP Server: | No Encryption |
| Connect Encryption (TLS): | |
| Validate Server Certificate (TLS): | |
| Max Message Size (KB): | 10240 |
| Number of Fragments: | 1 |
| Total Job Size (KB): | 300000 |
| Job Splitting Boundary: | Page Boundary |
| Credentials for Auto E-mails: | None |
| Credentials for Walkup User: | None |
| POP3: | 0.0.0.0:110 |
| POP3 Server: | Disabled |
| POP3 Secure Connection (TLS): | |
| E-mail Address: | Disabled |
| Receipt of E-mail via POP3: | Enabled |
| Send Confirm on Request: | Enabled |
| Incoming E-mail cover sheet: | Enabled |
| NTP: | 0.0.0.0:123 |
| Primary Server: | 0.0.0.0:123 |
| Alternate Server: | 0.0.0.0:123 |
| SLP: | Disabled |
| FTP Client: | Enabled |
| FTP Client Mode: | Passive |
| Web Services on Device: | Enabled |
| WS-Discovery: | Enabled |
| WS-Discovery Multicast: | Enabled |
| WS-Print: | Enabled |
| WS-Scan: | Enabled |
| Web Services: | |
| Copy Submission: | Enabled |
| Digital Certificate Management and Security: | Enabled |
| Extensible Service Registration: | Enabled |
| Job Limits: | Enabled |
| Job Management Extension: | Enabled |
| Device Configuration: | Enabled |
| Scan Submission: | Enabled |
| Scan Workflow Management: | Enabled |
| Session Data: | Enabled |
| User Interface Configuration: | Enabled |
| EIP Proxy Configuration: | Enabled |
| Xerox Secure Access: | Disabled |
| EIP SNMP Configuration: | Enabled |
| Print Submission: | Enabled |
| Scan Template Mgmt: | Enabled |
| Mass Storage Access: | Enabled |
| Card Reader Access: | Enabled |
| Authentication & Accounting Configuration: | Enabled |
| Export Audit Log: | Enabled |
| Trellix Embedded Control: | Enabled |

Apps

Printing

| | |
|-----------------------------|--------------------------------|
| Banner Sheet: | Enabled |
| Sys/Start Job: | Disabled |
| Delete Held Jobs After: | 3 Day(s) 0 Hour(s) 0 Minute(s) |
| Error Sheets: | Enabled |
| Paper Substitution: | Enabled |
| Tray Priority: | 1, 2, 3, 4, 5 |
| Default Copies: | 1 |
| Default Job Type: | Normal Print |
| Default Paper Size: | x=8.50 inches, y=11.00 inches |
| Default Paper Color: | White |
| Default 2 Sided Printing: | 1 Sided |
| Default Output Tray: | Main Tray |
| Default Output Color: | Black & White |
| Default Collated Sets: | Enabled |
| Default Stapling: | Not Available |
| Offsetting Between Jobs: | Offset Between Jobs |
| PostScript: | Installed |
| Level: | 3 |
| Version: | 3021.101 |
| Image Quality: | Standard |
| PCL: | |
| Version: | 6 |
| Pitch Size: | 10.00 |
| Point Size: | 12.00 |
| Font Name: | Courier |
| Lines Per Page: | 60 |
| Custom Color Tables: | Enabled |
| Label: | Not Installed |
| Embedded Fax: | not installed |
| Fax Line 1: | |
| Fax Line 2: | |

Server Fax:

| | |
|---------------------------|----------------|
| Confirmation Sheet: | Enabled |
| Delay Start: | Errors Only |
| Repository Protocol: | Disabled |
| Repository Server: | FTP |
| Repository Document Path: | 10.61.23.93:21 |

Workflow Scanning:

| | |
|---------------------------------------|-------------|
| Confirmation Sheet: | Enabled |
| Default Repository Protocol: | Errors Only |
| Default Repository Server: | FTP |
| Default Repository Document Path: | 0.0.0.0:0 |
| Default Repository Login Credentials: | |
| Alt1 Repository Protocol: | Device |
| Alt1 Repository Server: | FTP |
| Alt1 Repository Document Path: | 0.0.0.0:0 |
| Alt1 Repository Login Credentials: | |
| Workflow Pool Protocol: | Device |
| Workflow Pool Server: | FTP |
| Workflow Pool Path: | 0.0.0.0:0 |

Email:

| | |
|-----------------------|---------------|
| Default From Address: | Enabled |
| Confirmation Sheet: | test@ts13.com |
| Auto Send to Self: | Errors Only |
| E-mail Security: | Disabled |

Scan to Mailbox:

| | |
|-----------------------------|-------------------|
| View Mailboxes by Default: | Enabled/Displayed |
| Storage Capacity (MB): | Enabled |
| Storage Used (MB): | 46978 MB |
| Cleanup of Public Folders: | 2517 MB |
| Cleanup of Created Folders: | Enabled |
| Cleanup Time: | Enabled |
| Scan to Home: | Disabled |

Scan to Home:

| | |
|----------------------------|----------|
| Friendly Name: | |
| Workflow Name: | |
| Auto Create Subdir: | Disabled |
| Append User Name to Path: | Disabled |
| Auto Create User Name Dir: | Disabled |

Scan To:

| | |
|-------------------------|----------|
| Cloud Services: | Enabled |
| Print From: | Disabled |
| Saved Jobs for Reprint: | Enabled |
| Print From USB: | Enabled |
| Print From MailBox: | Disabled |
| Cloud Services: | Disabled |

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: Kerberos
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain: SMB
SMB Alt 1 NT Domain: SMB
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain: Smartcard
SmartCard OCSP URL: SmartCard
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version: Enabled

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Enabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 54

802.1x:

Job Data Removal: Disabled

Scheduled: Disabled

Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

