



Common User Data

Machine Name: Xerox VersaLink B620 Printer (FE:F8:00)
 IP Address: 10.61.9.173
 Machine Serial Number: 5320705764
 Machine URL: https://10.61.9.173
 Machine Activation Date: Apr 05, 2024 11:07:46
 Total Impressions: 196

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used=3254MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 20:45
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless
Energy Saver
 Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
Smart Proximity Sensor
 Wake on Arrival: Not Available
 Sleep on Departure:

Software Versions

Device Software: 121.027.004.14300
 Patch Version: None
 Network Controller: 121.027.14300
 UI Panel Firmware: 6.3
 Marking Engine: 221.168
 Finisher: 000.000.000
Machine Upgrades:
 Last Successful Upgrade: Allowed
 May 27, 2024 21:24:48

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled

Physical Connections

USB Settings
 Usb Type A Ports: Not Installed
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 9.9.9.4efe:f8.00 auto
Wireless:
 Wireless MAC Address: Disabled
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:

Wi-Fi Direct:

Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Disabled
 10.61.9.173
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.9.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Tue Jun 4 12:35:11 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
 fe80::93:4eff:feff:f800
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:109:9e93:4eff:feff:f800
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address: fd00:0:2:109:d5a6:9a1cef1:8e:1h
 Default Gateway: fe80::8afc:5aff:fe75:e282
 DUID (DHCP Unique Identifier): 000100012de83ea69c934eff:f800

DNS Settings:

Requested Host Name: XRXU9c934efef800
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B620 Printer (FE:F8:00)

HTTP:

Force Traffic over Secure Connection (H...: Enabled
 IPP: Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Raw IP Printing: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTp

SMTp Server: 0.0.0.0:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Date printing Connectivity

Attkef Report

XEROX

Xerox logo

Common User Data

Machine Name: Xerox VersaLink B620 Printer (FE:F8:00)
IP Address: 10.61.9.173
Machine Serial Number: 5320705764
Machine URL: https://10.61.9.173
Machine Activation Date: Apr 05, 2024 11:07:46
Total Impressions: 198

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By:
Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3276MB/total=13925MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 20:45
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor: Not Available
Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 121.027.004.14300
Patch Version: None
Network Controller: 121.027.14300
UI Panel Firmware: 6.3
Marking Engine: 221.168
Finisher: 000.000.000
Machine Upgrades: Allowed
Last Successful Upgrade: May 27, 2024 21:24:48

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
Tray 2: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Disabled
Physical Connections:
USB Settings:
Usb Type A Ports: Disabled
Wired:
Ethernet MAC Address: Disabled
Ethernet Speed/Duplex Setting: 10/100
Wireless:
Wireless MAC Address: Disabled
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Disabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC:
iBeacon (Bluetooth®) for AirPrint Di...: Disabled
iBeacon Hardware: Disabled
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPV4:
IP Address: 10.61.9.173
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.9.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Tue Jun 4 12:46:24 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Disabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: fe80::9e93:4eff:fe75:8000
Use Router Supplied Prefix: Disabled
Stateless Global Address 1: fe80::2:109:9e93:4eff:fe75:8000
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier): 000100012de841485c934efef800

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Disabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.9.1
Prefer IPv6 DNS over IPv4: Disabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B620 Printer (FE:F8:00)

HTTP:

Force Traffic over Secure Connection (H...): Yes
IPP: Disabled

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 10.0.0.889
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 00.0.0.25
Connect Encryption (TLS): Force Encryption
Validate Server Certificate (TLS):



Disabled
 Enabled
 Passive
 Enabled

 Disabled
 Enabled
 Enabled
 1,2,5
 Installed
 3
 3021.101

 6
 Corner
 Enabled
 Not Installed
 Enabled
 Enabled
 Enabled
 Disabled

 None
 Enabled

Configuration

Locally on the Device
 Unlocked
 Unlocked
 Unlocked
 Locally on the Device
 Locally on the Device
 Kerberos
 Disabled
 Enabled
 Disabled
 Disabled


 Signed
 52
 Disabled

 Disabled
 Disabled
 TLS 1.1 and TLS 1.2
 SHA-1, SHA-256 and above
 Enhanced Security

Trademark

Copy rights

Internal Trade mark



Common User Data

Machine Name:
IP Address:
Machine Serial Number:
Machine URL:
Machine Activation Date:
Total Impressions:

Xerox VersaLink B620 Printer (FE:F8:00)
10.61.9.173
5320705764
https://10.61.9.173
Apr 05, 2024 11:07:46
198

Date of printing

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Disabled
Universal Print: Disabled
Universal Print Registration Status: Registered

Title of the Report

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server:

System Administrator name not set
machine location not set

Physical Connections

USB Settings
USB Type A Ports: Enabled
Printing Timeout: 15 seconds

Wired:

Ethernet MAC Address:
Ethernet Speed/Duplex Setting: 10/100

Wireless:

Wireless MAC Address:
Network Name (SSID):
PSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct:

Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3276MB/total=13925MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 20:45
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto-Off: Disabled

Software Versions

Device Software: 121.027.004.14300
Patch Version: None
Network Controller: 121.027.14300
UI Panel Firmware: 6.3
User Interface: 121.027.14300
Marking Engine: 221.168
Finisher: 000.000.000
OS: 221.168
Software Upgrade: 004.017
ALTB00T Software Upgrade: 004.017
Tray 2: A16.47_B.23

Machine Upgrades:

Last Successful Upgrade: Allowed
Scheduled Auto Upgrades: May 27, 2024 21:24:48
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily 0.0.0.0:21

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
Tray 2: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Protocols

TCP/IPv4:

IP Address: 10.61.9.173
Subnet Mask: 255.255.0
Router/Gateway: 10.61.9.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: 4:12:46:24 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address: fe80::9093:4eff:fe7c:f800
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fe80::109:9a93:4eff:fe7c:f800
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Disabled
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Disabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.13.20
Alternate DNS Server 1:
Alternate DNS Server 2:
DNS Connection Timeout:
Append Device Domain: Disabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROX.COM
Prefer IPv6 DNS over IPv4: Disabled

Installed Options

PS: Disabled



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Kerberos

Authentication Server:

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 63

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_240.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

external trademark =>

=> copy right

