

Common User Data

⇒ 37678

Machine Name: Xerox VersaLink C415 Color MFP (46:5...  
 IP Address: 10.61.9.30  
 Machine Serial Number: 5334205608  
 Fax Line 1:  
 Machine URL: https://10.61.9.30  
 Machine Activation Date: May 27, 2024 15:58:58  
 Black Impressions: 112  
 Color Impressions: 105  
 Total Impressions: 217

Machine Profile

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

Machine Hardware

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=4018MB/total=14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:02  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Neutral  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Scheduled  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

Software Versions

Device Software: 121.028.004.14300  
 Patch Version: None  
 Network Controller: 121.028.14300  
 UI Panel Firmware: 6.2  
 Marking Engine: 221.168  
 Document Feeder: 221.168  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 221.168  
**Machine Upgrades:**  
 Last Successful Upgrade: Allowed  
 May 27, 2024 12:18:07

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A5 (148 x 210 mm)  
 Manual Feeder: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

**Mobile Workflows**  
**AirPrint Printing:** Enabled  
**Mopria Printing Discovery:** Enabled  
**AirPrint / Mopria Scanning Authentication:** Enabled  
**Physical Connections**  
**USB Settings**  
 Usb Type A Ports: All Enabled  
**Wired:** Enabled  
 Ethernet MAC Address: 78:8c:77:46:60:59  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:** Disabled  
 Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:** Enabled  
**iBeacon (Bluetooth®) for AirPrint Di...** Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

Protocols

**TCP/IPV4:** Enabled  
 IP Address: 10.61.9.30  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.9.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Tue Jun 4 13:33:21 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:** Enabled  
 Link Local Address: fe80::7a8c:77ff:fe46:6059  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:109:7a8c:77ff:fe46:6059  
 Stateless Global Address 2: fd00:0:2:109:7311:8713:b63b:5682  
 Manual Address: Use DHCP as directed by a router  
 DHCP Addressing: fe80::8afc:5dff:fe75:e282  
 DHCP Address: fe80::8afc:5dff:fe75:e282  
 Default Gateway:  
 DUJID (DHCP Unique Identifier):

**DNS Settings:** XRX788C77466059  
 Requested Host Name:  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 10.61.7.15  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:5...  
**HTTP:** Enabled  
 Force Traffic over Secure Connection (H... Yes  
 IPP: Enabled

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:** Enabled  
**Raw IP Printing:** Enabled

**LDAP**  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (L... Disabled  
 LDAP Server 1 Validate Server Certificate... Disabled

**SMTP**  
 SMTP Server: 10.61.13.241:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	10.61.16.12:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	test@xerox.com
<b>NTP:</b>	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

**Apps****Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5,6
<b>PostScript</b>	Installed
Level:	3
Version:	3021 101
<b>PCL</b>	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

**Embedded Fax:**

Fax Line1:	
Fax Line2:	

**Server Fax:**

Repository Protocol:	FTP
Repository Server:	10.61.23.93:21
Repository Document Path:	/

**Workflow Scanning:**

	Enabled
--	---------

**Email:**

	Enabled
--	---------

**Scan to Mailbox:**

	Enabled/Displayed
--	-------------------

Storage Capacity (MB):	672 MB
------------------------	--------

Storage Used (MB):	102 MB
--------------------	--------

Cleanup of Public Folders:	Enabled
----------------------------	---------

Cleanup of Created Folders:	Enabled
-----------------------------	---------

Cleanup Time:	Daily
---------------	-------

**Scan to Home:**

	Disabled
--	----------

**Scan To:**

	Enabled
--	---------

Cloud Services:	Disabled
-----------------	----------

**Print From:**

	Enabled
--	---------

Saved Jobs for Reprint:	Enabled
-------------------------	---------

Print From USB:	Enabled
-----------------	---------

Print From MailBox:	Disabled
---------------------	----------

Cloud Services:	Disabled
-----------------	----------

**Accounting**

Accounting Mode:	None
Network Accounting:	Disabled

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
<b>Device Website Authentication:</b>	Locally on the Device
Authorization:	Locally on the Device

Retrieve E-mail from LDAP:	Enabled
----------------------------	---------

**Authentication Server:**

	Kerberos
--	----------

**Xerox Secure Access:**

	Disabled
--	----------

**Audit Log:**

	Enabled
--	---------

**IP Sec:**

	Disabled
--	----------

**IP Filtering:**

	Disabled
--	----------

**Security Certificates**

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	63
------------------------------	----

**802.1x:**

	Disabled
--	----------

**Job Data Removal:**

Scheduled:	Disabled
------------	----------

**FIPS 140-3:**

	Disabled
--	----------

**TLS:**

	TLS 1.1 and TLS 1.2
--	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

**Trellix Embedded Control:**

	Enhanced Security
--	-------------------

**Common User Data**

Machine Name: Xerox VersaLink C415 Color MFP (46:6...  
 IP Address: 10.61.9.30  
 Machine Serial Number: 5334205608  
 Fax Line1:  
 Machine URL: https://10.61.9.30  
 Machine Activation Date: May 27, 2024 15:58:58  
 Black Impressions: 110  
 Color Impressions: 104  
 Total Impressions: 214

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3972MB/total=14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:02  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Neutral  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Scheduled  
 Sunday: Job Activated  
 Monday: Job Activated  
 Tuesday: Job Activated  
 Wednesday: Job Activated  
 Thursday: Job Activated  
 Friday: Job Activated  
 Saturday: Job Activated

**Software Versions**

Device Software: 121.028.004.14300  
 Patch Version: None  
 Network Controller: 121.028.14300  
 UI Panel Firmware: 6.2  
 User Interface: 121.028.14300  
 Marking Engine: 221.168  
 Copy Controller: 121.028.14300  
 Document Feeder: 221.168  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 221.168  
 Scanner: 221.168  
 Software Upgrade: 004.017  
 ALTB00T Software Upgrade: 004.017  
 Tray 2: A16.84\_B2.3  
 Tray 3: A16.84\_B2.3  
**Machine Upgrades:**  
 Last Successful Upgrade: May 27, 2024 12:18:07  
 Scheduled Auto Upgrades: Enabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 10.61.9.116:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A5 (148 x 210 mm)  
 Tray 3: Plain, White and A5 (148 x 210 mm)  
 Manual Feeder: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Letter (8.5 x 11")

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 Usb Type A Ports: All Enabled  
 Printing Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 78.8c:77:46:60:59 auto  
**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint Di...  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IP Address: 10.61.9.30  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.9.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Tue Jun 4 13:33:21 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address: fe80::7a8c:77ff:fe46:6059  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:109:7a8c:77ff:fe46:6059  
 Stateless Global Address 2: -  
 Manual Address: fd00:0:2:109:7311:871:3:b63b:5682  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX788C77466059  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.13.20  
 Alternate DNS Server 2: -  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM.  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46.6...  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...: Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.9.30:631  
**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: 9100  
 End of Job Timeout: Disabled  
 PDL Switching: 300  
 Disabled  
**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP**  
 SMTP Server: 10.61.13.241:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
**POP3**  
 POP3 Server: 10.61.16.12:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address: test@xerox.com  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 Enabled  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services**  
 Copy Submission: Disabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Disabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,5,6  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 1 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**PostScript**  
 Level: Installed  
 Version: 3  
 Image Quality: 3021.101  
 Enhanced  
**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
 Custom Color Tables: Enabled  
 Label: Not Installed  
 Embedded Fax: not installed  
 Fax Line1:  
 Fax Line2:  
**Server Fax:**  
 Enabled  
 Confirmation Sheet: On  
 Delay Start: Disabled  
 Repository Protocol: FTP  
 Repository Server: 10.61.23.93:21  
 Repository Document Path: /  
**Workflow Scanning:**  
 Enabled  
 Confirmation Sheet: Errors Only  
 Default Repository Protocol: FTP  
 Default Repository Server: 10.61.23.93:21  
 Default Repository Document Path: /  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path: /  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:  
**Email:**  
 Enabled  
 Default From Address: rathimeenas@xeroxqa.com  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled  
**Scan to Mailbox:**  
 Enabled/Displayed  
 View Mailboxes by Default: Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 98 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
**Scan to Home:**  
 Disabled  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled  
**Scan To:**  
 Enabled  
 Cloud Services: Disabled  
**Print From:**  
 Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled