

Common User Data

Machine Name: CARROLL MFP
 IP Address: 10.61.16.25
 Machine Serial Number: 5322480450
 Fax Line1: 3337
 Machine URL: https://10.61.16.25
 Machine Activation Date: Jan 01, 2021 05:37:38
 Black Impressions: 277
 Color Impressions: 558
 Total Impressions: 835

Machine Profile

Xerox Asset Tag: Xerox
 Customer Asset Tag: HCL
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: present
 Extended Fax Card: not present
 Fax Card Memory Size: 739 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=3333MB/total=14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 12:44
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 Startup Config Report: Enabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 60 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 121.024.004.19910
 Patch Version: None
 Network Controller: 121.024.19910
 UI Panel Firmware: 6.2
 User Interface: 121.024.19910
 Marking Engine: 221.174
 Copy Controller: 121.024.19910
 Document Feeder: 221.174
 Finisher: 000.000.000
 Fax: 003.020.016
 OS: 221.174
 Scanner: 221.174
 Software Upgrade: 004.025
 ALTB00T Software Upgrade: 004.025
 Tray 2: A15.51_B2.3
 Tray 3: A15.51_B2.3
 Tray 4: A15.51_B2.3
 Tray 5: A15.51_B2.3

Machine Upgrades:

Last Successful Upgrade: July 22, 2024 12:14:00
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and Letter (8.5 x 11")
 Tray 4: Plain, White and A4 (210 x 297 mm)
 Tray 5: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled
 Universal Print: Enabled
 Universal Print Registration Status: Registered

Physical Connections

USB Settings
 Usb Type A Ports: All Enabled
 Printing Timeout: 5 seconds
Wired:
 Ethernet MAC Address: 78:8c:77fc:24:43
 Ethernet Speed/Duplex Setting: auto
Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint DI...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPv4: Enabled
 IP Address: 10.61.16.25
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Thu Aug 1 10:59:43 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled
 fe80::7a8c:77ff:fefc:2443
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fefc:2443
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77FC2443
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: =
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed
 Lockdown Security Solution: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: CARROLL MFP
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Disabled
 Proxy Server Address: 0.0.0.0:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.25:631
SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled
Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled
SMTP
 SMTP Server: 10.61.10.8:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled
NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
SLP:
 Disabled
FTP Client:
 Enabled
 FTP Client Mode: Passive
Web Services on Device:
 Enabled
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Enabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
PostScript
 Level: Installed
 Version: 3
 Image Quality: 3021.101 Enhanced
PCL
 Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed

Embedded Fax:

Fax Line 1: Enabled/Displayed
 3337
 Fax Line 2:

Server Fax:

Confirmation Sheet: Enabled
 On
 Delay Start: Disabled
 Repository Protocol: SMB
 Repository Server: 10.61.23.93:445
 Repository Document Path: /

Workflow Scanning:

Confirmation Sheet: Enabled
 On
 Default Repository Protocol: FTP
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: FTP
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 rathimeenas@xeroxqa.com
 Confirmation Sheet: On
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 139 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
Scan to Home:
 Disabled

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
 Disabled
Print From:
 Saved Jobs for Reprint: Enabled/Displayed
 Print From USB: Disabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos: Kerberos
 Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OSCP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.443

Audit Log:

Audit Log: Enabled
 IP Sec: Disabled
 IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54
 802.1x: Disabled

Job Data Removal:

Scheduled: Standard
 Scheduled Frequency: Daily

FIPS 140-3:


FIPS 140-3: Disabled

Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name: CARROLL MFP
 IP Address: 10.61.16.25
 Machine Serial Number: 5322480450
 Fax Line1: 3337
 Machine URL: https://10.61.16.25
 Machine Activation Date: Jan 01, 2021 05:37:38
 Black Impressions: 276
 Color Impressions: 557
 Total Impressions: 833

Machine Profile

Xerox Asset Tag: Xerox
 Customer Asset Tag: HCL
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: present
 Extended Fax Card: not present
 Fax Card Memory Size: 739 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=3329MB/total=14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 12:44
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 iBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival:
 Sleep on Departure:

Software Versions

Device Software: 121.024.004.19910
 Patch Version: None
 Network Controller: 121.024.19910
 UI Panel Firmware: 6.2
 Marking Engine: 221.174
 Document Feeder: 221.174
 Finisher: 000.000.000
 Fax: 003.020.016
 Scanner: 221.174
 Machine Upgrades: Allowed
 Last Successful Upgrade: July 22, 2024 12:14:00

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and Letter (8.5 x 11")
 Tray 4: Plain, White and A4 (210 x 297 mm)
 Tray 5: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed
 Lockdown Security Solution: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Physical Connections: Disabled

USB Settings

Usb Type A Ports: All Enabled
 Wired: Enabled
 Ethernet MAC Address: 78:8c:77:fc:24:43
 Ethernet Speed/Duplex Setting: auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
 Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Access Point (SSID):
 Show Password on Device Touch Screen:
 NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IP v4:

Enabled
 IP Address: 10.61.16.25
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Thu Aug 1 10:59:43 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IP v6:

Enabled
 Link Local Address: fe80::7a8c:77ff:fe7c:2443
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fe7c:2443
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77FC2443
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: CARROLL MFP

HTTP:

Force Traffic over Secure Connection (H...): Enabled
 IPP: Yes
 Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.10.8:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Protocols (cont.)

| | |
|--------------------------------|-------------|
| POP3 | |
| POP3 Server: | 0.0.0.0:110 |
| POP3 Secure Connection (TLS): | Disabled |
| E-mail Address: | |
| NTP: | Disabled |
| FTP Client: | Enabled |
| FTP Client Mode: | Passive |
| Web Services on Device: | Enabled |

Apps**Printing**

| | |
|---------------------|-------------|
| Banner Sheet: | Enabled |
| Error Sheets: | Enabled |
| Paper Substitution: | Enabled |
| Tray Priority: | 1,2,3,4,5,6 |
| PostScript | Installed |
| Level: | 3 |
| Version: | 3021.101 |

PCL

| | |
|----------------------------|---------------|
| Version: | 6 |
| Font Name: | Courier |
| Custom Color Tables | Enabled |
| Label: | Not Installed |

Embedded Fax:

| | |
|------------|-------------------|
| Label: | Enabled/Displayed |
| Fax Line1: | 3337 |
| Fax Line2: | |

Server Fax:

| | |
|---------------------------|-----------------|
| Repository Protocol: | Enabled |
| Repository Server: | SMB |
| Repository Server: | 10.61.23.93:445 |
| Repository Document Path: | / |

Workflow Scanning:

| | |
|--|---------|
| | Enabled |
|--|---------|

Email:**Scan to Mailbox:**

| | |
|-----------------------------|-------------------|
| Storage Capacity (MB): | Enabled/Displayed |
| Storage Used (MB): | 672 MB |
| Cleanup of Public Folders: | 139 MB |
| Cleanup of Created Folders: | Enabled |
| Cleanup Time: | Enabled |
| | Daily |

Scan to Home:

| | |
|--|----------|
| | Disabled |
|--|----------|

Scan To:

| | |
|-----------------|----------|
| Cloud Services: | Enabled |
| | Disabled |

Print From:

| | |
|-------------------------|-------------------|
| Print From MailBox: | Enabled |
| Saved Jobs for Reprint: | Enabled/Displayed |
| Print From USB: | Disabled |
| Print From MailBox: | Disabled |
| Cloud Services: | Disabled |

Accounting

| | |
|---------------------|----------|
| Accounting Mode: | None |
| Network Accounting: | Disabled |

Security**Authentication Configuration**

| | |
|---------------------------------------|-----------------------|
| Machine UI Authentication: | Locally on the Device |
| Home: | Unlocked |
| Jobs: | Unlocked |
| Device: | Unlocked |
| Device Website Authentication: | Locally on the Device |
| Authorization: | Locally on the Device |
| Retrieve E-mail from LDAP: | Enabled |

Authentication Server:

| | |
|--|----------|
| | Kerberos |
|--|----------|

Xerox Secure Access:

| | |
|--|----------|
| | Disabled |
|--|----------|

Audit Log:

| | |
|--|---------|
| | Enabled |
|--|---------|

IP Sec:

| | |
|--|----------|
| | Disabled |
|--|----------|

IP Filtering:

| | |
|--|----------|
| | Disabled |
|--|----------|

Security Certificates

| | |
|------------------------------|--------|
| Machine Certificate: | Signed |
| Root Certificates Installed: | 54 |

802.1x:

| | |
|--|----------|
| | Disabled |
|--|----------|

Job Data Removal:

| | |
|------------|----------|
| Scheduled: | Standard |
|------------|----------|

FIPS 140-3:

| | |
|--|----------|
| | Disabled |
|--|----------|

TLS:

| | |
|--|---------------------|
| | TLS 1.1 and TLS 1.2 |
|--|---------------------|

TLS Hash:

| | |
|--|--------------------------|
| | SHA-1, SHA-256 and above |
|--|--------------------------|

Trellix Embedded Control:

| | |
|--|-------------------|
| | Enhanced Security |
|--|-------------------|