

**Common User Data**

Machine Name: Xerox VersaLink B625 MFP (AC:17:78)  
 IP Address: 10.61.16.172  
 Machine Serial Number: 5321605321  
 Fax Line 1:  
 Machine URL: https://10.61.16.172  
 Machine Activation Date: Jul 11, 2024 10:54:27  
 Total Impressions: 1860

**Machine Profile**

Xerox Asset Tag: Xerox  
 Customer Asset Tag: 675f00  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=3530MB/total=13925MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 14:10  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 0 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 121.025.004.19200  
 Patch Version: None  
 Network Controller: 121.025.19200  
 UI Panel Firmware: 6.1  
 User Interface: 121.025.19200  
 Marking Engine: 221.173  
 Copy Controller: 121.025.19200  
 Document Feeder: 221.173  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 221.173  
 Scanner: 221.173  
 Software Upgrade: 004.024  
 ALTB00T Software Upgrade: 004.024  
 Tray 2: A16.47\_B2.3  
 Tray 3: A16.47\_B2.3  
 Tray 4: A16.47\_B2.3  
**Machine Upgrades:**  
 Last Successful Upgrade: Allow -d  
 Scheduled Auto Upgrades: July 14, 2024 21:26:05  
 Auto Upgrade Start Time: Disabled  
 Auto Upgrade Server: Daily  
 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Cardstock, White and Letter (8.5 x 11')

**Connectivity**

**Mobile Workflows**  
 AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered  
**Physical Connections**  
**USB Settings**  
 USB Type A Ports: All Enabled  
 Printing Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 78.8c:77:ac:17:78  
 auto  
**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:**  
 Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**  
 TCP/IPv4: Enabled  
 IP Address: 10.61.16.172  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Sun Jul 21 21:37:05 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:  
**TCP/IPv6:**  
 TCP/IPv6: Enabled  
 Link Local Address: fe80::7a8c:77ff:feac:1778  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fe80::7a8c:77ff:feac:1778  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):  
**DNS Settings:**  
 Requested Host Name: XR788C77AC1778  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: =  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed  
 Scan to Cloud Licensing: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:17:78)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.172:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 10.61.9.241:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 FTP Client Mode: Enabled  
 Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Disabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**PostScript**  
 Level: Installed  
 Version: 3  
 Image Quality: 3021.101 Enhanced

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
**Custom Color Tables**  
 Label: Enabled  
 Not Installed  
 not installed

**Embedded Fax:**  
 Fax Line1:  
 Fax Line2:

**Server Fax:**  
 Confirmation Sheet: Enabled  
 Delay Start: On  
 Repository Protocol: Disabled  
 Repository Server: FTP  
 Repository Document Path: 0.0.0.0:0

**Workflow Scanning:**  
 Confirmation Sheet: Enabled  
 Errors Only  
 Default Repository Protocol: FTP  
 Default Repository Server: 0.0.0.0:0  
 Default Repository Document Path:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:

**Email:**  
 Default From Address: Enable  
 Confirmation Sheet: rct:himeenas@xeroxqa.com  
 Auto Send to Self: Errors Only  
 E-mail Security: Disabled  
 Disabled

**Scan to Mailbox:**  
 View Mailboxes by Default: Enabled/Displayed  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 89 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
 Disabled

**Scan to Home:**  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Cloud Services: Enabled

**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Enabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked

Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos: Kerberos

Kerberos Primary Realm: Kerberos

Kerberos Primary Address: 0.0.0.88

Kerberos Alt 1 Realm: Kerberos

Kerberos Alt 1 Address: 0.0.0.88

SMB NT Domain: SMB

SMB Alt 1 NT Domain: SMB

Smartcard Ctrl Server: 0.0.0.443

Smartcard Ctrl Domain: Smartcard

SmartCard OCSP URL: SmartCard

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version: Card Reader

**Xerox Secure Access:**

Secure Access Server: Disabled

Secure Access Path: 0.0.0.443

Secure Access Path: Secure Access Path

**Audit Log:**

Audit Log: Enabled

**IP Sec:**

IP Sec: Disabled

**IP Filtering:**

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 69

**802.1x:**

802.1x: Disabled

**Job Data Removal:**

Job Data Removal: Disabled

Scheduled: Disabled

Scheduled Frequency: Daily

**FIPS 140-3:**

FIPS 140-3: Disabled

**TLS:**

TLS: TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123