

### Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6...  
 IP Address: 10.61.9.42  
 Machine Serial Number: 5334205608  
 Fax Line1:  
 Machine URL: https://10.61.9.42  
 Machine Activation Date: Jul 02, 2024 15:46:01  
 Black Impressions: 289  
 Color Impressions: 938  
 Total Impressions: 1227

### Machine Profile

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

### Managed By

Primary MB Server:

### Machine Hardware

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3837MB/total=14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

### General Setup

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:02  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

### Energy Saver

Deep Sleep: Enabled  
 Energy Saver Mode: Scheduled  
 Sunday: Job Activated  
 Monday: Job Activated  
 Tuesday: Job Activated  
 Wednesday: Job Activated  
 Thursday: Job Activated  
 Friday: Job Activated  
 Saturday: Job Activated

### Software Versions

Device Software: 121.028.004.17900  
 Patch Version: None  
 Network Controller: 121.028.17900  
 UI Panel Firmware: 6.2  
 User Interface: 121.028.17900  
 Marking Engine: 221.171  
 Copy Controller: 121.028.17900  
 Document Feeder: 221.171  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 221.171  
 Scanner: 221.171  
 Software Upgrade: 004.022  
 ALTBOT Software Upgrade: 004.022  
 Tray 2: A16.84\_B2.3  
 Tray 3: A16.84\_B2.3

### Machine Upgrades:

Last Successful Upgrade: July 1, 2024 10:49:32  
 Scheduled Auto Upgrades: Enabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 10.61.9.116:21

### Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and Letter (8.5 x 11")  
 Manual Feeder: Plain, White and Statement (5.5 x 8.5")  
 Bypass Tray: Letterhead, White and Letter (8.5 x ...)

### Connectivity

#### Mobile Workflows

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Disabled  
 Physical Connections: Not Registered

#### USB Settings

Usb Type A Ports: All Enabled  
 Printing Timeout: 5 seconds

#### Wired:

Ethernet MAC Address: 78:8c:77:46:60:59  
 Ethernet Speed/Duplex Setting: auto

#### Wireless:

Wireless MAC Address:  
 Network Name (SSID):

#### BSSID:

Security Mode:  
 Encryption Algorithm:

#### Status:

Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed

#### Wi-Fi Protected Setup (WPS) Name:

Connection Method:  
 Subnet Prefix Address:

Access Point (SSID):  
 Show Password on Device Touch Screen:

#### NFC:

iBeacon (Bluetooth®) for AirPrint DL...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

### Protocols

#### TCP/IPv4:

IP Address: Enabled  
 10.61.9.42  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.9.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Wed Jul 10 11:29:53 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

#### TCP/IPv6:

Link Local Address: Enabled  
 fe80::7a8c:77ff:fe46:6059  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:109:7a8c:77ff:fe46:6059  
 Stateless Global Address 2: ::  
 Manual Address: fd00:0:2:109:33f6:72bf:53dd:b480  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

#### DNS Settings:

Requested Host Name: XRX788C77466059  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM  
 Prefer IPv6 DNS over IPv4: Enabled

### Installed Options

PS: Installed

**Protocols (cont.)**

<b>Bonjour:</b>	
Bonjour Printer Name:	Xerox VersaLink C415 Color MFP (46:6...
<b>HTTP:</b>	
Port Number:	Enabled
Force Traffic over Secure Connection (H...):	80
Secure HTTP Port Number:	Yes
Proxy Server:	443
Proxy Server Address:	Manual
IPP:	10.177.8.91:8080
Secure IPP Mode:	Enabled
IPP Network Path:	IPP and Secure IPPS
	http://10.61.9.42:631
<b>SNMP</b>	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
<b>LPR/LPD:</b>	
Port Number:	Enabled
PDL Switching:	515
PDL Banner Override:	Disabled
<b>Raw IP Printing:</b>	
Port Number 1:	Enabled
Bidirectional:	9100
End of Job Timeout:	Disabled
PDL Switching:	300
	Disabled
<b>LDAP</b>	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
<b>SMTP</b>	
SMTP Server:	10.61.13.241:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
<b>POP3</b>	
POP3 Server:	10.61.16.12:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	test@xerox.com
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
<b>SLP:</b>	
FTP Client:	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
<b>Web Services</b>	
Copy Submission:	Disabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Disabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

**Apps**

**Printing**

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5,6
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Center Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced

**PCL**

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables	Enabled
Label:	Not Installed

**Embedded Fax:**

Fax Line1:	
Fax Line2:	

**Server Fax:**

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Delay Start:	Disabled
Repository Protocol:	FTP
Repository Server:	10.61.23.93:21
Repository Document Path:	/

**Workflow Scanning:**

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Default Repository Protocol:	FTP
Default Repository Server:	10.61.23.93:21
Default Repository Document Path:	/
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	

**Email:**

Default From Address:	rathimeenas@xeroxqa.com
Confirmation Sheet:	On
Auto Send to Self:	Disabled
E-mail Security:	Disabled

**Scan to Mailbox:**

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	93 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	Disabled

**Scan to Home:**

Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

**Scan To:**

Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From Mailbox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain: SMB NT Domain  
 SMB Alt 1 NT Domain: SMB NT Domain  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain: Smartcard Ctrl Domain  
 SmartCard OCSP URL: SmartCard OCSP URL  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: Card Reader Firmware Version

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Enabled  
 IP Sec: Disabled  
 IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 63  
 802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Monthly

**FIPS 140-3:**

Disabled  
 TLS: TLS 1.1 and TLS 1.2  
 TLS Hash: SHA-1, SHA-256 and above  
 Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123

