

Common User Data

Machine Name:	Xerox AltaLink C8270 Color MFP (A2.1...
IP Address:	10.61.12.33
Machine Serial Number:	ZQZ654009
Fax Line 1:	
Machine URL:	https://10.61.12.33
Machine Activation Date:	Jan 01, 2021 05:31:41
Black Impressions:	20
Color Impressions:	16
Total Impressions:	36

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=4283MB/total=256060MB (SSD)
EPIC Memory Size:	1000 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	15:09
Xerox Workplace Cloud	Disabled
E-mail Alerts	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
Document Feeder Multi-feed Detection:	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	0 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.040.004.17200
Patch Version:	None
Network Controller:	121.040.17200
UI Panel Firmware:	003.004.00000
User Interface:	121.040.17200
Marking Engine:	034.045.000
Copy Controller:	121.040.17200
Document Feeder:	001.035.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	121.004.17200
Scanner:	017.023.013
Software Upgrade:	121.040.17200
Tray 2	
Tray 3	
Tray 4	

Machine Upgrades:

Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and IIS B4 (257 x 364 mm)
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	
Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	9c:93:4e:a2:1b:0b auto
Wireless:	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:	
IP Address:	Enabled
Subnet Mask:	10.61.12.33
Router/Gateway:	255.255.255.0
Automatic Addressing	10.61.12.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Tue Jan 12 00:02:43 2021
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled
TCP/IPv6:	
Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:1b0b
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:112:9e93:4eff:fea2:1b0b
Manual Address:	::
DHCP Addressing:	
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XR9C934EA21B0B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domain:	Disabled
DNS Domain Search List:	XEROXA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:

Bonjour Printer Name:

Xerox AltaLink C8270 Color MFP (A21...

HTTP:

Port Number:

Enabled

Force Traffic over Secure Connection (H...

80

Secure HTTP Port Number:

Yes

Proxy Server:

443

Proxy Server Address:

Automatic

IPP

Secure IPP Mode:

0.0.0.0:8080

IPP Network Path:

Enabled

IPP and Secure IPPS

http://10.61.12.33:631

SNMP

SNMP v1/v2:

Enabled

SNMP v3:

Disabled

LPR/LPD:

Port Number:

Enabled

PDL Switching:

S15

PDL Banner Override:

Disabled

Raw IP Printing:

Port Number 1:

Disabled

Bidirectional:

Disabled

End of Job Timeout:

300

PDL Switching:

Disabled

LDAP

LDAP Server 1 Friendly Name:

LDAP Server 1 Primary LDAP Address:

0.0.0.0:389

LDAP Server 1 Alternate LDAP Address:

0.0.0.0:389

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...

Disabled

LDAP Server 1 Validate Server Certificate...

Disabled

SMTP

SMTP Server:

0.0.0.0:25

Connect Encryption (TLS):

No Encryption

Validate Server Certificate (TLS):

Max Message Size (KB):

10240

Number of Fragments:

1

Total Job Size (KB):

300000

Job Splitting Boundary:

Page Boundary

Credentials for Auto E-mails:

None

Credentials for Walkup User:

None

POP3

POP3 Server:

0.0.0.0:110

POP3 Secure Connection (TLS):

Disabled

E-mail Address:

Receipt of E-mail via POP3:

Disabled

Send Confirm on Request:

Enabled

Incoming E-mail cover sheet:

Enabled

NTP:

Primary Server:

0.0.0.0:123

Alternate Server:

0.0.0.0:123

SLP:

FTP Client:

Disabled

FTP Client Mode:

Enabled

Web Services on Device:

Passive

WS-Discovery:

Enabled

WS-Discovery Multicast:

Enabled

WS-Print:

Enabled

WS-Scan:

Enabled

Web Services

Copy Submission:

Enabled

Digital Certificate Management and Secur...

Enabled

Extensible Service Registration:

Enabled

Job Limits:

Enabled

Job Management Extension:

Enabled

Device Configuration:

Enabled

Scan Submission:

Enabled

Scan Workflow Management:

Enabled

Session Data:

Enabled

User Interface Configuration:

Enabled

EIP Proxy Configuration:

Enabled

Xerox Secure Access:

Disabled

EIP SNMP Configuration:

Enabled

Print Submission:

Enabled

Scan Template Mgmt:

Enabled

Mass Storage Access:

Enabled

Card Reader Access:

Enabled

Authentication & Accountant Control:

Enabled

Export Audit Log:

Enabled

Trellix Embedded Control:

Enabled

Apps

Printing

Banner Sheet:

Enabled

Sys/Start Job:

Disabled

Delete Held Jobs After:

3 Day(s) 0 Hour(s) 0 Minute(s)

Error Sheets:

Enabled

Paper Substitution:

Enabled

Tray Priority:

1,2,3,4,5

Default Copies:

1

Default Job Type:

Normal Print

Default Paper Size:

x=8.50 inches, y=11.00 inches

Default Paper Color:

White

Default 2 Sided Printing:

1 Sided

Default Output Tray:

Main Tray

Default Output Color:

Color

Default Collated Sets:

Enabled

Default Stapling:

Not Available

Offsetting Between Jobs:

Offset Between Jobs

PostScript

Installed

Level:

3

Version:

3021.101

Image Quality:

Standard

PCL

Version:

6

Pitch Size:

10.00

Point Size:

12.00

Font Name:

Courier

Lines Per Page:

60

Custom Color Tables

Enabled

Label:

Not Installed

Embedded Fax:

not installed

Fax Line1:

Fax Line2:

Server Fax:

Enabled

Confirmation Sheet:

Errors Only

Delay Start:

Disabled

Repository Protocol:

FTP

Repository Server:

0.0.0.0

Repository Document Path:

Workflow Scanning:

Enabled

Confirmation Sheet:

Errors Only

Default Repository Protocol:

FTP

Default Repository Server:

0.0.0.0

Default Repository Document Path:

Default Repository Login Credentials:

Device

Alt1 Repository Protocol:

FTP

Alt1 Repository Server:

0.0.0.0

Alt1 Repository Document Path:

Device

Alt1 Repository Login Credentials:

FTP

Workflow Pool Protocol:

0.0.0.0

Workflow Pool Server:

0.0.0.0

Workflow Pool Path:

Email:

Enabled

Default From Address:

Confirmation Sheet:

Errors Only

Auto Send to Self:

Disabled

E-mail Security:

Disabled

Scan to Mailbox:

Enabled/Displayed

View Mailboxes by Default:

Enabled

Storage Capacity (MB):

46978 MB

Storage Used (MB):

2472 MB

Cleanup of Public Folders:

Enabled

Cleanup of Created Folders:

Enabled

Cleanup Time:

Only

Scan to Home:

Disabled

Friendly Name:

Workflow Name:

Disabled

Auto Create Subdir:

Disabled

Append User Name to Path:

Disabled

Auto Create User Name Dir:

Disabled

Scan To:

Enabled

Cloud Services:

Disabled

Print From:

Enabled

Saved Jobs for Reprint:

Enabled

Print From USB:

Enabled

Print From Mailbox:

Disabled

Cloud Services:

Disabled

Accounting

Accounting Mode:
Network Accounting:

None
Disabled

Security**Authentication Configuration**

Machine UI Authentication:
Home:
Jobs:
Device:
Device Website Authentication:
Authorization:
Retrieve E-mail from LDAP:
Authentication Server:
Kerberos Primary Realm:
Kerberos Primary Address:
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address:
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server:
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy:
Card Reader Firmware Version:

Locally on the Device
Unlocked
Unlocked
Unlocked
Locally on the Device
Locally on the Device
Enabled
Kerberos

Authentication Server:

Kerberos Primary Realm:
Kerberos Primary Address:
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address:
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server:
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy:
Card Reader Firmware Version:

0.0.0.0:88
0.0.0.0:88
0.0.0.0:443
Enabled

Xerox Secure Access:

Secure Access Server:
Secure Access Path:

Disabled
0.0.0.0:443

Audit Log:

IP Sec:
IP Filtering:

Enabled
Disabled
Disabled

Security Certificates

Machine Certificate:
Root Certificates Installed:

Signed
54
Disabled

802.1x:**Job Data Removal:**

Scheduled:
Scheduled Frequency:

Disabled
Monthly
Disabled

FIPS 140-3:

TLS:
TLS Hash:

TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above
Enhanced Security

Trellix Embedded Control:**Extensible Service Setup**

Third Generation Browser:
Widget Version:
Widget Version:

X3G_3.24.23_2405_011_01.00.00
v1.3.17 c8 20140613
v2.5.04 g9 20240123

