

## Common User Data

Machine Name:	Xerox VersaLink B620 Printer (FE:F8:00)
IP Address:	10.61.16.31
Machine Serial Number:	5320705764
Machine URL:	https://10.61.16.31
Machine Activation Date:	Jan 01, 2021 05:37:34
Total Impressions:	755

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set

## Managed By

Primary MB Server:

## Machine Hardware

Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=3335MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

## Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

## Smart Proximity Sensor

Wake on Arrival:	Not Available
Sleep on Departure:	

## Software Versions

Device Software:	121.027.004.19910
Patch Version:	None
Network Controller:	121.027.19910
UI Panel Firmware:	6.3
Marking Engine:	221.174
Finisher:	000.000.000
Machine Upgrades:	Allowed
Last Successful Upgrade:	July 22, 2024 13:15:57

## Media Trays

Tray 1:	Plain, White and Letter (8.5 x 11")
Tray 2:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and Letter (8.5 x 11")

## Installed Options

PS:	Installed
-----	-----------

## Connectivity

## Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
Physical Connections	
USB Settings	
Usb Type A Ports	All Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:fe:f8:00
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint DL...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

## Protocols

## TCP/IP v4:

IP Address:	Enabled
Subnet Mask:	10.61.16.31
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.224
BOOTP Broadcast:	Wed Jul 31 13:04:36 2024
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

## TCP/IP v6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fe:f800
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:9e93:4eff:fe:f800
Manual Address:	::
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe:75e282
DUID (DHCP Unique Identifier):	

## DNS Settings:

Requested Host Name:	XR9C934EFEF800
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

## Bonjour:

Bonjour Printer Name:	Xerox VersaLink B620 Printer (FE:F8:00)
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

## SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

## LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

## LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

## SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

## Protocols (cont.)

NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device

## Authentication Server:

## Xerox Secure Access:

## Audit Log:

## IP Sec:

## IP Filtering:

## Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	63
802.1x:	Disabled

## Job Data Removal:

Scheduled:	Disabled
------------	----------

## FIPS 140-3:

## TLS:

TLS Hash:	TLS 1.1 and TLS 1.2
Trellix Embedded Control:	SHA-1, SHA-256 and above
	Enhanced Security

Common User Data

Machine Name:	Xerox VersaLink B620 Printer (FE:F8:00)
IP Address:	10.61.16.31
Machine Serial Number:	5320705764
Machine URL:	https://10.61.16.31
Machine Activation Date:	Jan 01, 2021 05:37:34
Total Impressions:	755

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=3335MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	121.027.004.19910
Patch Version:	None
Network Controller:	121.027.19910
UI Panel Firmware:	6.3
User Interface:	121.027.19910
Marking Engine:	221.174
Finisher:	000.000.000
OS:	221.174
Software Upgrade:	004.025
ALTB00T Software Upgrade:	004.025
Tray 2:	A16.47_B2.3
Machine Upgrades:	Allowed
Last Successful Upgrade:	July 22, 2024 13:15:57
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.21

Media Trays

Tray 1:	Plain, White and Letter (8.5 x 11")
Tray 2:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	
Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	9c:c9:34:ef:f8:00 auto
Wireless:	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.31
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Wed Jul 31 13:04:36 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fefe:f800
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fefe:f800
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XXR9C934EFEF800
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

## Protocols (cont.)

<b>Bonjour:</b>	
Bonjour Printer Name:	Xerox VersaLink B620 Printer (FE:F8:00)
<b>HTTP:</b>	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.31:631
<b>SNMP:</b>	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
<b>LPR/LPD:</b>	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
<b>Raw IP Printing:</b>	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
<b>LDAP:</b>	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
<b>SMTP:</b>	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
<b>POP3:</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
<b>SLP:</b>	
SLP:	Disabled
<b>FTP Client:</b>	
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
<b>Web Services:</b>	
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
<b>PCL:</b>	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables	Enabled
Label:	Not Installed
<b>Print From:</b>	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled



Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs Pathway: Unlocked  
Printer Pathway: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled  
IP Sec: Disabled  
IP Filtering: Disabled

Security Certificates  
Machine Certificate: Signed  
Root Certificates Installed: 63  
802.1x: Disabled

Job Data Removal:  
Scheduled: Disabled  
Scheduled Frequency: Monthly

FIPS 140-3: Disabled  
TLS: TLS 1.1 and TLS 1.2  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123