

Common User Data

Machine Name:	Xerox AltaLink C8270 Color MFP (A2.1...
IP Address:	10.61.9.146
Machine Serial Number:	ZQZ654009
Fax Line1:	
Machine URL:	https://10.61.9.146
Machine Activation Date:	Jan 01, 2021 05:31:41
Black Impressions:	5
Color Impressions:	6
Total Impressions:	11

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=4150MB/total= 256060MB (SSD)
EPC Memory Size:	1000 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	15:09
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless
Energy Saver:	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor:	
Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	121.040.004.17200
Patch Version:	None
Network Controller:	121.040.17200
UI Panel Firmware:	003.004.00000
Marking Engine:	034.045.000
Document Feeder:	001.035.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	017.023.013
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and JIS B4 (257 x 364 mm)
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning Authentication:	Enabled
Physical Connections:	Disabled
USB Settings:	
Usb Type A Ports:	All Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:c93:4ea2:1b0b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
Beacon (Bluetooth®) for AirPrint Di:	Enabled
Beacon Hardware:	Not Installed
Bluetooth Device Address:	
Beacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.9.146
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.9.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Mon Jan 11 04:15:39 2021
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1b0b
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:109:9e93:4eff:fea2:1b0b
Stateless Global Address 2:	..
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:109:9e93:4eff:fea2:1b0b
Default Gateway:	fe80::8a1c:5dff:fe75:e282
DUID (DHCP Unique Identifier):	00010001278505939c934ea21b0b
DNS Settings:	
Requested Host Name:	XHX9C934EA21B0B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled
Bonjour:	
Bonjour Printer Name:	Xerox AltaLink C8270 Color MFP (A2.1...
HTTP:	Enabled
Force Traffic over Secure Connection (H:	Yes
IPP:	Enabled
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled
LDAP:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA:	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled
SMTP:	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 NTP: Enabled
 FTP Client: Enabled
 FTP Client Mode: Passive
 Web Services on Device: Enabled

Apps

Printing

Banner Sheet: Enabled
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 PostScript: Installed
 Level: 3
 Version: 3021.101

PCL

Version: 6
 Font Name: Courier
 Custom Color Tables: Enabled
 Label: Not installed

Embedded Fax:

Fax Line 1: not installed
 Fax Line 2:

Server Fax:

Enabled
 Repository Protocol: FTP
 Repository Server: 0.0.0.0
 Repository Document Path:

Workflow Scanning:

Enabled
 Email: Enabled
 Scan to Mailbox: Enabled/Displayed
 Storage Capacity (MB): 46978 MB
 Storage Used (MB): 2472 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:

Disabled

Scan To:

Cloud Services: Disabled

Print From:

Save Jobs for Republish: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.1 and TLS 1.2
 TLS 1.3: Signed, Signed, Signed, Signed

Trellix Embedded Control:

Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Disabled

IP Filtering:

Security Certificates: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: S4

802.1x:

Job Data Removal: Disabled

Scheduled: Monthly
Scheduled Frequency: Disabled

FIPS 140-3:

TLS: TLS 1.1 and TLS 1.2
TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2405_011_01.00.00
Widget Version: v1.3.17.c8.20140613
Widget Version: v2.5.04.g9.20240123

