

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (A2;1B:A9)
IP Address:	10.61.21.30
Machine Serial Number:	ZQV624005
Fax Line1:	
Machine URL:	https://10.61.21.30
Machine Activation Date:	Jan 01, 2021 01:01:23
Total Impressions:	71

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3990MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	05:12
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	60 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.041.004.17900
Patch Version:	None
Network Controller:	121.041.17900
UI Panel Firmware:	003.004.00000
User Interface:	121.041.17900
Marking Engine:	072.001.000
Copy Controller:	121.041.17900
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	121.004.17900
Scanner:	017.023.013
Software Upgrade:	121.041.17900
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Legal (8.5 x 14")
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Transparency, Clear and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	Disabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Enabled
Wireless MAC Address:	c0:ee:40:d8:49:ce
Network Name (SSID):	Lab User 2
BSSID:	a0:93:51:75:e6:cf
Security Mode:	WPA2_PERSONAL
Encryption Algorithm:	AUTO
Status:	Connected
Wi-Fi Direct:	Enabled
Wireless Hardware:	Installed
Wi-Fi Protected Setup (WPS) Name:	XXR AL B8255 MFP (A21BA9)
Connection Method:	Push Button Configuration (PBC)
Subnet Prefix Address:	172.27.169.0/24
Access Point (SSID):	DIRECT-a7-XXR AL B8255 MFP (A21B
Show Password on Device Touch Screen:	Enabled
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Installed
Bluetooth Device Address:	C0:EE:40:D8:49:CF
iBeacon IP Address:	fd00:0:2:121:c2ee:40ff:fed8:49ce

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.21.30
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.21.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Wed Jan 13 17:41:26 2021
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::c2ee:40ff:fed8:49ce
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:121:c2ee:40ff:fed8:49ce
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XXR9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

## Protocols (cont.)

<b>Bonjour:</b>	
Bonjour Printer Name:	Xerox AltaLink B8255 MFP (A2:1B:A9)
<b>HTTP:</b>	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.21.30:631
<b>SNMP</b>	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
<b>LPR/LPD:</b>	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
<b>Raw IP Printing:</b>	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
<b>LDAP</b>	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
<b>SMTP</b>	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
<b>SLP:</b>	
SLP:	Disabled
<b>FTP Client:</b>	
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
<b>Web Services</b>	
Copy Submission:	Enabled
Digital Certificate Management and Secur...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stopping:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
<b>PCL</b>	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed

## Embedded Fax:

Fax Line1:	
Fax Line2:	

## Server Fax:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Delay Start:	Disabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

## Workflow Scanning:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Default Repository Protocol:	FTP
Default Repository Server:	0.0.0.0:0
Default Repository Document Path:	
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	

## Email:

Default From Address:	Enabled
Confirmation Sheet:	Errors Only
Auto Send to Self:	Disabled
E-mail Security:	Disabled

## Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	46978 MB
Storage Used (MB):	2471 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

## Scan to Home:

Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

## Scan To:

Cloud Services:	Enabled
-----------------	---------

## Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled



Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: \$4

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled  
Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01 00:00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2 5.04 g9 20240123