

**Common User Data**

Machine Name: Xerox VersaLink C415 Color MFP (46:6...  
 IP Address: 10.61.5.59  
 Machine Serial Number: 5334205420  
 Fax Line 1:  
 Machine URL: https://10.61.5.59  
 Machine Activation Date: Dec 08, 2023 12:40:04  
 Black Impressions: 803  
 Color Impressions: 2172  
 Total Impressions: 2975

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location:  
**Managed By**  
 Primary MB Server:

System Administrator name not set  
 machine location not set

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3855MB/total=13925MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 13:11  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: 00:00  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.028.004.24820  
 Patch Version: None  
 Network Controller: 122.028.24820  
 UI Panel Firmware: 6.2  
 User Interface: 122.028.24820  
 Marking Engine: 230.310  
 Copy Controller: 122.028.24820  
 Document Feeder: 230.310  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 230.310  
 Scanner: 230.310  
 Software Upgrade: 005.000  
 ALTB00T Software Upgrade: 005.000

**Machine Upgrades:**

Last Successful Upgrade: September 9, 2024 12:07:25  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Manual Feeder: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

**AirPrint Printing:** Enabled  
**Mopria Printing Discovery:** Enabled  
**AirPrint / Mopria Scanning Authentication:** Disabled  
**Universal Print:** Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 Usb Type A Ports: All Enabled  
 Printing Timeout: 5 seconds  
**Wired:** Enabled  
 Ethernet MAC Address: 78:8c:77:46:60:5f  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:** Disabled

**Wireless:**  
 Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

**Wi-Fi Protected Setup (WPS) Name:**  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
**iBeacon (Bluetooth®) for AirPrint Di...** Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:** Enabled  
 IP Address: 10.61.5.59  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.5.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Thu Sep 12 12:14:31 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 fe80::7a8c:77ff:fe46:605f  
 Enabled  
 Link Local Address:  
 Use Router Supplied Prefix:  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX788C7746605F  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.7.16  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: HCLT.CORP.HCL.IN.  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:6...  
**HTTP:**  
 Port Number: Enabled  
 80  
 Force Traffic over Secure Connection (H... Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Automatic  
 Proxy Server Address: 0.0.0.0:8080  
 IPP Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.5.59:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: Enabled  
 PDL Switching: Enabled  
 PDL Banner Override: Enabled

**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA... Disabled  
 LDAP Server 1 Validate Server Certificate... Disabled

**SMTP**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:** Disabled

**FTP Client:**  
 FTP Client Mode: Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi... Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur... Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**Archival Marking Mode**  
**PostScript**  
 Level: Installed  
 3  
 Version: 3021.101  
 Image Quality: Enhanced

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
**Custom Color Tables**  
 Label: Enabled  
 Not Installed  
 Not Present

**Fax:**  
 Fax Line1:  
 Fax Line2:

**Server Fax:**  
 Confirmation Sheet: Enabled  
 Delay Start: Errors Only  
 Repository Protocol: Disabled  
 SMB  
 Repository Server: 10.61.23.93:445  
 Repository Document Path: /

**Workflow Scanning:**  
 Confirmation Sheet: Enabled  
 Default Repository Protocol: Off  
 SMB  
 Default Repository Server: 0.0.0.0  
 Default Repository Document Path:  
 Default Repository Login Credentials:  
 Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials:  
 Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0  
 Workflow Pool Path:

**Email:**  
 Default From Address:  
 Confirmation Sheet: Enabled  
 Auto Send to Self: Errors Only  
 Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**  
 View Mailboxes by Default: Enabled/Displayed  
 Storage Capacity (MB): Enabled  
 672 MB  
 Storage Used (MB): 73 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
 Disabled

**Scan to Home:**  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Cloud Services: Enabled  
 Disabled

**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Common User Data**

Machine Name: Xerox VersaLink C415 Color MFP (4665...  
 IP Address: 10.61.5.59  
 Machine Serial Number: 5334205420  
 Fax Line1:  
 Machine URL: https://10.61.5.59  
 Machine Activation Date: Dec 08, 2023 12:40:04  
 Black Impressions: 802  
 Color Impressions: 2171  
 Total Impressions: 2973

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location:  
 System Administrator name not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3835MB/total=13925MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 13:11  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: 00:00  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.028.004.24820  
 Patch Version: None  
 Network Controller: 122.028.24820  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.310  
 Document Feeder: 230.310  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 230.310  
**Machine Upgrades:**  
 Last Successful Upgrade: September 9, 2024 12:07:25

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Manual Feeder: Plain, White and A4 (210 x 297 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Disabled

**Physical Connections**

**USB Settings**  
 Usb Type A Ports: All Enabled  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 78-8c:77:46:60:5f  
 auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 Beacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 Beacon IP Address:

**Protocols**

**TCP/IPv4:**

IP Address: 10.61.5.59  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.5.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Thu Sep 12 12:14:31 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::7a8c:77ff:fe46:605f  
 Enabled  
 Use Router Supplied Prefix:  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX788C7746605F  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink C415 Color MFP (4665...

**HTTP:**

Force Traffic over Secure Connection (H...): Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 0.0.0.25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
<b>NTP:</b>	Enabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1.5
<b>Archival Marking Mode</b>	Off
<b>PostScript</b>	Installed
Level:	3
Version:	3021.101
<b>PCL</b>	
Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed
<b>Fax:</b>	Not Present

Fax Line1:	
Fax Line2:	
<b>Server Fax:</b>	Enabled
Repository Protocol:	SMB
Repository Server:	10.61.23.93:445
Repository Document Path:	/

**Workflow Scanning:**

<b>Email:</b>	Enabled
<b>Scan to Mailbox:</b>	Enabled/Displayed
Storage Capacity (MB):	672 MB
Storage Used (MB):	73 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
<b>Scan to Home:</b>	Disabled
<b>Scan To:</b>	Enabled
Cloud Services:	Disabled
<b>Print From:</b>	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode:	None
Network Accounting:	Disabled

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
<b>Device Website Authentication:</b>	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

**Authentication Server:**

<b>Xerox Secure Access:</b>	Kerberos
<b>Audit Log:</b>	Disabled
<b>IP Sec:</b>	Enabled
<b>IP Filtering:</b>	Disabled

**Security Certificates**

Machine Certificate:	Signed
Root Certificates Installed:	54
<b>802.1x:</b>	Disabled

**Job Data Removal:**

Scheduled:	Disabled
<b>FIPS 140-3:</b>	Disabled
<b>TLS:</b>	TLS 1.2 and TLS 1.3
TLS Hash:	SHA-1, SHA-256 and above
<b>Trellix Embedded Control:</b>	Disabled