

Common User Data

Machine Name: Xerox VersaLink C620 (FC:36:82)
IP Address: 10.61.11.54
Machine Serial Number: UMQ000533
Machine URL: https://10.61.11.54
Machine Activation Date: Unknown
Black Impressions: 27895
Color Impressions: 45354
Total Impressions: 73249

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By:
Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used: 3313MB/total: 14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 20:59
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless
Energy Saver: Enabled
Deep Sleep: Job Activated
Energy Saver Mode: Not Available
Smart Proximity Sensor:
Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 122.026.004.34100
Patch Version: None
Network Controller: 122.026.34100
UI Panel Firmware: 6.2
Marking Engine: 230.315
Finisher: 000.000.000
Machine Upgrades: Not Allowed
Last Successful Upgrade: December 12, 2024 06:23:02

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled

Physical Connections

USB Settings

USB Type A Ports: All Enabled
USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 9c-93:4efc:36:82
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Enabled
Wi-Fi Direct: Not Installed
Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Enabled
Bluetooth Device Address: Not Installed
Beacon IP Address:

Protocols

TCP/IPv4:

IP Address: Enabled 10.61.11.54
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.11.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Thu Dec 19 16:55:09 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled fe80::9e93:4eff:fec:3682
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: Enabled fd00:0:2:111:9e93:4eff:fec:3682
Stateless Global Address 2:
Manual Address: Use DHCP as directed by a router
DHCP Addressing:
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR9C934EFC3682
Verified Host Name:
Requested Domain Name:
Verified Domain Name: Enabled
Multicast DNS: Disabled
Release DHCP Leases and DNS Registrati...: 10.61.7.15
Primary DNS Server: Enabled
Prefer IPv6 DNS over IPv4:

Bonjour:

Bonjour Printer Name: Xerox VersaLink C620 (FC:36:82)

HTTP:

Force Traffic over Secure Connection (H...: Enabled
IPP: Yes

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...: Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 0.0.0.0:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

### Protocols (cont.)

NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

### Apps

#### Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1.6
Archival Marking Mode:	Off
PostScript:	Installed
Level:	3
Version:	3021.101
PCL:	
Version:	6
Font Name:	Courier
Custom Color Tables:	Enabled
Label:	Not Installed
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled

### Accounting

Accounting Mode:	None
Network Accounting:	Disabled

### Security

#### Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device

#### Authentication Server:

Kerberos

#### Xerox Secure Access:

Disabled

#### Audit Log:

Enabled

#### IP Sec:

Disabled

#### IP Filtering:

Disabled

#### Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	54
802.1x:	Disabled

#### Job Data Removal:

Scheduled:	Disabled
------------	----------

#### FIPS 140-3:

Disabled

#### TLS:

TLS 1.2 and TLS 1.3

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

#### Trellix Embedded Control:

Disabled

**Common User Data**

Machine Name: Xerox VersaLink C620 (FC:36:82)  
 IP Address: 10.61.11.54  
 Machine Serial Number: UMQ000533  
 Machine URL: https://10.61.11.54  
 Machine Activation Date: Unknown  
 Black Impressions: 27896  
 Color Impressions: 45355  
 Total Impressions: 73251

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used= 3475MB/total= 14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 20:59  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.026.004.34100  
 Patch Version: None  
 Network Controller: 122.026.34100  
 UI Panel Firmware: 6.2  
 User Interface: 122.026.34100  
 Marking Engine: 230.315  
 Finisher: 000.000.000  
 OS: 230.315  
 Software Upgrade: 005.007  
 ALTB00T Software Upgrade: 005.007  
**Machine Upgrades:** Not Allowed  
 Last Successful Upgrade: December 12, 2024 06:23:02  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Letter (8.5 x 11")

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:36:82  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status: Enabled  
**Wi-Fi Direct:** Not Installed  
 Wireless Hardware:  
 Wi-Fi Protected Setup (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IP Address: 10.61.11.54  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.11.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Thu Dec 19 16:55:09 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fe75:e282  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:111:9e93:4eff:fe75:e282  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: fe80::8af:c5dff:fe75:e282  
 Default Gateway:  
 DUJID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XR9C934EFC3682  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2:  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

Protocols (cont.)

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C620 (FC:36:82)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Automatic  
 Proxy Server Address: 0.0.0.0:8080  
**IPP:**  
 Secure IPP Mode: Enabled  
 IPP Network Path: http://10.61.11.54:631  
**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Enabled  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled  
**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP:**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 FTP Client Mode: Enabled  
 Passive  
**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
**Web Services:**  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1.6  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Staping: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
 Archival Marking Mode: Off  
**PostScript:**  
 Level: Installed  
 Version: 3  
 Image Quality: 3021.101 Enhanced  
**PCL:**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
 Custom Color Tables: Enabled  
 Label: Not Installed  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs Pathway: Unlocked  
 Printer Pathway: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain: Kerberos  
 SMB Alt 1 NT Domain: Kerberos  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain: Kerberos  
 SmartCard OCSP URL: Kerberos  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: Kerberos

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 54

802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Disabled

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_240.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

# Supplies Usage

Supplies ordering information is located at [www.xerox.com/office/supplies](http://www.xerox.com/office/supplies)


## Consumables

### Toner Cartridges



#### Black

Date Installed: Aug 14, 2023  
Reorder: 00  
Estimated Pages Remaining: 2000  
(Based upon this toner cartridge's average coverage: 3%)



#### Cyan

Date Installed: Jul 12, 2024  
Reorder:  
Estimated Pages Remaining: 4500  
(Based upon this toner cartridge's average coverage: 3%)




#### Magenta

Date Installed: Jul 12, 2024  
Reorder:  
Estimated Pages Remaining: 4500  
(Based upon this toner cartridge's average coverage: 4%)



#### Yellow

Date Installed: Sep 30, 2024  
Reorder: 00  
Estimated Pages Remaining: 6500  
(Based upon this toner cartridge's average coverage: 7%)




## Routine Maintenance Items

### Imaging Units



#### Black Imaging Kit

Date Installed: Aug 24, 2023  
Reorder: 01  
Estimated Pages Remaining: 87000  
(Based on average printer job size: 1 Pages)



#### Color Imaging Kit

Date Installed: Aug 24, 2023  
Reorder: 01  
Estimated Pages Remaining: 105000  
(Based on average printer job size: 1 Pages)



### Waste Container



Date Installed: Unknown  
Reorder: 008

OK

Recycling information is located at: [www.xerox.com/gwa](http://www.xerox.com/gwa)

Printer Activation Date: Unknown