



Printed at 13 Nov. 2024 06:26 PM

HTTP:	Bonjour Printer Name:	Xerox Versalink C625 Color MFP (FC:2...	Enabled
	Port Number:	80	Enabled
	Secure HTTP Port Number:	443	Disabled
	Proxy Server:	0.0.0.8080	Enabled
	Proxy Server Address:	0.0.0.8080	IPP and Secure IPPS
	Secure IPP Mode:	IPP Network Path:	http://10.6.1.126:531
	SNMP	SNMP v1/v2:	Enabled
	SNMP v3:	SNMP v3:	Disabled
	LPD/LPD:	Port Number:	Enabled
	PDL Switching:	515	Disabled
	PDL Banner Override:	Disabled	Enabled
	Raw IP Printing:	Enabled	9100
	Port Number 1:	BiDirectional:	Disabled
	End of Job Timeout:	300	Disabled
	PDL Switching:	300	Disabled
	LPD	PDL Switching:	300
	LDAP	LDAP Server 1 Friendly Name:	0.0.0.389
	LDAP Server 1 Primary LDAP Address:	0.0.0.389	0.0.0.389
	LDAP Server 1 Alternate LDAP Address:	0.0.0.389	0.0.0.389
	LDAP Server 1 Search Directory Root:	0.0.0.389	0.0.0.389
	LDAP Server 1 Secure Connection (LDAP...):	0.0.0.389	0.0.0.389
	SMTP Server:	0.0.0.25	0.0.0.25
	Connect Encryption (TLS):	No Encryption	0.0.0.25
	Validate Server Certificate (TLS):	10240	1
	Max Message Size (KB):	300000	1
	Total Job Size (KB):	Page Boundary	300000
	Job Splitting Boundary:	Credentials for Auto E-mail:	None
	Credentials for Workup User:	Credentials for Auto E-mail:	None
	POP3	POP3 Server:	0.0.0.110
	POP3 Secure Connection (TLS):	0.0.0.110	0.0.0.110
	E-mail Address:	0.0.0.110	0.0.0.110
	Receipt of E-mail via POP3:	0.0.0.110	0.0.0.110
	Send Confirm on Request:	0.0.0.110	0.0.0.110
	Incoming E-mail cover sheet:	0.0.0.110	0.0.0.110
	NTP:	Primary Server:	0.0.0.123
	Alternate Server:	0.0.0.123	0.0.0.123
	SLP:	Alternate Server:	0.0.0.123
	FTP Client:	Enabled	0.0.0.123
	FTP Client Mode:	Enabled	0.0.0.123
	Web Services on Device:	Enabled	0.0.0.123
	WS-Discovery:	Enabled	0.0.0.123
	WS-Discovery Multicast:	Enabled	0.0.0.123
	WS-Print:	Enabled	0.0.0.123
	WS-Scan:	Enabled	0.0.0.123
	Web Services	Copy Submission:	Enabled
	Digital Certificate Management and Security:	Extended Service Registration:	Enabled
	Job Limits:	Job Management Extension:	Enabled
	Device Configuration:	Scan Submission:	Enabled
	Scan Workflow Management:	Session Data:	Enabled
	User Interface Configuration:	EIP Proxy Configuration:	Enabled
	Xerox Secure Access:	EIP 5 SNMP Configuration:	Enabled
	Print Submissions:	Scan Template Mgmt:	Enabled
	Mass Storage Access:	Card Reader Access:	Enabled
	Authentication & Accounting Configuration:	Export Audit Log:	Enabled
	Trellix Embedded Control:		Enabled

Printing	Banner Sheet:	Enabled	
	Sys/Start Job:	Disabled	
	Delete Held Jobs After:	3 Day(s) 0 Minute(s)	
	Error Sheets:	Enabled	
	Popper Substitution:	Enabled	
	Tray Priority:	1, 2, 3, 4, 5, 6	
	Default Copies:	1	
	Default Job Type:	Normal Print	
	Default Paper Size:	x=8.50 inches, y=11.00 inches	
	Default Paper Color:	White	
	Default 2 Sided Printing:	2 Sided	
	Default Output Tray:	Center Tray	
	Default Output Color:	Color	
	Default Collated Sets:	Enabled	
	Default Stopping:	Enabled	
	Offsetting Between Jobs:	No Offset Between Jobs	
	PostScript	Installed	
	Level:	3	
	Version:	3021.101	
	Image Quality:	Enhanced	
	PCL	Version:	6
	Font Name:	10.00	
	Point Size:	12.00	
	Font Name:	1.00	
	Lines Per Page:	60	
	Custom Color Tables	Enabled	
	Label:	Not Present	
	Fax:	Fax Line1:	Not Present
	Fax Line2:	Not Present	
	Server Fax:	Confirmation Sheet:	Enabled
	Delay Start:	Errors Only	Enabled
	Repository Protocol:	Repository Server:	0.0.0.0
	Repository Document Path:	Repository Document Path:	0.0.0.0
	Workflow Scanning:	Confirmation Sheet:	Enabled
	Default Repository Protocol:	Default Repository Server:	0.0.0.0
	Default Repository Document Path:	Default Repository Protocol:	0.0.0.0
	Alt1 Repository Protocol:	Alt1 Repository Server:	0.0.0.0
	Alt1 Repository Document Path:	Alt1 Repository Login Credentials:	0.0.0.0
	Workflow Pool Path:	Workflow Pool Server:	0.0.0.0
	Email:	Default From Address:	Enabled
	Confirmation Sheet:	Auto Send to Self:	Errors Only
	E-mail Security:	Auto Send to Self:	Disabled
	View Mailboxes by Default:	Storage Capacity (MB):	67.2 MB
	Storage Used (MB):	Storage Capacity (MB):	89 MB
	Cleanup of Public Folders:	Cleanup of Created Folders:	Enabled
	Cleanup Time:	Daily	Enabled
	Scan to Home:	Friendly Name:	Disabled
	Workflow Name:	Auto Create Subdir:	Disabled
	Append User Name to Path:	Auto Create User Name Dir:	Disabled
	Scan To:	Cloud Services:	Disabled
	Print From:	Saved Jobs for Reprint:	Enabled
	Print From USB:	Print From Mailbox:	Enabled
	Cloud Services:	Print From Mailbox:	Disabled

Accounting

Accounting Mode: None

Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication:

Home:

Jobs:

Device:

Device Website Authentication:

Retrieve E-mail from LDAP:

Authentication Server:

Kerberos Primary Realm:

Kerberos Alt 1 Realm:

Kerberos Alt 1 Address:

SMB NT Domain:

SMB Alt 1 NT Domain:

SmartCard Ctrl Domain:

SmartCard OCSP URL:

Card Reader Upgrade Policy:

Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server:

Secure Access Path:

Audit Log:

IP Sec:

IP Filtering:

Security Certificates

Machine Certificates:

Root Certificates Installed:

802.1X:

Job Data Removal:

Scheduled:

FIPS 140-3:

TLS:

TLS Hosts:

Trellix Embedded Control:

Extensible Service Setup

Third Generation Browser:

Widget Version:

Widget Version:

X3G\_3.24.23\_2.40.5\_012\_01.00.00  
v1.3.17 c8 20140613  
v2.5.04 g9 20240123

