



Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
IP Address: 10.61.12.46
Machine Serial Number: 5330005345
Fax Line1: 3337
Machine URL: https://10.61.12.46
Machine Activation Date: Oct 28, 2024 11:35:54
Total Impressions: 1603

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
Fax Memory Size: 738 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3483MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 15:01
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival: Not Available
Sleep on Departure:

Software Versions

Device Software: 122.029.004.32300
Patch Version: None
Network Controller: 122.029.32300
UI Panel Firmware: 6.2
Marking Engine: 230.314
Document Feeder: 230.314
Finisher: 000.000.000
Fax: 003.021.010
Scanner: 230.314

Machine Upgrades:

Last Successful Upgrade: November 19, 2024 08:09:31

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Physical Connections: Disabled

USB Settings

USB Type A Ports: All Enabled
USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Disabled

Wi-Fi Direct:

Wireless Hardware: Enabled
Wi-Fi Protected Setup (WPS) Name: Not Installed
Access Point (SSID):
Show Password on Device Touch Screen:

iBeacon:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Enabled
Bluetooth Device Address: Not Installed
iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: 10.61.12.46
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.12.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Mon Dec 2 07:26:48 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
fe80::7a8c:77ff:fedc:b844
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: Enabled
Stateless Global Address 2: fd00:0:2:112:7a8c:77ff:fedc:b844
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway: fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)

HTTP:

Force Traffic over Secure Connection (H...): Enabled
IPP: Yes

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled

LPR/LPD:

Raw IP Printing: Enabled
LDAP: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.23.93:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Protocols (cont.)

POP3
POP3 Server: 0.0.0.110
POP3 Secure Connection (TLS): Disabled
E-mail Address: Enabled
NTP: Enabled
FTP Client: Enabled
FTP Client Mode: Passive
Web Services on Device: Enabled

pps

Printing

Banner Sheet: Disabled
Error Sheets: Enabled
Paper Substitution: Enabled
Tray Priority: 1,2,3,5

Archival Marking Mode

Off
PostScript
Installed
Level: 3
Version: 3021.101

PCL

Version: 6
Font Name: Courier
Enabled

Custom Color Tables

Label: Not Installed

Fax: Enabled/Displayed

3337
Fax Line1:
Fax Line2:

Server Fax:

Enabled
Repository Protocol: FTP
Repository Server: 0.0.0.0
Repository Document Path:

Workflow Scanning:

Enabled

Email:

Enabled/Displayed

Scan to Mailbox:

Storage Capacity (MB): 672 MB
Storage Used (MB): 94 MB
Cleanup of Public Folders: Enabled
Cleanup of Created Folders: Enabled
Cleanup Time: Daily

Scan to Home:

Disabled

Scan To:

Enabled
Cloud Services: Disabled

Print From:

Enabled
Saved Jobs for Reprint: Enabled
Print From USB: Enabled
Print From MailBox: Disabled
Cloud Services: Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Remotely on the Network
Unlocked
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Remotely on the Network
Authorization: Locally on the Device

Authentication Server:

Retrieve E-mail from LDAP: Enabled

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 56

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled

FIPS 140-3:

Disabled

TLS:

Enabled
TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above

Trellix Embedded Control:

Disabled

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
 IP Address: 10.61.12.46
 Machine Serial Number: 5330005345
 Fax Line1: 3337
 Machine URL: https://10.61.12.46
 Machine Activation Date: Oct 28, 2024 11:35:54
 Total Impressions: 1605

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
 Fax Memory Size: 738 MB
 Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used=3484MB/total=14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 15:01
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 Startup Config Report: Enabled
 GMT Offset: 00:00
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless
Energy Saver
 Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 30 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 122.029.004.32300
 Patch Version: None
 Network Controller: 122.029.32300
 UI Panel Firmware: 6.2
 User Interface: 122.029.32300
 Marking Engine: 230.314
 Copy Controller: 122.029.32300
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 003.021.010
 OS: 230.314
 Scanner: 230.314
 Software Upgrade: 005.007
 ALTB00T Software Upgrade: 005.007
 Tray 2: A19.1_B3.1
 Tray 3: A19.1_B3.1

Machine Upgrades:

Last Successful Upgrade: November 19, 2024 08:09:31
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and A4 (210 x 297 mm)
 Tray 3: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings

USB Type A Ports: All Enabled
 USB Type B Port: Enabled
 Connection Timeout: 5 seconds

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
 Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
 Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...
 iBeacon Hardware: Enabled
 Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Enabled
 10.61.12.46
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.12.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Mon Dec 2 07:26:48 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
 fe80::7a8c:77ff:fedc:b844
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:112:7a8c:77ff:fedc:b844
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP assigned by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR788C77DCB844
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2:
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)

HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Automatic
 Proxy Server Address: 0.0.0.0:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.12.46:631

SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled

LDAP
 LDAP Server 1 Friendly Name: [Redacted]
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root: [Redacted]
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None

POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address: [Redacted]
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123

SLP:
 Disabled

FTP Client:
 FTP Client Mode: Passive

Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,5
 1
 Default Copies: Normal Print
 Default Job Type: x=8.50 inches, y=11.00 inches
 Default Paper Size: White
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
Archival Marking Mode: Off
PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
Custom Color Tables: Enabled
 Label: Not Installed
 Enabled/Displayed
 3337

Fax:

Fax Line1:
 Fax Line2:
Server Fax: Enabled
 Confirmation Sheet: Errors Only
 Delay Start: Disabled
 Repository Protocol: FTP
 Repository Server: 0.0.0.0
 Repository Document Path:

Workflow Scanning:

Confirmation Sheet: Enabled
 Errors Only
 Default Repository Protocol: FTP
 Default Repository Server: 0.0.0.0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: FTP
 Alt1 Repository Server: 0.0.0.0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 Confirmation Sheet: rathimeena@xeroxqa.com
 Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed
 Storage Capacity (MB): Enabled
 672 MB
 Storage Used (MB): 94 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
 Disabled

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
Print From: Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting
 Accounting Mode: None
 Network Accounting: Disabled

Security
Authentication Configuration
Machine UI Authentication:
 Home: Remotely on the Network
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Unlocked
 Authorization: Remotely on the Network
 Retrieve E-mail from LDAP: Locally on the Device
Authentication Server:
 Kerberos Primary Realm: Enabled
 Kerberos Primary Address: Kerberos
 Kerberos Alt 1 Realm: 0.0.0.0:88
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain: 0.0.0.0:443
 SMB Alt 1 NT Domain: 0.0.0.0:443
 Smartcard Ctrl Server:
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version: Disabled
Xerox Secure Access: 0.0.0.0:443
 Secure Access Server:
 Secure Access Path: Enabled
Audit Log: Disabled
IP Sec: Disabled
IP Filtering: Disabled
Security Certificates
 Machine Certificate: Signed
 Root Certificates Installed: 56
802.1x: Disabled
Job Data Removal: Disabled
 Scheduled: Monthly
 Scheduled Frequency: Disabled
FIPS 140-3: TLS 1.1 and TLS 1.2
TLS: SHA-1, SHA-256 and above
 TLS Hash: Disabled
Trellix Embedded Control:

Extensible Service Setup
 Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123