

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
IP Address: 10.61.16.16
Machine Serial Number: 5330005345
Fax Line1:
Machine URL: https://10.61.16.16
Machine Activation Date: Oct 28, 2024 11:35:54
Total Impressions: 1511

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3442MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 15:01
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 30 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.029.004.31210
Patch Version: None
Network Controller: 122.029.31210
UI Panel Firmware: 6.2
User Interface: 122.029.31210
Marking Engine: 230.314
Copy Controller: 122.029.31210
Document Feeder: 230.314
Finisher: 000.000.000
Fax: 000.000.000
OS: 230.314
Scanner: 230.314
Software Upgrade: 005.007
ALTB00T Software Upgrade: 005.007
Tray 2: A19.1\_B3.1
Tray 3: A19.1\_B3.1

Machine Upgrades

Last Successful Upgrade: Allowed
Scheduled Auto Upgrades: November 11, 2024 07:30:39
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings

USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto
Disabled

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct:

Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Connection Method:

Subnet Prefix Address:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address: 10.61.16.16
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Mon Nov 25 10:10:10 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled
fe80::7a8c:77ff:fedc:b844
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fedc:b844
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway: fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77DCB844
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2:
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection: Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Automatic  
 Proxy Server Address: 0.0.0.0:8080  
**IPP:**  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.16:631  
**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled  
**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDAP...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP:**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 Enabled  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services:**  
 Copy Submission: Enabled  
 Digital Certificate Management and Security...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Co.: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 1 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**Archival Marking Mode**  
**PostScript**  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced  
**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
**Custom Color Tables**  
 Label: Enabled  
 Not Installed  
 Not Present

**Fax:**

Fax Line1:  
 Fax Line2:  
**Server Fax:**  
 Confirmation Sheet: Enabled  
 Delay Start: Errors Only  
 Repository Protocol: Disabled  
 Repository Server: FTP  
 Repository Document Path: 0.0.0.0:0

**Workflow Scanning:**

Confirmation Sheet: Enabled  
 Errors Only  
 Default Repository Protocol: FTP  
 Default Repository Server: 0.0.0.0:0  
 Default Repository Document Path:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:

**Email:**

Default From Address: Enabled  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**

View Mailboxes by Default: Enabled/Displayed  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 86 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**

Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**

Cloud Services: Disabled  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Enabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm: 0.0.0.0:88  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.0:443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Monthly

**FIPS 140-3:**

Disabled

**TLS:**

TLS Hash: TLS 1.1 and TLS 1.2  
 SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Disabled

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_240.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123