

Common User Data

Machine Name: Xerox AltaLink C8235 Color MFP (A2:6...
 IP Address: 10.61.16.208
 Machine Serial Number: ZRG689004
 Fax Line1: 3338
 Machine URL: https://10.61.16.208
 Machine Activation Date: Oct 29, 2024 16:24:47
 Black Impressions: 1481
 Color Impressions: 1145
 Total Impressions: 2626

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number: 2e12e1 2e12
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: USB; 1 Line
 Fax Memory Size: 1933 MB
 Foreign Interface Card: not present
 Device RAM Size: 4096 MB
 Device Storage Size: used=3373MB/total=256060MB (SSD)
 EPC Memory Size: 900 MB
 Finisher Type: BR Finisher
 Finisher Punch: 2/3 Hole
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 13:07
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Billing Impression Mode: A3 Impressions
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 60 minutes
 Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled
 Maximize Detection Range: Disabled

Software Versions

Device Software: 122.038.004.31210
 Patch Version: None
 Network Controller: 122.038.31210
 UI Panel Firmware: 003.004.00000
 User Interface: 122.038.31210
 Marking Engine: 030.045.000
 Copy Controller: 122.038.31210
 Document Feeder: 023.026.000
 Finisher: 006.003.000
 Fax: 003.021.010
 OS: 122.004.31210
 Scanner: 017.024.005
 Software Upgrade: 122.038.31210

Software Upgrade

Tray 2:
 Tray 3:
 Tray 4:
Machine Upgrades:
 Last Successful Upgrade: November 11, 2024 20:23:09
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)
 Tray 2: Plain, White and Executive (7.25 x 1...
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 USB Type A Ports: All Enabled
 USB Type B Port: Disabled
 Connection Timeout: 5 seconds
Wired:
 Ethernet MAC Address: 9c:93:4e:a2:6e:c3
 Ethernet Speed/Duplex Setting: auto
Wireless:
 Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
 Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC:
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4:

Enabled
 IP Address: 10.61.16.208
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Mon Nov 25 16:47:51 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Enabled
 Link Local Address: fe80::9e93:4eff:fea2:6ec3
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:9e93:4eff:fea2:6ec3
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934EA26EC3
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQACOM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:

Bonjour Printer Name: Xerox AltaLink C8235 Color MFP (A2.6...

HTTP:

Port Number: 80

Force Traffic over Secure Connection (H...): Yes

Secure HTTP Port Number: 443

Proxy Server: Automatic

Proxy Server Address: 0.0.0.0:8080

IPP: Enabled

Secure IPP Mode: IPP and Secure IPPS

IPP Network Path: http://10.61.16.208:631

SNMP

SNMP v1/v2: Enabled

SNMP v3: Disabled

LPR/LPD:

Port Number: Enabled

PDL Switching: 515

PDL Banner Override: Disabled

Raw IP Printing: Enabled

Port Number 1: 9100

Bidirectional: Disabled

End of Job Timeout: 300

PDL Switching: Disabled

LDAP

LDAP Server 1 Friendly Name:

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389

LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...): Disabled

LDAP Server 1 Validate Server Certificate: Disabled

SMTP

SMTP Server: 10.61.10.8:25

Connect Encryption (TLS): No Encryption

Validate Server Certificate (TLS):

Max Message Size (KB): 10240

Number of Fragments: 1

Total Job Size (KB): 300000

Job Splitting Boundary: Page Boundary

Credentials for Auto E-mails: None

Credentials for Walkup User: None

POP3

POP3 Server: 0.0.0.0:110

POP3 Secure Connection (TLS): Disabled

E-mail Address:

Receipt of E-mail via POP3: Disabled

Send Confirm on Request: Enabled

Incoming E-mail cover sheet: Enabled

NTP:

Primary Server: 0.0.0.0:123

Alternate Server: 0.0.0.0:123

SLP:

FTP Client: Enabled

FTP Client Mode: Passive

Web Services on Device: Enabled

WS-Discovery: Enabled

WS-Discovery Multicast: Enabled

WS-Print: Enabled

WS-Scan: Enabled

Web Services

Copy Submission: Enabled

Digital Certificate Management and Secur...: Enabled

Extensible Service Registration: Enabled

Job Limits: Enabled

Job Management Extension: Enabled

Device Configuration: Enabled

Scan Submission: Enabled

Scan Workflow Management: Enabled

Session Data: Enabled

User Interface Configuration: Enabled

EIP Proxy Configuration: Enabled

Xerox Secure Access: Disabled

EIP SNMP Configuration: Enabled

Print Submission: Enabled

Scan Template Mgmt: Enabled

Mass Storage Access: Enabled

Card Reader Access: Enabled

Authentication & Accounting Configur...: Enabled

Export Audit Log: Enabled

Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled

Sys/Start Job: Disabled

Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)

Error Sheets: Enabled

Paper Substitution: Enabled

Tray Priority: 1,2,3,4,5

Default Copies: 1

Default Job Type: Normal Print

Default Paper Size: x=8.50 inches, y=11.00 inches

Default Paper Color: White

Default 2 Sided Printing: 2 Sided

Default Output Tray: Output Catch Tray

Default Output Color: Color

Default Collated Sets: Enabled

Default Stapling: No Staple

Offsetting Between Jobs: Offset Between Jobs

PostScript: Installed

Level: 3

Version: 3021.101

Image Quality: Standard

PCL

Version: 6

Pitch Size: 10.00

Point Size: 12.00

Font Name: Courier

Lines Per Page: 60

Custom Color Tables: Enabled

Label: Not Installed

Fax:

Fax Line1: Enabled/Displayed

Fax Line2: 3338

Server Fax:

Confirmation Sheet: Enabled

Errors Only: Errors Only

Delay Start: Disabled

Repository Protocol: SMB

Repository Server: 0.0.0.0

Repository Document Path:

Workflow Scanning:

Confirmation Sheet: Enabled

Errors Only: Errors Only

Default Repository Protocol: SMB

Default Repository Server: 10.61.13.93:445

Default Repository Document Path: /

Default Repository Login Credentials: Device

Alt1 Repository Protocol: SMB

Alt1 Repository Server: 0.0.0.0

Alt1 Repository Document Path:

Alt1 Repository Login Credentials: Device

Workflow Pool Protocol: SMB

Workflow Pool Server: 0.0.0.0

Workflow Pool Path:

Email:

Default From Address: Enabled

syed.habibunnisa@xeroxqa.com

Confirmation Sheet: On

Auto Send to Self: Disabled

E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed

Storage Capacity (MB): Enabled

46924 MB

Storage Used (MB): 2492 MB

Cleanup of Public Folders: Enabled

Cleanup of Created Folders: Enabled

Cleanup Time: Daily

Scan to Home:

Friendly Name: Disabled

Workflow Name: Disabled

Auto Create Subdir: Disabled

Append User Name to Path: Disabled

Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled

Print From: Disabled

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Print From MailBox: Disabled

Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos: Kerberos
 Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Xerox Secure Access: Disabled
 Secure Access Server: 0.0.0.0:443
 Secure Access Path:

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 55

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Disabled

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

