

**Common User Data**

Machine Name: Xerox VersaLink B625 MFP (AC.E7:D5)  
 IP Address: 10.61.16.50  
 Machine Serial Number: UPQ100521  
 Fax Line 1:  
 Machine URL: https://10.61.16.50  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Total Impressions: 289

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2862MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 19:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 J81G2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival:  
 Sleep on Departure:

**Software Versions**

Device Software: 122.025.005.01730  
 Patch Version: None  
 Network Controller: 122.025.01730  
 UI Panel Firmware: 6.1  
 Marking Engine: 230.318  
 Document Feeder: 230.318  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 230.318  
 Machine Upgrades: Allowed  
 Last Successful Upgrade: January 20, 2025 20:23:07

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 78.8c:77:acc:e7:d5 auto  
**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

**Wi-Fi Protected Setup (WPS) Name:**  
**Access Point (SSID):**  
**Show Password on Device Touch Screen:**  
**NFC:** Enabled  
**iBeacon (Bluetooth®) for AirPrint DL...** Enabled  
**iBeacon Hardware:** Not Installed  
**Bluetooth Device Address:**  
**iBeacon IP Address:**

**Protocols**

**TCP/IPv4:** Enabled  
 IP Address: 10.61.16.50  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Fri Jan 31 13:06:00 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:** Enabled  
 Link Local Address: fe80::7a8c:77ff:feacc:e7d5  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feacc:e7d5  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

**DNS Settings:**  
 Requested Host Name: XRX788C77ACE7D5  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS:  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC.E7:D5)  
**HTTP:** Enabled  
 Force Traffic over Secure Connection (H...: Yes  
 IPP: Enabled

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:** Enabled  
**Raw IP Printing:** Enabled

**LDAP**  
 LDAP Server 1 Primary LDAP Address: 0.0.0.389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
<b>NTP:</b>	
FTP Client:	Enabled
FTP Client Mode:	Pasvive
Web Services on Device:	Enabled

**Apps**

**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,5
Archival Marking Mode:	Off
<b>PostScript</b>	
Level:	3
Version:	3021.101
<b>PCL</b>	
Version:	6
Font Name:	Courier
Custom Color Tables:	Enabled
Label:	Not Installed
<b>Fax:</b>	Not Present

**Server Fax:**

Repository Protocol:	Enabled
Repository Server:	10.61.23.93:443
Repository Document Path:	/

**Workflow Scanning:**

**Email:**

**Scan to Mailbox:**

Storage Capacity (MB):	672 MB
Storage Used (MB):	49 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

**Scan to Home:**

**Scan To:**

Cloud Services:	Disabled
-----------------	----------

**Print From:**

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From Mailbox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode:	None
Network Accounting:	Disabled

**Security**

**Authentication Configuration**

<b>Machine UI Authentication:</b>	
Home:	Unlocked
Job:	Unlocked
Device:	Unlocked
<b>Device Website Authentication:</b>	
Authentication:	Locally on the Device
Retrieve E-mail from LDA?:	Enabled

**Authentication Server:**

**Xerox Secure Access:**

**Audit Log:**

**IP Sec:**

**IP Filtering:**

**Security Certificates**

Machine Certificate:	Signed
Root Certificates Installed:	54

**802.1x:**

**Job Data Removal:**

Scheduled:	Disabled
------------	----------

**IPS 140-3:**

**TLS:**

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

**Trellix Embedded Control:**

	Enhanced Security
--	-------------------

**Common User Data**

Mach.ne Name: Xerox VersaLink B625 MFP (AC:E7:D5)  
 IP Address: 10.61.16.50  
 Mach.ne Serial Number: UPQ100521  
 Fax Line 1:  
 Machine URL: https://10.61.16.50  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Total Impressions: 289

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2852MB/total=14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Purch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 19:50  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.025.005.01730  
 Patch Version: None  
 Network Controller: 122.025.01730  
 UI Panel Firmware: 6.1  
 User Interface: 122.025.01730  
 Marking Engine: 230.318  
 Copy Controller: 122.025.01730  
 Document Feeder: 230.318  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 230.318  
 Scanner: 230.318  
 Software Upgrade: 005.008  
 ALTB00T Software Upgrade: 005.008  
 Tray 2: A16.47\_B2.3  
**Machine Upgrades:**  
 Last Successful Upgrade: January 20, 2025 20:23:07  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds  
 Wired: Enabled  
 Ethernet MAC Address: 78:8c:77:acc:e7:d5  
 Ethernet Speed/Duplex Setting: auto  
 Wireless: Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:**  
 Wireless Hardware: Enabled  
 Not Installed  
 Wi-Fi Protected Setup (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint Di...  
 iBeacon Hardware: Enabled  
 Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IP Address: Enabled  
 10.61.16.50  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Fri Jan 31 13:06:00 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::7a8c:77ff:feac:e7d5  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feac:e7d5  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX788C77ACE7D5  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

Protocols (cont.)

<b>Bonjour:</b>	
Bonjour Printer Name:	Xerox VersaLink B625 MFP (AC:E7:0D)
<b>HTTP:</b>	
Port Number:	80
Force Traffic over Secure Connection (HTTPS):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.50:631
<b>SNMP:</b>	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
<b>LPR/LPD:</b>	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
<b>Raw IP Printing:</b>	
Port Number:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
<b>LDAP:</b>	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDAPS):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled
<b>SMTP:</b>	
SMTP Server:	10.61.10.825
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	30000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mail:	None
Credentials for Waikup User:	None
<b>POP3:</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirmation Request:	Enabled
Incoming E-mail cover sheet:	Enabled
<b>NTP:</b>	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
<b>SLP:</b>	
SLP:	Disabled
<b>FTP Client:</b>	
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
<b>Web Services:</b>	
Copy Submission:	Enabled
Digital Certificate Management and Security:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trunk Embedded Control:	Enabled

Apps

<b>Printing:</b>	
Banner Sheet:	Enabled
Job Start Date:	Enabled
Default Header Jobs With:	3 (day(s) 1 Hour(s) 0 Minute(s))
Print Sheets:	Enabled
Page Substitution:	Enabled
Copy Priority:	1:3
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.5 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Color & White
Default Collate Setting:	Enabled
Default Stamping:	Not Available
Clipping Between Jobs:	No Offset Between Jobs
Archival Naming Method:	Off
Print Script:	Enabled
Resolution:	3
Resolution:	300 x 300
Image Quality:	Standard
<b>PC:</b>	
Resolution:	6
Print Size:	10 x 10
Print Size:	12 x 10
Font Name:	Center
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
<b>Fax:</b>	
Fax Line 1:	
Fax Line 2:	
<b>Server Fax:</b>	
Confirmation Sheet:	Enabled
Delay Start:	Off
Repository Protocol:	SMB
Repository Server:	10.61.25.33:445
Repository Document Path:	/
<b>Workflow Scanning:</b>	
Confirmation Sheet:	Enabled
Hours Copy:	Not Configured
Default Repository Protocol:	SMB
Default Repository Server:	0.0.0.0
Default Repository Document Path:	
Default Repository Login Credentials:	None
All Repository Protocol:	SMB
All Repository Server:	0.0.0.0
All Repository Document Path:	
All Repository Login Credentials:	None
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	
<b>Email:</b>	
Default From Address:	Enabled john.mee.hqs@xerox.com
Confirmation Sheet:	Print Only
Auto Send to Self:	Disabled
Encrypt Security:	Disabled
<b>Scan to Mailbox:</b>	
View Mailboxes by Default:	Enabled
Storage Capacity (MB):	572 MB
Storage Used (MB):	49 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
<b>Scan to Home:</b>	
Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
<b>Scan To:</b>	
Cloud Services:	Enabled
<b>Print From:</b>	
Cloud Services:	Disabled
Print From:	Enabled
Print From USB:	Enabled
Print From Mailbox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos: Kerberos  
 Kerberos Primary Realm:  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm:  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Server: 0.0.0.0:443  
 Secure Access Path:

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 54

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Daily

**FIPS 140-3:**

Disabled

**TLS:**

TLS Hash: TLS 1.2 and TLS 1.3  
 SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00:00  
 Widget Version: v1.3:17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123