

## Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (A7A)
IP Address:	10.61.16.24
Machine Serial Number:	5322480247
Fax Line1:	
Machine URL:	https://10.61.16.24
Machine Activation Date:	Jan 01, 1970 05:30:00
Black Impressions:	1222
Color Impressions:	927
Total Impressions:	2149

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
<b>Managed By</b>	
Primary MB Server:	

## Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3216MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	11:10
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

## Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

## Software Versions

Device Software:	122.024.004.35400
Patch Version:	None
Network Controller:	122.024.35400
UI Panel Firmware:	6.2
User Interface:	122.024.35400
Marking Engine:	230.315
Copy Controller:	122.024.35400
Document Feeder:	230.315
Finisher:	000.000.000
Fax:	000.000.000
OS:	230.315
Scanner:	230.315
Software Upgrade:	005.007
ALTB00T Software Upgrade:	005.007
Tray 2:	A15 S1_B2.3
Tray 3:	A15 S1_B2.3
Tray 4:	A15 S1_B2.3
Tray 5:	A15 S1_B2.3
<b>Machine Upgrades:</b>	
Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	December 24, 2024 11:39:56
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	00.00:21

## Media Trays

ay 1:	Plain, White and A4 (210 x 297 mm)
ay 2:	Plain, White and A4 (210 x 297 mm)
ay 3:	Bond, White and A4 (210 x 297 mm)
ay 4:	Recycled, White and A4 (210 x 297 mm)
ay 5:	Lightweight Glossy Cardstock, White and A4
pass Tray:	Plain, White and A5 (148 x 210 mm)

## Connectivity

## Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning Authentication:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Disabled
Physical Connections	Not Registered

## USB Settings

USB Type A Ports	All Enabled
USB Type B Port	Disabled
Connection Timeout	5 seconds
<b>Wired:</b>	
Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	56:80:0e:a7:a8:9c
	auto
<b>Wireless:</b>	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

## Wi-Fi Direct:

Wireless Hardware:	Enabled
Wi-Fi Protected Setup (WPS) Name:	Not Installed
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

## NFC:

iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

## Protocols

## TCP/IPv4:

IP Address:	Enabled
Subnet Mask:	10.61.16.24
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Mon Jan 6 11:29:25 2025
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

## TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::5480:eff:fea7:a89c
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:5480:eff:fea7:a89c
Manual Address:	
DHCP Addressing:	
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	
DUID (DHCP Unique Identifier):	fe80::8afc:5dff:fe75:e282

## DNS Settings:

Requested Host Name:	
Verified Host Name:	XRX56800EA7A89C
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

## Installed Options

PS:	Installed
-----	-----------

## Protocols (cont.)

Bonjour:	Xerox VersaLink C625 Color MFP (A7:A...
Bonjour Printer Name:	Enabled
TTP:	80
Port Number:	Yes
Force Traffic over Secure Connection (H...	443
Secure HTTP Port Number:	Manual
Proxy Server:	10.177.8.91:8080
Proxy Server Address:	Enabled
IPP:	IPP and Secure IPPS
Secure IPP Mode:	http://10.61.16.24:631
IPP Network Path:	
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP:	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Disabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
FTP Client:	Disabled
FTP Client Mode:	Enabled
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Secur...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Disabled
Xerox Secure Access:	Enabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

### Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5,6
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
Archival Marking Mode:	Off
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced

### PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
	Not Present

### Fax:

Fax Line 1:	
Fax Line 2:	
Server Fax:	Enabled
Confirmation Sheet:	Errors Only
Delay Start:	Disabled
Repository Protocol:	SMB
Repository Server:	10.61.23.93:445
Repository Document Path:	\

### Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0
Default Repository Login Credentials:	
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0

### Email:

Default From Address:	Enabled
Confirmation Sheet:	rathimeenas@xeroxqa.com
Auto Send to Self:	On
E-mail Security:	Disabled

### Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	113 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

### Scan to Home:

Friendly Name:	
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Enabled

### Scan To:

Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

**Audit Log:****IP Sec:****IP Filtering:****Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: S4  
802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
Scheduled Frequency: Monthly

**FIPS 140-3:****TLS:**

TLS Hash: TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above  
Trellix Embedded Control: Disabled

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123