

Common User Data

Machine Name: Carroll_MFP
 IP Address: 10.61.16.217
 Machine Serial Number: 5322480247
 Fax Line1: 3338
 Machine URL: https://10.61.16.217
 Machine Activation Date: Feb 07, 2025 14:35:33
 Black Impressions: 1884
 Color Impressions: 1308
 Total Impressions: 3192

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
 Fax Memory Size: 738 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=3034MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 17:15
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival:
 Sleep on Departure: Not Available

Software Versions

Device Software: 122.024.005.05000
 Patch Version: None
 Network Controller: 122.024.05000
 UI Panel Firmware: 6.2
 Marking Engine: 230.320
 Document Feeder: 230.320
 Finisher: 000.000.000
 Fax: 003.021.016
 Scanner: 230.320

Machine Upgrades:

Last Successful Upgrade: February 24, 2025 16:36:37

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Bond, White and A4 (210 x 297 mm)
 Tray 4: Recycled, White and A4 (210 x 297 mm)
 Tray 5: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing: Enabled
 AirPrint / Mopria Scanning: Disabled
 Authentication Required: Disabled

Physical Connections

USB Settings

USB Type A Ports: All Enabled
 USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 56:80:0e:a7:a8:9c
 Ethernet Speed/Duplex Setting: auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:

Security Mode:

Encryption Algorithm:
 Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
 Not Installed

Wi-Fi Protected Setup (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di... Disabled
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Enabled
 10.61.16.217
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Tue Mar 4 09:30:44 2025
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
 fe80::5480:eff:fea7:a89c
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:5480:eff:fea7:a89c
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX56800EA7A89C
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati... Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Carroll_MFP

HTTP:

Force Traffic over Secure Connection (H... Enabled
 IPP: Yes
 Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA... Disabled
 LDAP Server 1 Validate Server Certificate... Disabled

SMTP

SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 SMTP Authentication Type: Basic Auth with SMTP

Protocols (cont.)

POP3
 POP3 Server: 10.61.11.93:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address: test@tls13.com
 NTP: Disabled
 FTP Client: Enabled
 FTP Client Mode: Passive
 Web Services on Device: Enabled

Apps**Printing**

Banner Sheet: Disabled
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 Archival Marking Mode: Off

PostScript

Level: Installed
 3
 Version: 3021.101

PCL

Version: 6
 Font Name: Courier

Custom Color Tables

Label: Enabled
 Not Installed

Fax:

Enabled/Displayed
 3338

Fax Line1:
 Fax Line2:

Server Fax:

Enabled
 Repository Protocol: SMB
 Repository Server: 10.61.23.93:445
 Repository Document Path: /

Workflow Scanning:

Enabled

Email:

Enabled

Scan to Mailbox:

Enabled

Storage Capacity (MB): 672 MB

Storage Used (MB): 68 MB

Cleanup of Public Folders: Enabled

Cleanup of Created Folders: Enabled

Cleanup Time: Daily

Scan to Home:

Disabled

Scan To:

Enabled

Cloud Services: Disabled

Print From:

Enabled

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Print From MailBox: Disabled

Cloud Services: Disabled

Accounting

Accounting Mode: None

Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device

Home: Unlocked

Jobs: Unlocked

Device: Unlocked

Device Website Authentication: Locally on the Device

Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled

Authentication Server:

Disabled

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 56

802.1x:

Disabled

Job Data Removal:

Disabled

Scheduled: Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Common User Data

Machine Name: Carroll_MFP
 IP Address: 10.61.16.217
 Machine Serial Number: 5322480247
 Fax Line 1: 3338
 Machine URL: https://10.61.16.217
 Machine Activation Date: Feb 07, 2025 14:35:33
 Black Impressions: 1884
 Color Impressions: 1308
 Total Impressions: 3192

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
 Fax Memory Size: 738 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=3038MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 17:15
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 30 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 122.024.005.05000
 Patch Version: None
 Network Controller: 122.024.05000
 UI Panel Firmware: 6.2
 User Interface: 122.024.05000
 Marking Engine: 230.320
 Copy Controller: 122.024.05000
 Document Feeder: 230.320
 Finisher: 000.000.000
 Fax: 003.021.016
 OS: 230.320
 Scanner: 230.320
 Software Upgrade: 005.010
 ALTBOOT Software Upgrade: 005.010
 Tray 2: A15.51_B2.3
 Tray 3: A15.51_B2.3
 Tray 4: A15.51_B2.3
 Tray 5: A15.51_B2.3

Machine Upgrades:

Last Successful Upgrade: February 24, 2025 16:36:37
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Bond, White and A4 (210 x 297 mm)
 Tray 4: Recycled, White and A4 (210 x 297 mm)
 Tray 5: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing: Enabled
 AirPrint / Mopria Scanning: Disabled
 Authentication Required: Disabled
 Universal Print: Enabled
 Universal Print Registration Status: Registered

Physical Connections

USB Settings

USB Type A Ports: All Enabled
 USB Type B Port: Enabled
 Connection Timeout: 5 seconds

Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: auto

Wireless:
 Wireless MAC Address: Disabled

Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC: Disabled
iBeacon (Bluetooth®) for AirPrint Di...
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
 IP Address: 10.61.16.217
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Tue Mar 4 09:30:44 2025
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6: Enabled
 Link Local Address: fe80::5480:eff:fea7:a89c
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:5480:eff:fea7:a89c
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:
 Requested Host Name: XRX56800EA7A89C
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Carroll_MFP
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: 10.177.8.91:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.217:631

SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:
 Port Number 1: Enabled
 Bidirectional: 9100
 End of Job Timeout: Disabled
 PDL Switching: 300
 Disabled

LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
 SMTP Authentication Type: Basic Auth with SMTP

POP3
 POP3 Server: 10.61.11.93:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address: test@tls13.com
 Receipt of E-mail via POP3: Enabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123

SLP:
 Disabled

FTP Client:
 Enabled
 FTP Client Mode: Passive

Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
Archival Marking Mode: Off
PostScript
 Level: Installed
 Version: 3
 Image Quality: 3021.101
 Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64
Custom Color Tables: Enabled
 Label: Not Installed
 Enabled/Displayed

Fax:

Fax Line1: 3338
 Fax Line2:

Server Fax:

Confirmation Sheet: Enabled
 On
 Delay Start: Disabled
 Repository Protocol: SMB
 Repository Server: 10.61.23.93:445
 Repository Document Path: /

Workflow Scanning:

Confirmation Sheet: Enabled
 On
 Default Repository Protocol: SMB
 Default Repository Server: 10.61.23.93:445
 Default Repository Document Path: /
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: SMB
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: SMB
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 test@tls13.com
 Confirmation Sheet: On
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 68 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
 Disabled
 Disabled
 Enabled
 Disabled
 Enabled
 Enabled
 Disabled
 Disabled

Print From:

Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Disabled
 Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Disabled
 Secure Access Server: 0.0.0.0:443
 Secure Access Path:

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 56

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled

Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

