

Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (A7:A...
IP Address:	10.61.12.75
Machine Serial Number:	5322480247
Fax Line1:	
Machine URL:	https://10.61.12.75
Machine Activation Date:	Jan 29, 2025 16:44:43
Black Impressions:	1448
Color Impressions:	1202
Total Impressions:	2650

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3094MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:00
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.024.005.02300
Patch Version:	None
Network Controller:	122.024.02300
UI Panel Firmware:	6.2
User Interface:	122.024.02300
Marking Engine:	230.319
Copy Controller:	122.024.02300
Document Feeder:	230.319
Finisher:	000.000.000
Fax:	000.000.000
OS:	230.319
Scanner:	230.319
Software Upgrade:	005.009
ALTBOOT Software Upgrade:	005.009
Tray 2:	A15.51_B2.3
Tray 3:	A15.51_B2.3
Tray 4:	A15.51_B2.3
Tray 5:	A15.51_B2.3

Machine Upgrades:

Last Successful Upgrade:	January 31, 2025 09:55:58
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Bond, White and A4 (210 x 297 mm)
Tray 4:	Recycled, White and A4 (210 x 297 mm)
Tray 5:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds

Wired:

Ethernet MAC Address:	56:80:0ea7:a8:9c
Ethernet Speed/Duplex Setting:	auto

Wireless:

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled

Wireless Hardware:	Not Installed
--------------------	---------------

Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Disabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:

IP Address:	Enabled	10.61.12.75
Subnet Mask:		255.255.255.0
Router/Gateway:		10.61.12.1
Automatic Addressing:		DHCP
DHCP Server:		10.61.13.223
DHCP Lease Expiration:		Fri Feb 7 13:04:34 2025
BOOTP Broadcast:		Disabled
Self Assigned Address State:		Enabled

TCP/IPV6:

Link Local Address:	Enabled	fe80::5480:eff:fea7:a89c
Use Router Supplied Prefix:	Enabled	
Stateless Global Address 1:		fd00:0:2:112:5480:eff:fea7:a89c
Stateless Global Address 2:		::
Manual Address:		
DHCP Addressing:		Use DHCP as directed by a router
DHCP Address:		
Default Gateway:		fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):		

DNS Settings:

Requested Host Name:		XRX56800EA7A89C
Verified Host Name:		
Requested Domain Name:		
Verified Domain Name:		
Multicast DNS:	Enabled	
Release DHCP Leases and DNS Registrati...	Disabled	
Primary DNS Server:		10.61.7.15
Alternate DNS Server 1:		10.61.10.6
Alternate DNS Server 2:		::
DNS Connection Timeout:		5
Append Device Domain:	Enabled	
Append Parent Domains:	Disabled	
DNS Domain Search List:		XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled	

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink C625 Color MFP (A7:A...
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...: Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: 10.177.8.91:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.12.75:631
SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled
Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root: Translation Not Found
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled
SMTP
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 SMTP Authentication Type:
 None
 Disabled
POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled
NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
SLP:
 Disabled
FTP Client:
 FTP Client Mode: Enabled
 Passive
Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
Archival Marking Mode
 Off
PostScript
 Level: Installed
 Version: 3
 Image Quality: 3021.101
 Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64
Custom Color Tables
 Label: Enabled
 Not Installed
 Not Present

Fax:

Fax Line1:
 Fax Line2:
Server Fax:
 Confirmation Sheet: Enabled
 Delay Start: On
 Repository Protocol: Disabled
 Repository Server: SMB
 Repository Document Path: 10.61.23.93:445
 /

Workflow Scanning:

Confirmation Sheet: Enabled
 Default Repository Protocol: On
 Default Repository Server: SMB
 Default Repository Document Path: 10.61.23.93:445
 /
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: SMB
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: SMB
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 Confirmation Sheet: test@tls13.com
 Auto Send to Self: On
 E-mail Security: Disabled
Scan to Mailbox:
 View Mailboxes by Default: Enabled
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 76 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
Scan to Home:
 Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled
Scan To:
 Cloud Services: Enabled
Print From:
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm: 0.0.0.0:88
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain: 0.0.0.0:443
 SMB Alt 1 NT Domain: 0.0.0.0:443
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain: 0.0.0.0:443
 SmartCard OCSP URL: 0.0.0.0:443
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version: 0.0.0.0:443

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 56

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above
 Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123