

37638 / 37639

Common User Data

Machine Name: Xerox VersaLink C620 (6CCB6A)

Address: 10.61.16.154

Machine Serial Number: UMG000558

Machine URL: https://10.61.16.154

Machine Activation Date: Jul 09, 2024 15:45:45

Work Impression: 1545

Color Impression: 2993

Black Impression: 4538

Machine Profile

Machine Asset Tag: Xerox Asset Tag

Machine Support Number: Xerox Support Number

Machine Phone Number: Xerox Phone Number

Machine Location: System Administrator name not set

Machine Location: machine location not set

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Machine Location: Primary MB Server:

Mobile Connectivity

AirPrint Printing: Enabled

AirPrint Printing Discovery: Enabled

Universal Print: Disabled

Universal Print Registration Status: Not Registered

Physical Connections: 1545

USB Settings: 4538

USB Type A Ports: All Enabled

Printing Timeout: 5 seconds

Wireless: Enabled

Ethernet MAC Address: 1.2.57.d3:c6:cb:6a

Ethernet Speed/Duplex Setting: auto

Wireless MAC Address: Disabled

Network Name (SSID):

Security Mode:

Encryption Algorithm:

Wi-Fi Direct: Enabled

Wi-Fi Protected Setup (WPS) Name: Not Installed

Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name: Not Installed

Connection Method: Not Installed

Subnet Prefix Address: Not Installed

Access Point (SSID): Not Installed

Show Password on Device Touch Screen: Not Installed

NFC: Not Installed

iBeacon (Bluetooth®) for AirPrint Di...: Not Installed

iBeacon Hardware: Not Installed

Bluetooth Device Address: Not Installed

iBeacon IP Address: Not Installed

Protocols

TCP/IPV4: Enabled

IP Address: 10.61.16.154

Subnet Mask: 255.255.255.0

Router/Gateway: 10.61.16.1

Automatic Addressing: DHCP

DHCP Server: 10.61.13.224

DHCP Lease Expiration: Thu Feb 27 07:00:37 2025

BOOTP Broadcast: Disabled

Self Assigned Address: Enabled

TCP/IPV6: Enabled

Link Local Address: Enabled

Use Router Supplied Prefix: Enabled

Stateless Global Address 1: fe80::1057:d3:ff:fe6c:cb6a

Stateless Global Address 2: fd00:0:2:1:16:1057:d3:ff:fe6c:cb6a

Manual Address: ::

DHCP Addressing: Use DHCP as directed by a router

DHCP Address: fe80::8af:c5:fff:fe75:e82

Default Gateway: fe80::8af:c5:fff:fe75:e82

DUID (DHCP Unique Identifier):

Requested Host Name: XRX1257D36CC6A

Verified Host Name: XRX1257D36CC6A

Requested Domain Name: XRX1257D36CC6A

Verified Domain Name: XRX1257D36CC6A

Multi-cast DNS: Enabled

Release DHCP Leases and DNS Registrat...: Disabled

Primary DNS Server: 10.61.7.15

Alternate DNS Server 1: 10.61.10.6

DNS Connection Timeout: 5

Append Device Domain: Disabled

Append Parent Domain: Disabled

DNS Domain Search List: XEROXQA.COM

Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Software Versions

Service Software: 1.21.026.004.22726

Network Controller: 1.21.026.22726

1 Panel Firmware: 6.2

Working Engine: 1.21.026.22726

Printer: 2.21.176

000.000.000: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

004.025: 2.21.176

Machine Upgrades

Auto Upgrade Server: Disabled

Scheduled Auto Upgrades: Disabled

Last Successful Upgrade: February 18, 2025 11:36:41

Allowed: February 18, 2025 11:36:41

0y 1: 0.0.0.21

0y 2: 0.0.0.21

0y 3: 0.0.0.21

0y 4: 0.0.0.21

0y 5: 0.0.0.21

0y 6: 0.0.0.21

0y 7: 0.0.0.21

0y 8: 0.0.0.21

0y 9: 0.0.0.21

0y 10: 0.0.0.21

0y 11: 0.0.0.21

0y 12: 0.0.0.21

0y 13: 0.0.0.21

0y 14: 0.0.0.21

0y 15: 0.0.0.21

0y 16: 0.0.0.21

0y 17: 0.0.0.21

0y 18: 0.0.0.21

0y 19: 0.0.0.21

0y 20: 0.0.0.21

0y 21: 0.0.0.21

0y 22: 0.0.0.21

0y 23: 0.0.0.21

0y 24: 0.0.0.21

0y 25: 0.0.0.21

0y 26: 0.0.0.21

0y 27: 0.0.0.21

0y 28: 0.0.0.21

0y 29: 0.0.0.21

0y 30: 0.0.0.21

0y 31: 0.0.0.21

0y 32: 0.0.0.21

0y 33: 0.0.0.21

0y 34: 0.0.0.21

0y 35: 0.0.0.21

0y 36: 0.0.0.21

0y 37: 0.0.0.21

0y 38: 0.0.0.21

0y 39: 0.0.0.21

0y 40: 0.0.0.21

0y 41: 0.0.0.21

0y 42: 0.0.0.21

0y 43: 0.0.0.21

0y 44: 0.0.0.21

0y 45: 0.0.0.21

0y 46: 0.0.0.21

0y 47: 0.0.0.21

0y 48: 0.0.0.21

0y 49: 0.0.0.21

0y 50: 0.0.0.21

0y 51: 0.0.0.21

0y 52: 0.0.0.21

0y 53: 0.0.0.21

0y 54: 0.0.0.21

0y 55: 0.0.0.21

0y 56: 0.0.0.21

0y 57: 0.0.0.21

0y 58: 0.0.0.21

0y 59: 0.0.0.21

0y 60: 0.0.0.21

0y 61: 0.0.0.21

0y 62: 0.0.0.21

0y 63: 0.0.0.21

0y 64: 0.0.0.21

0y 65: 0.0.0.21

0y 66: 0.0.0.21

0y 67: 0.0.0.21

0y 68: 0.0.0.21

0y 69: 0.0.0.21

0y 70: 0.0.0.21

0y 71: 0.0.0.21

0y 72: 0.0.0.21

0y 73: 0.0.0.21

0y 74: 0.0.0.21

0y 75: 0.0.0.21

0y 76: 0.0.0.21

0y 77: 0.0.0.21

0y 78: 0.0.0.21

0y 79: 0.0.0.21

0y 80: 0.0.0.21

0y 81: 0.0.0.21

0y 82: 0.0.0.21

0y 83: 0.0.0.21

0y 84: 0.0.0.21

0y 85: 0.0.0.21

0y 86: 0.0.0.21

0y 87: 0.0.0.21

0y 88: 0.0.0.21

0y 89: 0.0.0.21

0y 90: 0.0.0.21

0y 91: 0.0.0.21

0y 92: 0.0.0.21

0y 93: 0.0.0.21

0y 94: 0.0.0.21

0y 95: 0.0.0.21

0y 96: 0.0.0.21

0y 97: 0.0.0.21

0y 98: 0.0.0.21

0y 99: 0.0.0.21

0y 100: 0.0.0.21

0y 101: 0.0.0.21

0y 102: 0.0.0.21

0y 103: 0.0.0.21

0y 104: 0.0.0.21

0y 105: 0.0.0.21

0y 106: 0.0.0.21

0y 107: 0.0.0.21

0y 108: 0.0.0.21

0y 109: 0.0.0.21

0y 110: 0.0.0.21

0y 111: 0.0.0.21

0y 112: 0.0.0.21

0y 113: 0.0.0.21

0y 114: 0.0.0.21

0y 115: 0.0.0.21

Protocols (cont.)

Bonjour: Bonjour Printer Name: Xerox Versalink C620 (6C:CB:6A)

HTTP: Port Number: 80
Force Traffic over Secure Connection (H...): Yes
Secure HTTP Port Number: 443
Proxy Server: Manual
Proxy Server Address: 10.177.8.91:8080
IPP: Secure IPP Mode: Enabled
Secure IPP Mode: IPP and Secure IPPS
IPP Network Path: http://10.61.16.154:631

SNMP: SNMP v1 v2: Enabled
SNMP v3: Disabled
LPR/LPD: Port Number: 515
PDL Switching: Disabled
PDL Banner Override: Disabled
Raw IP Printing: Port Number 1: 9100
Bidirectional: Disabled
End of Job Timeout: 300
PDL Switching: Disabled

LDAP: LDAP Server 1 Friendly Name: Disabled
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root: 0.0.0.0:389
LDAP Server 1 Secure Connection (LDAP...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP: SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS): 10240
Number of Fragments: 1
Total Job Size (KB): 300000
Job Splitting Boundary: None
Credentials for Auto E-mails: POP3 Server: 10.61.23.93:110
POP3 Secure Connection (TLS): Disabled
E-mail Address: test@r1s.3.com
Receipt of E-mail via POP3: Enabled
Send Confirm on Request: Enabled
Incoming E-mail cover sheet: Disabled
NTP: Primary Server: 0.0.0.0:123
Alternate Server: 0.0.0.0:123
SLP: Disabled
FTP Client Mode: Password
Web Services on Device: Enabled
WS-Discovery: Enabled
WS-Discovery Multicast: Enabled
WS-Print: Enabled

Web Services: Digital Certificate Management and Security: Enabled
Extensible Service Registration: Enabled
Job Limits: Enabled
Job Management Extension: Enabled
Device Configuration: Enabled
Session Data: Enabled
User Interface Configuration: Enabled
EIP Proxy Configuration: Enabled
Xerox Secure Access: Disabled
EIP SNMP Configuration: Enabled
Print Submission: Enabled
Mass Storage Access: Enabled
Card Reader Access: Enabled
Authentication & Accounting Configur...: Enabled
Export Audit Log: Enabled
Trellix Embedded Control: Enabled

Apps

Printing: Banner Sheet: Disabled
Sys/Start Job: Disabled
Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets: Enabled
Paper Substitution: Enabled
Troy Priority: 1, 2, 3, 4, 5, 6
Default Copies: 1
Default Job Type: Normal Print
Default Paper Size: x=8.50 inches, y=11.00 inches
Default Paper Color: White
Default 2 Sided Printing: 2 Sided
Default Output Tray: Center Tray
Default Output Color: Color
Default Colored Sets: Enabled
Default Stopping: Not Available
Offsetting Between Jobs: No Offset Between Jobs
PostScript: Installed
Level: 3
Version: 3021.101
Image Quality: Enhanced
PCL: Version: 6
Pitch Size: 10.00
Point Size: 12.00
Font Name: Courier
Lines Per Page: 60
Custom Color Tables: Enabled
Lobe: Not Installed
Print Form: Enabled
Saved Jobs for Reprint: Enabled
Print from USB: Enabled
Cloud Services: Disabled

C

Accounting Mode: Network Accounting

Accounting Mode: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device

Home: Unlocked

Jobs Pathway: Unlocked

Printer Pathway: Unlocked

Device Website Authentication: Locally on the Device

Authorization: Kiberos

Authentication Server: Kiberos Primary Address: 0.0.0.88

Kiberos Alt 1 Realm: Kiberos Alt 1 Address: 0.0.0.88

SMB NT Domain: Kiberos Alt 1 NT Domain: 0.0.0.88

Smartcard Ctrl Server: SMB Alt 1 NT Domain: 0.0.0.443

Smartcard Ctrl Domain: Enabled

Smartcard OCSP URL: 0.0.0.443

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version: Disabled

Xerox Secure Access: Secure Access Server: 0.0.0.443

Secure Access Path: Enabled

IP Sec: Disabled

Audit Log: Disabled

IP Filtering: Disabled

Security Certificates: Signed

Machine Certificates: 56

Root Certificates Installed: Disabled

802.1X: Disabled

Job Data Removal: Disabled

Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS Hash: TLS 1.2 and TLS 1.3

TLS: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00

Widget Version: V1.3.17 c8 20140613

Widget Version: V2.5.04 g9 20240123

Accounting Mode: Network Accounting

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device

Home: Unlocked

Jobs Pathway: Unlocked

Printer Pathway: Unlocked

Device Website Authentication: Locally on the Device

Authorization: Kiberos

Authentication Server: Kiberos Primary Address: 0.0.0.88

Kiberos Alt 1 Realm: Kiberos Alt 1 Address: 0.0.0.88

SMB NT Domain: Kiberos Alt 1 NT Domain: 0.0.0.88

Smartcard Ctrl Server: SMB Alt 1 NT Domain: 0.0.0.443

Smartcard Ctrl Domain: Enabled

Smartcard OCSP URL: 0.0.0.443

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version: Disabled

Xerox Secure Access: Secure Access Server: 0.0.0.443

Secure Access Path: Enabled

IP Sec: Disabled

Audit Log: Disabled

IP Filtering: Disabled

Security Certificates: Signed

Machine Certificates: 56

Root Certificates Installed: Disabled

802.1X: Disabled

Job Data Removal: Disabled

Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS Hash: TLS 1.2 and TLS 1.3

TLS: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00

Widget Version: V1.3.17 c8 20140613

Widget Version: V2.5.04 g9 20240123

