

37842

Accounting

Network Accounting: None

Accounting Mode: Disabled

Security

Machine UI Authentication:

Locally on the Device

Home: Unlocked

Jobs Pathway: Unlocked

Printer Pathway: Unlocked

Device Website Authentication: Locally on the Device

Authorization: Locally on the Device

Authentication Server:

00:00:88

Keberos Primary Realm: Keberos

Keberos Primary Address: 00:00:88

Keberos Alt 1 Realm: 00:00:88

Keberos Alt 1 Address: 00:00:88

SMB NT Domain: SMB Alt 1 NT Domain:

SMB Alt 1 NT Domain: SMB Alt 1 NT Domain:

Smartcard Ctrl Server: 0.0.0.443

Smartcard Ctrl Domain: Smartcard Ctrl Domain:

Smartcard OCSP URL: Smartcard OCSP URL:

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version: Disabled

Xerox Secure Access:

0.0.0.443

Secure Access Server: Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates: Machine Certificates:

Root Certificates Installed: Signed

56

802.1X: Disabled

Job Data Removal: Disabled

Scheduled Frequency: Disabled

Monthly: Disabled

FIPS 140-3: Disabled

TLS: Disabled

TLS Hash: Disabled

Trellix Embedded Control:

SHA-1, SHA-256 and above

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

V1.3.17 c8 20140613

Widget Version: V2.5.04 g9 20240123





Protocols (cont.)

NTP: Disabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

Apps

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5,6  
 PostScript Level: Installed  
 PCL Version: 3021.101  
 PCL Version: 6

Printing

Font Name: Courier  
 Custom Color Tables: Enabled  
 Label: Not Installed  
 Print From: Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Cloud Services: Disabled

Accounting

Accounting Mode: None  
 Network Accounting: Disabled

Security

Machine UI Authentication: Unlocked  
 Home: Unlocked  
 Printer Pathway: Unlocked  
 Device Website Authentication: Unlocked  
 Authentication Server: Locally on the Device  
 Xerox Secure Access: Locally on the Device  
 IP Sec: Disabled  
 IP Filtering: Disabled  
 Security Certificates: Disabled  
 Machine Certificate: Signed  
 Root Certificates Installed: 56  
 Job Data Removal: Disabled  
 Scheduled: Disabled  
 FIPS 140-3: Disabled  
 TLS: Disabled  
 TLS Host: Disabled  
 Trellix Embedded Control: TLS 1.2 and TLS 1.3, SHA-1, SHA-256 and above  
 Enhanced Security

© 2017-2019 Xerox Corporation. All Rights Reserved. Xerox® and Versalink® are trademarks of Xerox Corporation in the United States and/or other countries. Adobe and PostScript are either registered trademarks or trademarks of Adobe in the United States and/or other countries. AirPrint, Bonjour and Beacon are trademarks of Apple Inc., registered in the U.S. and other countries. The Bluetooth® word mark is a registered trademark owned by the Bluetooth SIG, Inc. and any use of such marks by Xerox is under license. Kerberos is a trademark of the Massachusetts Institute of Technology (MIT). Mopria is a trademark of Mopria Alliance, Inc. PCL is a trademark of the Hewlett-Packard Company. Trellix is a trademark of Musaubra US LLC. Wi-Fi, Wi-Fi Direct®, Wi-Fi Alliance®, Wi-Fi Protected Setup™, WPA™, WPA2™ and WPA3™ are trademarks of Wi-Fi Alliance®.



Bonjour Printer Name:	Bonjour
HTTP:	Enabled
Force Traffic over Secure Connection (HTTP):	80
Secure HTTP Port Number:	Yes
Proxy Server Address:	443
Proxy Server:	Manual
Secure IPP Mode:	10 177 8 91 8080
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	Enabled
SNMP v1/v2:	http://10.61.16.154:631
SNMP v3:	Enabled
LPR/LPD:	Disabled
Port Number:	515
PDL Banner Override:	Disabled
PDL Switching:	Disabled
PCL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	Disabled
LDAP Server 1 Friendly Name:	LDAP Server 1
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	LDAP Server 1
LDAP Server 1 Secure Connection (LDAP):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled
SMTP:	Disabled
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	10240
Max Message Size (KB):	1
Number of Fragments:	30000
Total Job Size (KB):	None
Job Splitting Boundary:	None
Credentials for Auto E-mails:	POP3
POP3 Server:	10.61.23.93:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	test@1s13.com
Receipt of E-mail via POP3:	Enabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	Disabled
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client Mode:	Enabled
FTP Client:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
Web Services:	Enabled
Digital Certificate Management and Security:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configuration:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Banner Sheet:	Disabled
System Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5,6
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Not Available
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL:	6
Version:	10.00
Pitch Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
Print From USB:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled