

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:17:78)
IP Address:	10.61.16.24
Machine Serial Number:	5321605321
Fax Line1:	3338
Machine URL:	https://10.61.16.24
Machine Activation Date:	Feb 20, 2025 12:39:55
Total Impressions:	7401

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	738 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used= 2924MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:10
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.025.005.03700
Patch Version:	None
Network Controller:	122.025.03700
UI Panel Firmware:	6.1
User Interface:	122.025.03700
Marking Engine:	230.319
Copy Controller:	122.025.03700
Document Feeder:	230.319
Finisher:	000.000.000
Fax:	003.021.014
OS:	230.319
Scanner:	230.319
Software Upgrade:	005.009
ALTB00T Software Upgrade:	005.009
Troy 2:	A16.47_B2.3
Troy 3:	A16.47_B2.3
Troy 4:	A16.47_B2.3

Machine Upgrades:

Last Successful Upgrade:	February 20, 2025 13:33:44
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Troy 1:	Plain, White and A4 (210 x 297 mm)
Troy 2:	Letterhead, White and A4 (210 x 297 mm)
Troy 3:	Plain, White and A4 (210 x 297 mm)
Troy 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Cardstock, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	All Enabled
USB Type A Ports	Enabled
USB Type B Port	5 seconds
Connection Timeout	Enabled
Wired:	78:8c:c7:77:ac:17:78
Ethernet MAC Address:	auto
Ethernet Speed/Duplex Setting:	Disabled

Wireless:

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	Enabled
Wi-Fi Direct:	Not Installed

Wireless Hardware:	
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.24
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Thu Feb 27 13:42:35 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::7a8c:77ff:feac:1778
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:7a8c:77ff:feac:1778
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:Sdff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	XR788C77AC1778
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
Scan to Cloud Licensing:	Installed

## Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox VersaLink B625 MFP (AC:17:78)
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.24:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	Translation Not Found
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.9.241:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
Archival Marking Mode:	Off
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL:	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
Fax:	Enabled/Displayed
Fax Line1:	3338
Fax Line2:	
Server Fax:	
Confirmation Sheet:	Enabled
Delay Start:	On
Repository Protocol:	Disabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0:0

## Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	0.0.0.0:0
Default Repository Login Credentials:	
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	FTP
Alt1 Repository Document Path:	0.0.0.0:0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	FTP
Workflow Pool Path:	0.0.0.0:0

## Email:

Default From Address:	Enabled
Confirmation Sheet:	rathimeenas@xeroxqa.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

## Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	672 MB
Cleanup of Public Folders:	68 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
Scan to Home:	Daily

## Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

## Scan To:

Cloud Services:	Enabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled
	Enabled

**Accounting**

Accounting Mode:	None
Network Accounting:	Disabled

**Security****Authentication Configuration**

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

**Authentication Server:**

Kerberos Primary Realm:	Kerberos
Kerberos Primary Address:	0.0.0.0:88
Kerberos Alt 1 Realm:	
Kerberos Alt 1 Address:	0.0.0.0:88
SMB NT Domain:	
SMB Alt 1 NT Domain:	
Smartcard Ctrl Server:	0.0.0.0:443
Smartcard Ctrl Domain:	
SmartCard OCSP URL:	
Card Reader Upgrade Policy:	Enabled
Card Reader Firmware Version:	

**Xerox Secure Access:**

Secure Access Server:	Disabled
Secure Access Path:	0.0.0.0:443

**Audit Log:**

IP Sec:	Enabled
---------	---------

IP Filtering:	Disabled
---------------	----------

**Security Certificates**

Machine Certificate:	Signed
Root Certificates Installed:	71

**802.1x:**

Job Data Removal:	Disabled
-------------------	----------

Scheduled:	Disabled
Scheduled Frequency:	Daily

**FIPS 140-3:**

TLS:	Disabled
------	----------

TLS Hash:	TLS 1.1 and TLS 1.2
Trellix Embedded Control:	SHA-1, SHA-256 and above
	Enhanced Security

**Extensible Service Setup**

Third Generation Browser:	X3G_3.24.23_2.40.5_012_01.00.00
Widget Version:	v1.3.17 c8 20140613
Widget Version:	v2.5.04 g9 20240123