

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
IP Address: 10.61.12.190
Machine Serial Number: 5330005345
Fax Line1: 3338
Machine URL: https://10.61.12.190
Machine Activation Date: Jan 23, 2025 11:35:10
Total Impressions: 4880

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
System Administrator name not set
machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
Fax Memory Size: 738 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3073MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 20:04
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor: Not Available

Smart Proximity Sensor

Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 122.029.005.03700
Patch Version: None
Network Controller: 122.029.03700
UI Panel Firmware: 6.2
Marking Engine: 230.319
Document Feeder: 230.319
Finisher: 000.000.000
Fax: 003.021.014
Scanner: 230.319
Machine Upgrades: Not Allowed

Machine Upgrades

Last Successful Upgrade:

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled

Physical Connections

USB Settings: All Enabled
USB Type A Ports: Enabled
USB Type B Ports: Enabled

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto
Disabled

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Enabled
Wi-Fi Direct: Not Installed

Wireless Hardware:

Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen: Enabled
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Not Installed
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address: 10.61.12.190
Subnet Mask: 255.255.255.0
Router Gateway: 10.61.12.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Thu Feb 27 05:57:15 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled
Use Router Supplied Prefix: fe80::7a8c:77ff:fedc:b844
Stateless Global Address 1: Enabled
Stateless Global Address 2: fd00:0:2:112:7a8c:77ff:fedc:b844
Manual Address:
DHCP Addressing: Use DHCP Addressing by a router
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77DCB844
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)

HTTP:

Force Traffic over Secure Connection (H...): Enabled
IPP: Enabled

SNMP:

SNMP v1/v2: Enabled
SNMP v3: Disabled
LPR/LPD: Enabled

Raw IP Printing:

LDAP:

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root: Translation Not Found
LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP:

SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

**Protocols (cont.)**

POP3  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 NTP: Enabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101

PCL  
 Version: 6  
 Font Name: Courier  
 Custom Color Tables: Enabled  
 Label: Not Installed

Fax:  
 Fax Line1: Enabled/Displayed  
 Fax Line2: 3338

Server Fax:  
 Repository Protocol: Enabled  
 Repository Server: SMB  
 Repository Document Path: 10.61.23.93:445  
 /

**Workflow Scanning:** Enabled

**Email:** Enabled

**Scan to Mailbox:** Disabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 90 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:** Disabled

**Scan To:** Enabled

**Cloud Services:** Disabled

**Print From:** Enabled

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Print From MailBox: Disabled

Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked

Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled

**Authentication Server:** Kerberos

**Xerox Secure Access:** Disabled

**Audit Log:** Enabled

**IP Sec:** Disabled

**IP Filtering:** Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 54

**802.1x:** Disabled

**Job Data Removal:** Disabled

Scheduled: Disabled

**FIPS 140-3:** Disabled

**TLS:** TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:** Enhanced Security

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
Kerberos Primary Address: 0.0.0:88  
Kerberos Alt 1 Realm: Kerberos  
Kerberos Alt 1 Address: 0.0.0:88  
SMB NT Domain: 0.0.0:443  
SMB Alt 1 NT Domain: 0.0.0:443  
Smartcard Ctrl Server: Enabled  
SmartCard Ctrl Domain: Enabled  
SmartCard OCSP URL: Enabled  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version: 0.0.0:443

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0:443

**Audit Log:**

IP Sec: Enabled  
IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 54  
802.1x: Disabled

**802.1x:**

**Job Data Removal:**

Scheduled: Disabled  
Scheduled Frequency: Monthly

**FIPS 140-3:**

TLS: Disabled  
TLS Hash: TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:BB:44)  
IP Address: 10.61.12.190  
Machine Serial Number: 5330005345  
Fax Line 1: 3338  
Machine URL: https://10.61.12.190  
Machine Activation Date: Jan 23, 2025 11:35:10  
Total Impressions: 4877

Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location:  
Managed By  
Primary MB Server:

System Administrator name not set  
machine location not set

Machine Hardware

Fax Card: Embedded; 1 Line  
Fax Memory Size: 738 MB  
Foreign Interface Card: not present  
Device RAM Size: 1984 MB  
Device Storage Size: used=3063MB/total=14004MB (eMMC)  
EPC Memory Size: 187 MB  
Productivity Kit: Not Installed  
Finisher Type: Simple Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 20:04  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Plan Activated  
Geographic Region: unknown  
Startup Config Report: Enabled  
GMT Offset: 00:00  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
JBIG2: Lossless  
Energy Saver: Enabled  
Deep Sleep: Job Activated  
Energy Saver Mode: 60 minutes  
Sleep Mode Timer: Disabled  
Auto-Off: Disabled

Software Versions

Device Software: 122.029.005.03700  
Patch Version: None  
Network Controller: 122.029.03700  
UI Panel Firmware: 6.2  
User Interface: 122.029.03700  
Marking Engine: 230.319  
Copy Controller: 122.029.03700  
Document Feeder: 230.319  
Finisher: 000.000.000  
Fax: 003.021.014  
OS: 230.319  
Scanner: 230.319  
Software Upgrade: 005.009  
ALTBOOT Software Upgrade: 005.009  
Tray 2: A19.1\_B3.1  
Tray 3: A19.1\_B3.1  
Tray 4: A19.1\_B3.1  
Machine Upgrades: Not Allowed  
Last Successful Upgrade: Disabled  
Scheduled Auto Upgrades: Daily  
Auto Upgrade Start Time: 0.0.0.0:21  
Auto Upgrade Server:

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)  
Tray 3: Plain, White and A4 (210 x 297 mm)  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Disabled  
Authentication Required: Disabled  
Universal Print: Not Registered  
Universal Print Registration Status:

Physical Connections

USB Settings: All Enabled  
USB Type A Ports: Enabled  
USB Type B Port: 5 seconds  
Connection Timeout: Disabled  
Ethernet MAC Address: 78:8c:77:dc:b8:44  
Ethernet Speed/Duplex Setting: auto  
Disabled

Wireless

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status: Enabled  
Wi-Fi Direct: Not Installed  
Wireless Hardware:  
Wi-Fi Protected Setup (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen: Enabled  
NFC: Enabled  
iBeacon (Bluetooth®) for AirPrint Di...  
iBeacon Hardware: Not Installed  
Bluetooth Device Address:  
iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address: Enabled  
10.61.12.190  
Subnet Mask: 255.255.255.0  
10.61.12.1  
Router/Gateway: DHCP  
Automatic Addressing: 10.61.13.224  
DHCP Server: Thu Feb 27 05:57:15 2025  
DHCP Lease Expiration: Disabled  
BOOTP Broadcast: Enabled  
Self Assigned Address State:  
Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled  
Use Router Supplied Prefix: fe80::7a8c:77ff:fedc:b844  
Stateless Global Address 1: Enabled  
Stateless Global Address 2: fd00:0:2:112:7a8c:77ff:fedc:b844  
Manual Address: ::  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fe80::8afc:5dff:fe75:e282  
Default Gateway:  
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77DCB844  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS:  
Release DHCP Leases and DNS Registrati...  
Primary DNS Server: Enabled  
10.61.7.15  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: ::  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
XEROXQA.COM.  
DNS Domain Search List: Enabled  
Prefer IPv6 DNS over IPv4:

Installed Options

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:88:44)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Automatic  
 Proxy Server Address: 0.0.0.0:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.12.190:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: Enabled  
 PDL Switching: 515  
 PDL Banner Override: Disabled  
 Disabled

**Raw IP Printing:**  
 Port Number 1: Enabled  
 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Director: Translation Not Found  
 LDAP Server 1 Secure Connections (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 FTP Client Mode: Enabled  
 Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**  
 Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: Off  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
**Custom Color Tables**  
 Label: Enabled  
 Not Installed

**Fax:**  
 Fax Line 1: Enabled/Displayed  
 3338  
 Fax Line 2:

**Server Fax:**  
 Confirmation Sheet: Enabled  
 Errors Only  
 Delay Start: Disabled  
 Repository Protocol: SMB  
 Repository Server: 10.61.23.93:445  
 Repository Document Path: /

**Workflow Scanning:**  
 Confirmation Sheet: Enabled  
 Errors Only  
 Default Repository Protocol: SMB  
 Default Repository Server: 10.61.23.40:445  
 Default Repository Document Path: /  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path: Device  
 Alt1 Repository Login Credentials: SMB  
 Workflow Pool Protocol: 0.0.0.0:0  
 Workflow Pool Server:  
 Workflow Pool Path:

**Email:**  
 Default From Address: Enabled  
 rathimeenas@xeroxqa.com  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**  
 View Mailboxes by Default: Disabled  
 Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 90 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**  
 Disabled  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Cloud Services: Enabled  
 Disabled

**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled