

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
v4 Address: 10.61.16.14
Machine Serial Number: 5330005345
x Line1: 3338
Machine URL: https://10.61.16.14
Machine Activation Date: Jun 18, 2025 16:16:44
Total Impressions: 8636

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed by:
Primary MB Server:

Not set
machine location not set

Machine Hardware

FX Card: Embedded; 1 Line
FX Memory Size: 738 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used: 3145MB/total: 0MB (eMMC)
FX Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 22:53
Xerox Workplace Cloud: Enabled
Email Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
MT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
31G2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Save Mode: Job Activated
Smart Proximity Sensor: Not Available

Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 122.029.005.15400
Patch Version: None
Network Controller: 122.029.15400
UI Panel Firmware: 6.2
Marking Engine: 230.332
Document Feeder: 230.332
Finisher: 000.000.000
Fax: 003.021.021
Scanner: 230.332

Machine Upgrades

Last Successful Upgrade: June 9, 2025 17:24:56

Media Trays

Tray 1: Hole Punched, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

Options: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled

Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware: Enabled
Bluetooth Device Address: Not Installed
iBeacon IP Address:

Protocols

TCP/IPv4:

IPv4 Address: 10.61.16.14
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Thu Jun 26 12:15:09 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):
Use DHCP as requested by a router
fd00:0:2:1::3d0:ad76:4f0f
fe80::8afc:5dff:fe75:e282
000100012fe66e772788c77dcb844

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)

HTTP:

Force Traffic over Secure Connection (H...: Enabled
IPP: Yes

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled

LPR/LPD:

Raw IP Printing: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...: Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 0.0.0.0:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):
SMTP Authentication Type: Basic Auth with SMTP

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:88:44)
v4 Address: 10.61.16.14
Machine Serial Number: 5330005345
Line 1: 3338
Machine URL: https://10.61.16.14
Machine Activation Date: Jun 18, 2025 16:16:44
Total Impressions: 8638

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Applies Phone Number:
System Administrator:
Machine Location:
Managed By:
Primary MB Server:

Not set
machine location not set

Machine Hardware

Max Card: Embedded; 1 Line
Max Memory Size: 738 MB
Foreign Interface Card: not present
Service RAM Size: 1984 MB
Service Storage Size: used=3146MB/total=OMB (eMMC)
PC Memory Size: 187 MB
Productivity Kit: Not Installed
Inisher Type: Simple Catch Tray
Inisher Punct: None
Inisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 22:53
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
Startup Config Report: Disabled
JMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Enabled
File Sharing: Enabled
BIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.029.005.15400
Patch Version: None
Network Controller: 122.029.15400
UI Panel Firmware: 6.2
User Interface: 122.029.15400
Marking Engine: 230.332
Copy Controller: 122.029.15400
Document Feeder: 230.332
Finisher: 000.000.000
Fax: 003.021.021
OS: 230.332
Scanner: 230.332
Software Upgrade: 005.016
ALTB00T Software Upgrade: 005.016
Tray 2: A19.1_B3.1
Tray 3: A19.1_B3.1
Tray 4: A19.1_B3.1

Machine Upgrades:

Last Successful Upgrade: June 9, 2025 17:24:56
Scheduled Auto Upgrades: Disabled
Auto Upgrade Start Time: Daily
Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Hole Punched, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings

USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
Wi-Fi Protected Setup™ (WPS) Name: Not Installed

Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Enabled
Bluetooth Device Address: Not Installed
iBeacon IP Address:

Protocols

TCP/IP v4:

IPv4 Address: Enabled
Subnet Mask: 10.61.16.14
Router/Gateway: 255.255.255.0
Automatic Addressing: 10.61.16.1
DHCP Server: DHCP
DHCP Lease Expiration: 10.61.13.223
BOOTP Broadcast: Thu Jun 26 12:15:09 2025
Self Assigned Address State: Disabled
Self Assigned Address: Enabled

TCP/IP v6:

Link Local Address: Enabled
Use Router Supplied Prefix: fe80::7a8c:77ff:fedc:b844
Stateless Global Address 1: Enabled
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier): Use DHCP as directed by a router
000100012fe66e72788c77dcb844

DNS Settings:

Requested Host Name: XRX788C77DCB844
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: 10.61.7.15
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: 10.61.10.6.10.61.10.7. XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device

Retrieve E-mail from LDAP:

Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos

Kerberos Primary Address: 0.0.0.0:88

Kerberos Alt 1 Realm: 0.0.0.0:88

Kerberos Alt 1 Address: 0.0.0.0:88

SMB NT Domain: 0.0.0.0:443

SMB Alt 1 NT Domain: 0.0.0.0:443

Smartcard Ctrl Server: 0.0.0.0:443

Smartcard Ctrl Domain: 0.0.0.0:443

SmartCard OCSP URL: 0.0.0.0:443

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version: Enabled

Xerox Secure Access:

Disabled

Secure Access Server: 0.0.0.0:443

Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

P Sec: Disabled

P Filtering: Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 53

IO2.1x: Disabled

Job Data Removal:

Disabled

Scheduled Frequency: Disabled

IPS 140-3:

Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Serviceable Service Setup

Third Generation Browser: X3G_3.24.23_240.5_012_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123