





Protocols (cont.)

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C625 Color MFP (FC:2...  
**HTTP:**  
 Port Number: 80  
 Force TFTP over Secure Connection (H...: Yes  
 Secure TFTP Port Number: 443  
 Proxy Server: Disabled  
 Proxy Server Address: 0.0.0.0:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://:631

**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP:**  
 SMTP Server: 0.0.0.0:25  
 Connection Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP

**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3:  
 Send Confirmation Request:  
 Incoming E-mail cover sheet:

**NTP:**  
 Primary Server:  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 FTP Client Mode: Enabled  
 Passive: Enabled

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services:**  
 Copy Submission: Enabled  
 Digital Certificate Management and Secur...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Impeded Control: Enabled

Apps

**Printing:**  
 Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,6  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced

**PCL:**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
 Custom Color Tables: Enabled  
 Label: Not Installed

**Fax:**  
 Fax Line 1: Disabled  
 Fax Line 2:

**Server Fax:**  
 Confirmation Sheet: Enabled  
 Errors Only: Disabled  
 Delay Start: Disabled  
 Repository Protocol: SMB  
 Repository Server: 10.61.23.93:445  
 Repository Document Path: /

**Workflow Scanning:**  
 Confirmation Sheet: Enabled  
 Off: Disabled  
 SMB: Disabled  
 Default Repository Protocol: 0.0.0.0  
 Default Repository Server:  
 Default Repository Document Path:  
 Default Repository Login Credentials:  
 Alt1 Repository Protocol: Device  
 Alt1 Repository Server: SMB  
 Alt1 Repository Document Path: 0.0.0.0  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0  
 Workflow Pool Path:

**Email:**  
 Default From Address:  
 Confirmation Sheet: Enabled  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled


**Scan to Mailbox:**  
 View Mailboxes by Default: Enabled  
 Storage Capacity (MB): Enabled  
 Storage Used (MB): 672 MB  
 Cleanup of Public Folders: 51 MB  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
 Disabled

**Scan to Home:**  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Cloud Services: Enabled  
 Disabled

**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From Mailbox: Enabled  
 Cloud Services: Disabled





Common User Data

|                 |                                       |
|-----------------|---------------------------------------|
| Model Name      | Xerox VersaLink C625 Color MFP (FC.2) |
| Serial Number   | 5322480450                            |
| Activation Date | Apr 15, 2025 14:30:42                 |
| IP Address      | 10658                                 |
| Subnet Mask     | 6047                                  |
| Default Gateway | 16705                                 |

Machine Profile

|                        |                  |
|------------------------|------------------|
| Machine Name           | Not Set          |
| Machine Asset Tag      | Not set          |
| Machine Serial Number  | 5322480450       |
| Machine Support Number | Not set          |
| Machine Phone Number   | Not set          |
| Machine Fax Number     | Not set          |
| Machine Location       | Location not set |
| Managed By             | Not set          |
| Machine Owner          | Not set          |

Machine Hardware

|                     |                                |
|---------------------|--------------------------------|
| Processor           | Embedded, 1 Core               |
| Memory              | 0 MB                           |
| Hard Drive          | not present                    |
| Flash Memory        | 3904 MB                        |
| Hard Drive Size     | used: 2010MB/total: 0MB (eMMC) |
| Hard Drive Capacity | 187 MB                         |
| Hard Drive Type     | Not Installed                  |
| Tray                | Simple Catch Tray              |
| Tray Capacity       | None                           |
| Tray Status         | not present                    |
| Tray Model          | Not Installed                  |

General Setup

|                        |                                |
|------------------------|--------------------------------|
| Discovery              | Enabled                        |
| Ballistic Download     | Enabled                        |
| Business Hours         | 14:00                          |
| Business Hours Cloud   | Enabled                        |
| Business Hours         | Disabled                       |
| Business Hours Metered | Metered                        |
| Business Hours         | unknown                        |
| Business Hours         | +05:30                         |
| Business Hours         | Allowed (Encrypted Files Only) |
| Business Hours         | Enabled                        |
| Business Hours         | Lossless                       |

Energy Saver

|                   |               |
|-------------------|---------------|
| Energy Saver      | Disabled      |
| Energy Saver Mode | Job Activated |
| Proximity Sensor  | Not Available |
| Proximity Sensor  | Not Available |
| Proximity Sensor  | Not Available |

Software Versions

|                 |                   |
|-----------------|-------------------|
| Device Software | 122.024.005.13400 |
| Device Software | None              |
| Device Software | 122.024.13400     |
| Device Software | 6.2               |
| Device Software | 230.327           |
| Device Software | 230.327           |
| Device Software | 000.000.000       |
| Device Software | 003.021.020       |
| Device Software | 230.327           |

Machine Upgrades

|                  |                       |
|------------------|-----------------------|
| Machine Upgrades | Allowed               |
| Machine Upgrades | May 19, 2025 12:55:14 |

Media Trays

|             |                                    |
|-------------|------------------------------------|
| Media Trays | Plain, White and A4 (210 x 297 mm) |
| Media Trays | Plain, White and A4 (210 x 297 mm) |

Installed Options

|                   |           |
|-------------------|-----------|
| Installed Options | Installed |
|-------------------|-----------|

Connectivity

|   |                  |
|---|------------------|
| <b>Mobile Workflows</b>                 |                  |
| AirPrint Printing:                      | Enabled          |
| Mopria Printing:                        | Enabled          |
| AirPrint / Mopria Scanning              | Enabled          |
| Authentication Required:                | Disabled         |
| <b>Physical Connections</b>             |                  |
| <b>USB Settings</b>                     |                  |
| USB Type A Ports                        | All Enabled      |
| USB Type B Port                         | Enabled          |
| <b>Wired:</b>                           |                  |
| Ethernet MAC Address:                   | 78:5c:77fc:24:43 |
| Ethernet Speed/Duplex Setting:          | auto             |
| <b>Wireless:</b>                        |                  |
| Wireless MAC Address:                   | Disabled         |
| Network Name (SSID):                    |                  |
| BSSID:                                  |                  |
| Security Mode:                          |                  |
| Encryption Algorithm:                   |                  |
| Status:                                 |                  |
| <b>Wi-Fi Direct:</b>                    |                  |
| Wireless Hardware:                      | Enabled          |
| Wi-Fi Protected Setup™ (WPS) Name:      | Not Installed    |
| Access Point (SSID):                    |                  |
| Show Password on Device Touch Screen:   |                  |
| <b>NFC:</b>                             |                  |
| iBeacon (Bluetooth®) for AirPrint Di... | Enabled          |
| iBeacon Hardware:                       | Not Installed    |
| Bluetooth Device Address:               |                  |
| iBeacon IP Address:                     |                  |

Protocols

|  |  |
|--|--|
| <b>TCP/IPv4:</b>                             |  |
| IPv4 Address:                                | Disabled                                 |
| Subnet Mask:                                 | 255.255.255.0                            |
| Router/Gateway:                              | 10.61.16.1                               |
| Automatic Addressing:                        | DHCP                                     |
| DHCP Server:                                 |  |
| DHCP Lease Expiration:                       |  |
| BOOTP Broadcast:                             | Disabled                                 |
| Self Assigned Address State:                 | Enabled                                  |
| Self Assigned Address:                       |  |
| <b>TCP/IPv6:</b>                             |  |
| Link Local Address:                          | Enabled                                  |
| Use Router Supplied Prefix:                  | fe80::7a8c:77ff:fe0c:2443                |
| Stateless Global Address 1:                  | Enabled                                  |
| Stateless Global Address 2:                  | ::                                       |
| Manual Address:                              | ::                                       |
| DHCP Addressing:                             | Enabled for address assignment and other |
| DHCP Address:                                | fe00::0:2:116::c:14:3a:1a:895:13d1       |
| Default Gateway:                             | fe80::8a1c:5dff:fe75:e282                |
| DUID (DHCP Unique Identifier):               | 000100012fd9bea7881771c2443              |
| <b>DNS Settings:</b>                         |  |
| Requested Host Name:                         | XR788C77FC2443                           |
| Verified Host Name:                          |  |
| Requested Domain Name:                       |  |
| Verified Domain Name:                        |  |
| Multi-cast DNS:                              | Enabled                                  |
| Release DHCP Leases and DNS Registrati...    | Disabled                                 |
| Primary DNS Server:                          | ::                                       |
| Prefer IPv6 DNS over IPv4:                   | Enabled                                  |
| <b>Bonjour:</b>                              |  |
| Bonjour Printer Name:                        | Xerox VersaLink C625 Color MFP (FC.2)    |
| <b>HTTP:</b>                                 |  |
| Force Traffic over Secure Connection (H...   | Enabled                                  |
| IPP:   | Enabled                                  |
| <b>SNMP</b>                                  |  |
| SNMP v1/v2:                                  | Enabled                                  |
| SNMP v3:                                     | Disabled                                 |
| <b>LPR/LPD:</b>                              |  |
| LPR/LPD:                                     | Enabled                                  |
| <b>Raw IP Printing:</b>                      |  |
| Raw IP Printing:                             | Enabled                                  |
| <b>LDAP</b>                                  |  |
| LDAP Server 1 Primary LDAP Address:          | 0.0.0.0:389                              |
| LDAP Server 1 Search Directory Root:         |  |
| LDAP Server 1 Secure Connection (LDA...      | Disabled                                 |
| LDAP Server 1 Validate Server Certificate... | Disabled                                 |
| <b>SMTP</b>                                  |  |
| SMTP Server:                                 | 0.0.0.0:25                               |
| Connect Encryption (TLS):                    | No Encryption                            |
| Validate Server Certificate (TLS):           |  |
| SMTP Authentication Type:                    | Basic Auth with SMTP                     |

**Protocols (cont.)**

POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 POP3 Mailbox Server Certificate:  
 E-mail Address  
 NTP: Disabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,6  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 PCL: 6  
 Font Name: Courier  
 Custom Color Tables: Enabled  
 Label: Not Installed  
 Fax: Disabled

**Server Fax:**

Repository Protocol: SMB  
 Repository Server: 10.61.23.93:445  
 Repository Document Path: /

**Workflow Scanning:**

Email: Enabled

**Scan to Mailbox:**

Storage Capacity (MB): 672 MB  
 Storage Used (MB): 51 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**

Scan To: Disabled

Cloud Services: Disabled

**Print From:**

Saved Jobs for Report: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos  
 Disabled

**Xerox Secure Access:**

Enabled

**Audit Log:**

Disabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 53

**802.1x:**

Disabled

**Job Data Removal:**

Schedule: Disabled

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3  
 TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC12)  
 IPv4 Address: 10.61.16.25  
 Machine Serial Number: 5322480450  
 Fax Line 1:  
 Machine URL: https://10.61.16.25  
 Machine Activation Date: Apr 15, 2025 14:30:42  
 Black Impressions: 1065 J  
 Color Impressions: 6044  
 Total Impressions: 16697

**Machine Profile**

Xerox Asset Tag:  
 Custom Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Service Phone Number:  
 System Administrator:  
 Machine Location:  
**Managed By**  
 Primary MFP Server:

**Machine Hardware**

Fax Card: Embedded, 1 Line  
 Fax Memory Size: 0 MB  
 Front Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used -2956MB/total -0MB (eMMC)  
 EPROM Memory Size: 187 MB  
 Printability Kit: Not Installed  
 Finisher Type: Simple Color Tray  
 Finisher: None  
 Finisher Folder: not present  
 Multi-Feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Timer: 14:00  
 Remote Web Access Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plans: Metered  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 DMT Offset: +05:30  
 Copying Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 IS103: Lostless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.024.005.13400  
 Patch Version: None  
 Network Controller: 122.024.13400  
 UI Panel Firmware: 6.2  
 User Interface: 122.024.13400  
 Messaging Engine: 230.327  
 Copy Controller: 122.024.13400  
 Document Feeder: 230.327  
 Finisher: 000.000.000  
 Fax: 003.021.020  
 OS: 230.327  
 Scanner: 230.327  
 Software Upgrade: 005.016  
 ALTOCT Software Upgrade: 005.016  
**Machine Upgrades:** Allowed  
 Last Successful Upgrade: May 19, 2025 12:55:14  
 Enabled Auto Upgrades: Enabled  
 Auto Upgrade Start Times: Daily  
 Auto Upgrade Server: 10.61.9.116.21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

**AirPrint Printing:** Enabled  
**Mopria Printing:** Enabled  
**AirPrint / Mopria Scanning:** Enabled  
 Authentication Required: Disabled  
**Universal Print:** Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 15 seconds  
**Wired:** Enabled  
 Ethernet MAC Address: 78:8c:77:1c:24:43  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:** Disabled

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
**iBeacon (Bluetooth®) for AirPrint Di...:** Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IPv4 Address: Enabled  
 10.61.16.25  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Tue May 27 14:36:54 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Disabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: fe80::7a8c:77ff:fe:c2443  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other  
 DHCP Address: fd00::2:116::d1:4f:3a3a:996:13d1  
 Default Gateway: fe80::8afe:5dff:fe:75:e282  
 DHCP Unique Identifier: 000100012fbd9bea788c77fc2443

**DNS Settings:**

Requested Host Name: XRX788C77FC2443  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.16  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: 10.61.7.15  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: 10.61.10.6 10.61.10.6 10.61.10.7  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed









**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C625 Color MFP (FC:2...  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (HTTPS): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Disabled  
 Proxy Server Address: 0.0.0.0:8080  
 IPP:  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.25:631  
**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled  
**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDAPS): Disabled  
 LDAP Server 1 Validate Server Certificate: Disabled  
**SMTP:**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP  
**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirmation Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**FTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 Enabled  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services:**  
 Copy Submission: Enabled  
 Digital Certificate Management and Security: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configuration: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

**Banner Sheet:** Disabled  
**Sys/Start Job:** Disabled  
**Delete Held Jobs After:** 3 Day(s) 0 Hour(s) 0 Minute(s)  
**Error Sheets:** Enabled  
**Paper Substitution:** Enabled  
**Tray Priority:** 1,6  
**Default Copies:** 1  
**Default Job Type:** Normal Print  
**Default Paper Size:** x: 8.50 inches, y: 11.00 inches  
**Default Paper Color:** White  
**Default 2 Sided Printing:** 2 Sided  
**Default Output Tray:** Center Tray  
**Default Output Color:** Color  
**Default Collated Sets:** Enabled  
**Default Stapling:** Not Available  
**Offsetting Between Jobs:** No Offset Between Jobs  
**Archival Marking Mode:** Off  
**PostScript:** Installed  
**Level:** 3  
**Version:** 3021.101  
**Image Quality:** Enhanced  
**PCL:**  
**Version:** 6  
**Pitch Size:** 10.00  
**Point Size:** 12.00  
**Font Name:** Courier  
**Lines Per Page:** 60  
**Custom Color Tables:** Enabled  
**Label:** Not Installed  
**Fax:** Disabled  
**Fax Line1:**  
**Fax Line2:**  
**Server Fax:** Enabled  
**Confirmation Sheet:** Errors Only  
**Delay Start:** Disabled  
**Repository Protocol:** SMB  
**Repository Server:** 10.61.23.93:445  
**Repository Document Path:** /  
**Workflow Scanning:** Enabled  
**Confirmation Sheet:** Off  
**Default Repository Protocol:** SMB  
**Default Repository Server:** 0.0.0.0  
**Default Repository Document Path:**  
**Default Repository Login Credentials:** Device  
**Alt1 Repository Protocol:** SMB  
**Alt1 Repository Server:** 0.0.0.0  
**Alt1 Repository Document Path:**  
**Alt1 Repository Login Credentials:** Device  
**Workflow Pool Protocol:** SMB  
**Workflow Pool Server:** 0.0.0.0  
**Workflow Pool Path:**

**Fax:**

**Server Fax:** Enabled  
**Confirmation Sheet:** Errors Only  
**Delay Start:** Disabled  
**Repository Protocol:** SMB  
**Repository Server:** 10.61.23.93:445  
**Repository Document Path:** /

**Workflow Scanning:**

**Confirmation Sheet:** Enabled  
**Confirmation Sheet:** Off  
**Default Repository Protocol:** SMB  
**Default Repository Server:** 0.0.0.0  
**Default Repository Document Path:**  
**Default Repository Login Credentials:** Device  
**Alt1 Repository Protocol:** SMB  
**Alt1 Repository Server:** 0.0.0.0  
**Alt1 Repository Document Path:**  
**Alt1 Repository Login Credentials:** Device  
**Workflow Pool Protocol:** SMB  
**Workflow Pool Server:** 0.0.0.0  
**Workflow Pool Path:**

**Email:**

**Default From Address:**  
**Confirmation Sheet:** Errors Only  
**Auto Send to Self:** Disabled  
**E-mail Security:** Disabled

**Scan to Mailbox:**

**View Mailboxes by Default:** Enabled  
**Storage Capacity (MB):** 672 MB  
**Storage Used (MB):** 51 MB  
**Cleanup of Public Folders:** Enabled  
**Cleanup of Created Folders:** Enabled  
**Cleanup Time:** Daily  
**Scan to Home:** Disabled

**Scan to Home:**

**Friendly Name:**  
**Workflow Name:**  
**Auto Create Subdir:** Disabled  
**Append User Name to Path:** Disabled  
**Auto Create User Name Dir:**

**Scan To:**

**Cloud Services:** Enabled  
**Print From:** Enabled  
**Saved Jobs for Reprint:** Enabled  
**Print From USB:** Enabled  
**Print From MailBox:** Disabled  
**Cloud Services:** Disabled

**Common User Data**

|                          |                                      |
|--------------------------|--------------------------------------|
| Machine Name:            | Xerox VersaLink C625 Color MFP (FC.2 |
| IP Address:              | 10.61.16.25                          |
| Machine Serial Number:   | 5322480450                           |
| Fax Limit:               |                                      |
| Machine URL:             | https://10.61.16.25                  |
| Machine Activation Date: | Apr 15, 2025 14:30:42                |
| Black Impressions:       | 10652                                |
| Color Impressions:       | 6043                                 |
| Total Impressions:       | 16695                                |

**Machine Profile**

|                          |                          |
|--------------------------|--------------------------|
| Asset Tag:               |                          |
| Customer Asset Tag:      |                          |
| Service Phone Number:    |                          |
| Customer Support Number: |                          |
| Support Phone Number:    |                          |
| System Administrator:    | Not set                  |
| Machine Location:        | machine location not set |

**Managed By**

Primary MIB Server:

**Machine Hardware**

|                           |                                |
|---------------------------|--------------------------------|
| Fax Card:                 | Embedded: 1 Line               |
| Fax Memory Size:          | 0 MB                           |
| Foreign Interface Card:   | not present                    |
| Device RAM Size:          | 3904 MB                        |
| Device Storage Size:      | used: 2821MB/total: 0MB (eMMC) |
| EPC Memory Size:          | 187 MB                         |
| Productivity Kit:         | Not Installed                  |
| Finisher Type:            | Simple Catch Tray              |
| Finisher Kit:             | None                           |
| Fax Pin Folder:           | not present                    |
| Multi-Feed Detection Kit: | Not Installed                  |

**General Setup**

|                               |                                |
|-------------------------------|--------------------------------|
| Remote Services:              | Enabled                        |
| Remote Software Download:     | Enabled                        |
| Remote Services Trans. Time:  | 14:00                          |
| Xerox Workplace Cloud:        | Enabled                        |
| Service Alerts:               | Disabled                       |
| Service Plan:                 | Metered                        |
| Geographic Region:            | unknown                        |
| GMT Offset:                   | +05:30                         |
| Copying Protection:           | Allowed (Encrypted Files Only) |
| File Sharing:                 | Enabled                        |
| IBEG:                         | Lossless                       |
| <b>Energy Saver</b>           |                                |
| Deep Sleep:                   | Disabled                       |
| Energy Saver Mode:            | Job Activated                  |
| <b>Smart Proximity Sensor</b> |                                |
| Wake on Arrival:              | Not Available                  |
| Sleep on Departure:           |                                |

**Software Versions**

|                          |                                  |
|--------------------------|----------------------------------|
| Device Software:         | 122.024.005.13400                |
| Print Virtual:           | None                             |
| Network Controller:      | 122.024.13400                    |
| UI Panel Firmware:       | 6.2                              |
| Marketing Engines:       | 230.327                          |
| Document Feeder:         | 230.327                          |
| Finisher:                | 000.000.000                      |
| Fax:                     | 003.021.020                      |
| Scanner:                 | 230.327                          |
| <b>Machine Upgrades:</b> |                                  |
| Last Successful Upgrade: | Allowed<br>May 19, 2025 12:55:14 |

**Media Trays**

|               |                                    |
|---------------|------------------------------------|
| Tray 1:       | Plain, White and A4 (210 x 297 mm) |
| Byzant Trays: | Plain, White and A4 (210 x 297 mm) |

**Installed Options**

|     |           |
|-----|-----------|
| PS: | Installed |
|-----|-----------|

**Connectivity**

**Mobile Workflows**

|                                   |          |
|-----------------------------------|----------|
| <b>AirPrint Printing:</b>         | Enabled  |
| <b>Mopria Printing:</b>           | Enabled  |
| <b>AirPrint / Mopria Scanning</b> | Enabled  |
| Authentication Required:          | Disabled |

**Physical Connections**

|                                |                        |
|--------------------------------|------------------------|
| <b>USB Settings</b>            |                        |
| USB Type A Ports:              | All Enabled            |
| USB Type B Port:               | Enabled                |
| <b>Wired:</b>                  |                        |
| Ethernet MAC Address:          | Enabled                |
| Ethernet Speed/Duplex Setting: | 788c:77fc:2443<br>auto |
| <b>Wireless:</b>               |                        |
| Wireless MAC Address:          | Disabled               |
| Network Name (SSID):           |                        |
| BSSID:                         |                        |
| Security Mode:                 |                        |
| Encryption Algorithm:          |                        |
| Status:                        |                        |

**Wi-Fi Direct:**

|                                       |               |
|---------------------------------------|---------------|
| Wireless Hardware:                    | Enabled       |
| Wi-Fi Protected Setup™ (WPS) Name:    | Not Installed |
| Access Point (SSID):                  |               |
| Show Password on Device Touch Screen: |               |

**NFC:**

|  |               |
|--|---------------|
| <b>iBeacon (Bluetooth®) for AirPrint Di...</b> |               |
| iBeacon Hardware:                              | Enabled       |
| Bluetooth Device Address:                      | Not Installed |
| iBeacon IP Address:                            |               |

**Protocols**

**TCP/IPV4:**

|                              |                          |
|------------------------------|--------------------------|
| Enabled:                     | Enabled                  |
| IPv4 Address:                | 10.61.16.25              |
| Subnet Mask:                 | 255.255.255.0            |
| Router/Gateway:              | 10.61.16.1               |
| Automatic Addressing:        | DHCP                     |
| DHCP Server:                 | 10.61.13.224             |
| DHCP Lease Expiration:       | Tue May 27 14:16:54 2025 |
| BOOTP Broadcast:             | Disabled                 |
| Self Assigned Address State: | Enabled                  |
| Self Assigned Address:       |                          |

**TCP/IPV6:**

|                                |  |
|--------------------------------|--|
| Enabled:                       | Enabled                                  |
| Link Local Address:            | fe80::708c:77ff:fe24:43                  |
| Use Router Supplied Prefix:    | Enabled                                  |
| Stateless Global Address 1:    | ::                                       |
| Stateless Global Address 2:    | ::                                       |
| Manual Address:                |  |
| DHCP Addressing:               | Enabled for address assignment and other |
| DHCP Address:                  | fd00::2:116:cd14f3a3:a996:1:3d1          |
| Default Gateway:               | fe80::8af:e5dff:fe75:e282                |
| DUID (DHCP Unique Identifier): | 000100012fbd9bea788c77fc2443             |

**DNS Settings:**

|  |                 |
|--|-----------------|
| Requested Host Name:                     | XRX788C77FC2443 |
| Verified Host Name:                      |                 |
| Requested Domain Name:                   |                 |
| Verified Domain Name:                    |                 |
| Multicast DNS:                           | Enabled         |
| Release DHCP Leases and DNS Registrat... | Disabled        |
| Primary DNS Server:                      | 10.61.7.16      |
| Prefer IPv6 DNS over IPv4:               | Enabled         |

**Bonjour:**

|  |                                      |
|--|--------------------------------------|
| Bonjour Printer Name:                      | Xerox VersaLink C625 Color MFP (FC.2 |
| <b>HTTP:</b>                               |                                      |
| Force Traffic over Secure Connection (H... | Enabled                              |
| IPP:                                       | Yes                                  |
| Enabled:                                   | Enabled                              |

**SNMP**

|             |          |
|-------------|----------|
| SNMP v1/v2: | Enabled  |
| SNMP v3:    | Disabled |

**LPR/LPD:**

|                  |         |
|------------------|---------|
| Raw IP Printing: | Enabled |
|------------------|---------|

**LDAP**

|  |             |
|--|-------------|
| LDAP Server 1 Primary LDAP Address:          | 0.0.0.0:389 |
| LDAP Server 1 Search Directory Root:         |             |
| LDAP Server 1 Secure Connection (LDA...      | Disabled    |
| LDAP Server 1 Validate Server Certificate... | Disabled    |

**SMTP**

|                                    |                      |
|------------------------------------|----------------------|
| SMTP Server:                       | 0.0.0.0:25           |
| Connect Encryption (TLS):          | No Encryption        |
| Validate Server Certificate (TLS): |                      |
| SMTP Authentication Type:          | Basic Auth with SMTP |

**Protocols (cont.)**

**POP3**  
 POP3 Server: 00.0.0.110  
 POP3 Secure Connection (TLS): Disabled  
 POP3 Validate Server Certificate:  
 E-mail Address:  
**NTP:** Disabled  
**FTP Client:** Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:** Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,6  
**Archival Marking Mode:** Off  
**PostScript:** Installed  
 Level: 3  
 Version: 3021.101  
**PCL:**  
 Version: 6  
 Font Name: Courier  
**Custom Color Tables:** Enabled  
 Label: Not Installed

**Fax:**

Fax Line 1: Disabled  
 Fax Line 2:

**Server Fax:**

Repository Protocol: Enabled  
 SMB  
 Repository Server: 10.61.2193.445  
 Repository Document Path: /

**Workflow Scanning:**

Enabled

**Email:**

Enabled

**Scan to Mailbox:**

Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 51 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**

Disabled

**Scan To:**

Enabled

**Print From:**

Cloud Services: Disabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From Mailbox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

**Machine UI Authentication:** Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

WebServices

**Xerox Secure Access:**

Disabled

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 53

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3

**TLS Hash:**

SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security