

**Common User Data**

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:B8)  
 IPv4 Address:  
 Machine Serial Number: ZQV624005  
 Fax Line 1:  
 Machine URL:  
 Machine Activation Date: May 06, 2025 14:48:57  
 Total Impressions: 5265

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server: 10.15.46.133:80

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=3227MB/total=256060MB (SSD)  
 EPC Memory Size: 900 MB  
 Finisher Type: BR Booklet Maker Finisher  
 Finisher Punch: 2/3 Hole  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 15:45  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled

**Software Versions**

Device Software: 122.041.005.13400  
 Patch Version: None  
 Network Controller: 122.041.13400  
 UI Panel Firmware: 003.005.00000  
 Marking Engine: 072.001.000  
 Document Feeder: 023.026.000  
 Finisher: 006.003.000  
 Fax: 000.000.000  
 Scanner: 017.024.014  
 Machine Upgrades: Allowed  
 Last Successful Upgrade: May 19, 2025 16:41:35

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and A3 (297 x 420 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Legal (8.5 x 14")

**Installed Options**

PS: Installed  
 Lockdown Security Solution: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:a2:6e:b8 auto

**Wireless:**

Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Wi-Fi Protected Setup™ (WPS) Name: Not Installed

Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fea2:6eb8  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other ...  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUJD (DHCP Unique Identifier): 000100012fbdcfba9c934ea26eb8

**DNS Settings:**

Requested Host Name: XRX9C934EA26EB8  
 Verified Host Name:  
 Requested Domain Name: xeroxqa.com.  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server:  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:B8)

**HTTP:**

Force Traffic over Secure Connection (H...): Enabled  
 IPP: Yes  
 IPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Raw IP Printing: Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax line1:	
Fax line2:	
Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	10.61.23.93:445
Repository Document Path:	/

## Workflow Scanning:

Enabled	
Enabled	
Enabled	
Scan to Mailbox:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2417 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

## Scan to Home:

Disabled	
Scan To:	Enabled
Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Disabled
Print From MailBox:	Enabled
Cloud Services:	Enabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

## Authentication Server:

Xerox Secure Access:	Kerberos
Audit Log:	Disabled
IP Sec:	Enabled
IP Filtering:	Enabled
Security Certificates	Disabled

Machine Certificate:	Signed
Root Certificates Installed:	55
802.1x:	Disabled

## Job Data Removal:

Scheduled:	Standard
FIPS 140-3:	Disabled

TLS:	TLS 1.2 and TLS 1.3
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

**Common User Data**

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:B8)  
 IPv4 Address:  
 Machine Serial Number: ZQV624005  
 Fax Line 1:  
 Machine URL:  
 Machine Activation Date: May 06, 2025 14:48:57  
 Total Impressions: 5265

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplier Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server: 10.15.46.133:80

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=3227MB/total=256060MB (SSD)  
 EPC Memory Size: 900 MB  
 Finisher Type: BR Booklet Maker Finisher  
 Finisher Punch: 2/3 Hole  
 Finisher Folder: not present  
 Multi-Feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 15:45  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled

**Software Versions**

Device Software: 122.041.005.13400  
 Patch Version: None  
 Network Controller: 122.041.13400  
 UI Panel Firmware: 003.005.00000  
 User Interface: 122.041.13400  
 Marking Engine: 072.001.000  
 Copy Controller: 122.041.13400  
 Document Feeder: 023.026.000  
 Finisher: 006.003.000  
 Fax: 000.000.000  
 OS: 122.005.13300  
 Scanner: 017.024.014  
 Software Upgrade: 122.041.13400

Tray 2:  
 Tray 3:  
 Tray 4:

**Machine Upgrades**

Allowed  
 Last Successful Upgrade: May 19, 2025 16:41:35  
 Scheduled Auto Upgrades: Enabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 10.61.9.116:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and A3 (297 x 420 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Legal (8.5 x 14")

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

USB Settings  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 20 seconds  
 Wired:  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4ea2:6e:b8  
 auto  
 Wireless:  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

NFC:  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

Disabled  
 IPv4 Address:  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fea2:6eb8  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other  
 DHCP Address: fd00:0:2:116:617f:fa49:7287:3b76  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier): 000100012fbdcfba9c934ea26eb8

**DNS Settings:**

Requested Host Name: XRX9C934EA26E88  
 Verified Host Name:  
 Requested Domain Name: xeroxqa.com.  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server:  
 Alternate DNS Server 1:  
 Alternate DNS Server 2:  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed  
 Lockdown Security Solution: Installed

Protocols (cont.)

Apps

<b>Bonjour:</b>		Xerox AltaLink B8255 MFP (A2:6E:B8)	<b>Printing</b>	
<b>Bonjour Printer Name:</b>	Enabled		Banner Sheet:	Disabled
<b>HTTP:</b>	80		Sys/Start Job:	Disabled
Port Number:	Yes		Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Force Traffic over Secure Connection (H...):	443		Error Sheets:	Enabled
Secure HTTP Port Number:	Manual		Paper Substitution:	Enabled
Proxy Server:	10.177.8.91:8080		Tray Priority:	1,2,3,4,5
Proxy Server Address:	Enabled		Default Copies:	1
IPP:	IPP and Secure IPPS		Default Job Type:	Normal Print
Secure IPP Mode:	http://:631		Default Paper Size:	x=210mm, y=297mm
IPP Network Path:			Default Paper Color:	White
<b>SNMP:</b>			Default 2 Sided Printing:	2 Sided
SNMP v1/v2:	Enabled		Default Output Tray:	Main Tray
SNMP v3:	Disabled		Default Output Color:	Black & White
<b>LPR/LPD:</b>			Default Collated Sets:	Enabled
Port Number:	515		Default Stapling:	No Staple
PDL Switching:	Disabled		Offsetting Between Jobs:	Offset Between Jobs
PDL Banner Override:	Disabled		PostScript Level:	Installed
<b>Raw IP Printing:</b>	Enabled		Version:	3
Port Number 1:	9100		Image Quality:	3021.101
Bidirectional:	Disabled			Standard
End of Job Timeout:	300		<b>PCL</b>	
PDL Switching:	Disabled		Version:	6
<b>LDAP:</b>			Pitch Size:	10.00
LDAP Server 1 Friendly Name:			Point Size:	12.00
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389		Font Name:	Courier
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389		Lines Per Page:	64
LDAP Server 1 Search Directory Root:			Custom Color Tables Label:	Enabled
LDAP Server 1 Secure Connection (LDA...):	Disabled			Not Installed
LDAP Server 1 Validate Server Certificate...:	Disabled			Not Present
<b>SMTP:</b>			<b>Fax:</b>	
SMTP Server:	10.61.10.8:25		Fax Line1:	
Connect Encryption (TLS):	No Encryption		Fax Line2:	
Validate Server Certificate (TLS):			<b>Server Fax:</b>	Enabled
Max Message Size (KB):	10240		Confirmation Sheet:	On
Number of Fragments:	1		Delay Start:	Disabled
Total Job Size (KB):	300000		Repository Protocol:	SMB
Job Splitting Boundary:	Page Boundary		Repository Server:	10.61.23.93:445
Credentials for Auto E-mails:	None		Repository Document Path:	/
Credentials for Walkup User:	None		<b>Workflow Scanning:</b>	Enabled
SMTP Authentication Type:	Basic Auth with SMTP		Confirmation Sheet:	Errors Only
<b>POP3:</b>			Default Repository Protocol:	SMB
POP3 Server:	0.0.0.0:110		Default Repository Server:	0.0.0.0:0
POP3 Secure Connection (TLS):	Disabled		Default Repository Document Path:	
E-mail Address:			Default Repository Login Credentials:	Device
POP3 Validate Server Certificate:			Alt1 Repository Protocol:	SMB
Receipt of E-mail via POP3:	Disabled		Alt1 Repository Server:	0.0.0.0:0
Send Confirm on Request:	Enabled		Alt1 Repository Document Path:	
Incoming E-mail cover sheet:	Disabled		Alt1 Repository Login Credentials:	Device
<b>NTFS:</b>			Workflow Pool Protocol:	SMB
Primary Server:	0.0.0.0:123		Workflow Pool Server:	0.0.0.0:0
Alternate Server:	0.0.0.0:123		Workflow Pool Path:	
<b>SLP:</b>			<b>Email:</b>	Enabled
FTP Client:	Enabled		Default From Address:	rathimeenas@xeroxqa.com
FTP Client Mode:	Passive		Confirmation Sheet:	Errors Only
<b>Web Services on Device:</b>	Enabled		Auto Send to Self:	Disabled
WS-Discovery:	Enabled		E-mail Security:	Disabled
WS-Discovery Multicast:	Enabled		<b>Scan to Mailbox:</b>	Enabled
WS-Print:	Enabled		View Mailboxes by Default:	Enabled
WS-Scan:	Enabled		Storage Capacity (MB):	46924 MB
<b>Web Services:</b>			Storage Used (MB):	2417 MB
Copy Submission:	Enabled		Cleanup of Public Folders:	Enabled
Digital Certificate Management and Securi...:	Enabled		Cleanup of Created Folders:	Enabled
Extensible Service Registration:	Enabled		Cleanup Time:	Daily
Job Limits:	Enabled		<b>Scan to Home:</b>	Disabled
Job Management Extension:	Enabled		Friendly Name:	
Device Configuration:	Enabled		Workflow Name:	
Scan Submission:	Enabled		Auto Create Subdir:	Disabled
Scan Workflow Management:	Enabled		Append User Name to Path:	Disabled
Session Data:	Enabled		Auto Create User Name Dir:	Disabled
User Interface Configuration:	Enabled		<b>Scan To:</b>	Enabled
FTP Proxy Configuration:	Enabled		Cloud Services:	Disabled
Xerox Secure Access:	Enabled		<b>Print From:</b>	Enabled
FTP SNMP Configuration:	Enabled		Saved Jobs for Reprint:	Enabled
Print Submission:	Enabled		Print From USB:	Disabled
Scan Template Mgmt:	Enabled		Print From MailBox:	Enabled
Mass Storage Access:	Enabled		Cloud Services:	Enabled
Card Reader Access:	Enabled			
Authentication & Accounting Configur...:	Enabled			
Export Audit Log:	Enabled			
Trellix Embedded Control:	Enabled			

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Job: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 SmartCard Ctrl Server: 0.0.0.443  
 SmartCard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Enabled

**IP Sec:**

Enabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 55

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Standard  
 Scheduled Frequency: Daily

**FIPS 140-3:**

Disabled

**TLS:**


TLS Hash: TLS 1.2 and TLS 1.3  
 SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
 Widget Version: v1 3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123



**Common User Data**

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:88)  
 IPv4 Address: 10.61.16.55  
 Machine Serial Number: ZQV624005  
 Fax Line 1:  
 Machine URL: https://10.61.16.55  
 Machine Activation Date: May 06, 2025 14:48:57  
 Total Impressions: 5250

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server: 10.15.46.133:80

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=3197MB/total=256060MB (SSD)  
 EPC Memory Size: 900 MB  
 Finisher Type: BR Booklet Maker Finisher  
 Finisher Punch: 2/3 Hole  
 Finisher Folder: not present  
 Multi-Feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 15:45  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled

**Software Versions**

Device Software: 122.041.005.13400  
 Patch Version: None  
 Network Controller: 122.041.13400  
 UI Panel Firmware: 003.005.00000  
 Marking Engine: 072.001.000  
 Document Feeder: 023.026.000  
 Finisher: 006.003.000  
 Fax: 000.000.000  
 Scanner: 017.024.014  
 Machine Upgrades: Allowed  
 Last Successful Upgrade: May 19, 2025 16:41:35

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and A3 (297 x 420 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and Legal (8.5 x 14")

**Installed Options**

PS: Installed  
 Lockdown Security Solution: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning Authentication Required: Disabled

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
**Wired:**  
 Ethernet MAC Address: 9c93:4e:a2:6e:b8  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:**  
 Wireless MAC Address:  
 Network Name (SSID): Disabled  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IPv4 Address: 10.61.16.55  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Tue May 27 11:34:14 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fea2:6eb8  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other ...  
 DHCP Address: fd00:0:2:116:617f:fa49:7287:3b76  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier): 000100012fbdcfba9c934ea26eb8

**DNS Settings:**

Requested Host Name: XRX9C934EA26E8B  
 Verified Host Name:  
 Requested Domain Name: xeroxqa.com.  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.16  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:88)

**HTTP:**

Force Traffic over Secure Connection (H...): Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

## Protocols (cont.)

POP3  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 POP3 Validate Server Certificate:  
 E-mail Address:  
 NTP: Disabled  
 FTP Client: Enabled  
 FTP Client Mode: Passive  
 Web Services on Device: Enabled

## Apps

## Printing

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 PCL  
 Version: 6  
 Font Name: Courier  
 Custom Color Tables: Enabled  
 Label: Not Installed  
 Fax: Not Present  
 Fax Line1:  
 Fax Line2:

## Server Fax:

Repository Protocol: Enabled  
 SMB  
 Repository Server: 10.61.23.93:445  
 Repository Document Path: /

## Workflow Scanning:

Enabled  
 Email: Enabled  
 Scan to Mailbox: Enabled  
 Storage Capacity (MB): 46924 MB  
 Storage Used (MB): 2422 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

## Scan to Home:

Disabled  
 Scan To: Enabled  
 Cloud Services: Disabled  
 Print From: Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Disabled  
 Print From MailBox: Enabled  
 Cloud Services: Enabled

## Accounting

Accounting Mode: None  
 Network Accounting: Disabled

## Security

## Authentication Configuration

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

## Authentication Server:

Kerberos

## Xerox Secure Access:

Disabled

## Audit Log:

Enabled

## IP Sec:

Enabled

## IP Filtering:

Disabled

## Security Certificates

Machine Certificate: Signed  
 Root Certificates Installed: 55

## 802.1x:

Disabled

## Job Data Removal:

Scheduled: Standard

## FIPS 140-3:

Disabled

## TLS:

TLS 1.2 and TLS 1.3

## TLS Hash:

SHA-1, SHA-256 and above

## Trellix Embedded Control:

Enhanced Security