

Common User Data

|                          |                                   |
|--------------------------|-----------------------------------|
| Machine Name:            | Xerox EC8131 Color MFP (A8:CF:22) |
| IPv4 Address:            | 10.61.16.68                       |
| Machine Serial Number:   | MQ5010512                         |
| Fax Line 1:              |                                   |
| Machine URL:             | http://10.61.16.68                |
| Machine Activation Date: | Nov 18, 2020 21:42:12             |
| Black Impressions:       | 10880                             |
| Color Impressions:       | 28776                             |
| Total Impressions:       | 39656                             |

Machine Profile

|                          |                          |
|--------------------------|--------------------------|
| Xerox Asset Tag:         |                          |
| Customer Asset Tag:      |                          |
| Service Phone Number:    |                          |
| Customer Support Number: |                          |
| Supplies Phone Number:   |                          |
| System Administrator:    | Not set                  |
| Machine Location:        | machine location not set |
| Managed By               |                          |
| Primary MB Server:       |                          |

Machine Hardware

|                           |                                  |
|---------------------------|----------------------------------|
| Fax Card:                 | Not Present                      |
| Fax Memory Size:          | 0 MB                             |
| Foreign Interface Card:   | not present                      |
| Device RAM Size:          | 4096 MB                          |
| Device Storage Size:      | used=3533MB/total=128035MB (SSD) |
| EPC Memory Size:          | 900 MB                           |
| Finisher Type:            | Offsetting Catch Tray            |
| Finisher Punch:           | None                             |
| Finisher Folder:          | not present                      |
| Multi-feed Detection Kit: | Not Installed                    |

General Setup

|                              |                                |
|------------------------------|--------------------------------|
| Remote Services:             | Enabled                        |
| Remote Software Download:    | Enabled                        |
| Remote Services Trans. Time: | 20:45                          |
| Xerox Workplace Cloud        | Enabled                        |
| E-mail Alerts:               | Disabled                       |
| Service Plan:                | Sold                           |
| Billing Impression Mode:     | A4 Impressions                 |
| Geographic Region:           | Western Hemisphere             |
| GMT Offset:                  | 00:00                          |
| Cloning Installation         | Allowed (Encrypted Files Only) |
| File Sharing                 | Enabled                        |
| JBIC2                        | Lossless                       |

Energy Saver

|                    |               |
|--------------------|---------------|
| Deep Sleep:        | Disabled      |
| Energy Saver Mode: | Job Activated |

Smart Proximity Sensor

|                     |          |
|---------------------|----------|
| Wake on Arrival:    | Enabled  |
| Sleep on Departure: | Disabled |

Software Versions

|                     |                   |
|---------------------|-------------------|
| Device Software:    | 122.043.005.15400 |
| Patch Version:      | None              |
| Network Controller: | 122.043.15400     |
| UI Panel Firmware:  | 003.004.00000     |
| Marking Engine:     | 030.045.000       |
| Document Feeder:    | 023.026.000       |
| Finisher:           | 000.000.000       |
| Fax:                | 000.000.000       |
| Scanner:            | 016.024.013       |

Machine Upgrades:

|                          |                        |
|--------------------------|------------------------|
| Last Successful Upgrade: | June 11, 2025 15:18:14 |
|--------------------------|------------------------|

Media Trays

|              |                                    |
|--------------|------------------------------------|
| Tray 1:      | Plain, White and A4 (210 x 297 mm) |
| Tray 2:      | Plain, White and A4 (210 x 297 mm) |
| Tray 3:      | Plain, White and A4 (210 x 297 mm) |
| Tray 4:      | Plain, White and A4 (210 x 297 mm) |
| Bypass Tray: | Plain, White and x=630mm, y=320mm  |

Installed Options

|     |           |
|-----|-----------|
| PS: | Installed |
|-----|-----------|

Connectivity

Mobile Workflows

|   |                   |
|---|-------------------|
| AirPrint Printing:                      | Enabled           |
| Mopria Printing:                        | Enabled           |
| AirPrint / Mopria Scanning              | Enabled           |
| Authentication Required:                | Disabled          |
| Physical Connections                    |                   |
| USB Settings                            |                   |
| USB Type A Ports                        | All Enabled       |
| USB Type B Port                         | Disabled          |
| Wired:                                  |                   |
| Ethernet MAC Address:                   | 9c:93:4e:a8:cf:22 |
| Ethernet Speed/Duplex Setting:          | auto              |
| Wireless:                               | Disabled          |
| Wireless MAC Address:                   |                   |
| Network Name (SSID):                    |                   |
| BSSID:                                  |                   |
| Security Mode:                          |                   |
| Encryption Algorithm:                   |                   |
| Status:                                 |                   |
| Wi-Fi Direct:                           | Enabled           |
| Wireless Hardware:                      | Not Installed     |
| Wi-Fi Protected Setup™ (WPS) Name:      |                   |
| Access Point (SSID):                    |                   |
| Show Password on Device Touch Screen:   |                   |
| NFC:                                    | Disabled          |
| iBeacon (Bluetooth®) for AirPrint Di... | Enabled           |
| iBeacon Hardware:                       | Not Installed     |
| Bluetooth Device Address:               |                   |
| iBeacon IP Address:                     |                   |

Protocols

|  |                                  |
|--|----------------------------------|
| TCP/IPv4:                                | Enabled                          |
| IPv4 Address:                            | 10.61.16.68                      |
| Subnet Mask:                             | 255.255.255.0                    |
| Router/Gateway:                          | 10.61.16.1                       |
| Automatic Addressing:                    | DHCP                             |
| DHCP Server:                             | 10.61.13.223                     |
| DHCP Lease Expiration:                   | Fri Jun 20 06:40:46 2025         |
| BOOTP Broadcast:                         | Disabled                         |
| Self Assigned Address State:             | Enabled                          |
| Self Assigned Address:                   |                                  |
| TCP/IPv6:                                | Enabled                          |
| Link Local Address:                      | fe80::9e93:4eff:fe08:cf22        |
| Use Router Supplied Prefix:              | Enabled                          |
| Stateless Global Address 1:              |                                  |
| Stateless Global Address 2:              |                                  |
| Manual Address:                          |                                  |
| DHCP Addressing:                         | Use DHCP as directed by a router |
| DHCP Address:                            | fd00:0:2:116:53f1:2ec9:b045:f3fb |
| Default Gateway:                         | fe80::8afc:5dff:fe75:e282        |
| DUID (DHCP Unique Identifier):           | 000100012fde846f9c934ea8cf22     |
| DNS Settings:                            |                                  |
| Requested Host Name:                     | XXRX9C934EA8CF22                 |
| Verified Host Name:                      |                                  |
| Requested Domain Name:                   |                                  |
| Verified Domain Name:                    |                                  |
| Multicast DNS:                           | Enabled                          |
| Release DHCP Leases and DNS Registrat... | Disabled                         |
| Primary DNS Server:                      | 10.61.7.16                       |
| Prefer IPv6 DNS over IPv4:               | Enabled                          |

Bonjour:

|                       |                                   |
|-----------------------|-----------------------------------|
| Bonjour Printer Name: | Xerox EC8131 Color MFP (A8:CF:22) |
|-----------------------|-----------------------------------|

HTTP:

|  |         |
|--|---------|
| Force Traffic over Secure Connection (H... | No      |
| IPP  | Enabled |

SNMP

|             |          |
|-------------|----------|
| SNMP v1/v2: | Enabled  |
| SNMP v3:    | Disabled |

LPR/LPD:

|  |         |
|--|---------|
|  | Enabled |
|--|---------|

Raw IP Printing:

|  |         |
|--|---------|
|  | Enabled |
|--|---------|

LDAP

|  |                         |
|--|-------------------------|
| LDAP Server 1 Primary LDAP Address:          | 10.61.23.93:389         |
| LDAP Server 1 Search Directory Root:         | cn=users;dc=ts13;dc=com |
| LDAP Server 1 Secure Connection (LDA...      | Disabled                |
| LDAP Server 1 Validate Server Certificate... | Disabled                |

SMTP

|                                    |                      |
|------------------------------------|----------------------|
| SMTP Server:                       | 10.61.10.8:25        |
| Connect Encryption (TLS):          | No Encryption        |
| Validate Server Certificate (TLS): |                      |
| SMTP Authentication Type:          | Basic Auth with SMTP |

## Protocols (cont.)

|                                   |             |
|-----------------------------------|-------------|
| POP3                              |             |
| POP3 Server:                      | 0.0.0.0:110 |
| POP3 Secure Connection (TLS):     | Disabled    |
| POP3 Validate Server Certificate: |             |
| E-mail Address:                   |             |
| NTP:                              | Disabled    |
| FTP Client:                       | Enabled     |
| FTP Client Mode:                  | Passive     |
| Web Services on Device:           | Enabled     |

## Apps

## Printing

|                     |               |
|---------------------|---------------|
| Banner Sheet:       | Enabled       |
| Error Sheets:       | Enabled       |
| Paper Substitution: | Enabled       |
| Trey Priority:      | 1,2,3,4,5     |
| PostScript          | Installed     |
| Level:              | 3             |
| Version:            | 3021.101      |
| PdL                 |               |
| Version:            | 6             |
| Font Name:          | Courier       |
| Custom Color Tables | Enabled       |
| Label:              | Not Installed |
| Fax:                | Not Present   |

## Fax:

|                           |                |
|---------------------------|----------------|
| Fax Line1:                |                |
| Fax Line2:                |                |
| Server Fax:               | Enabled        |
| Repository Protocol:      | SMTP           |
| Repository Server:        | 10.61.11.83:25 |
| Repository Document Path: |                |

## Workflow Scanning:

## Email:

## Scan to Mailbox:

|                             |          |
|-----------------------------|----------|
| Storage Capacity (MB):      | 23443 MB |
| Storage Used (MB):          | 1279 MB  |
| Cleanup of Public Folders:  | Enabled  |
| Cleanup of Created Folders: | Enabled  |
| Cleanup Time:               | Daily    |

## Scan to Home:

## Scan To:

|                         |          |
|-------------------------|----------|
| Cloud Services:         | Disabled |
| Print From:             | Enabled  |
| Saved Jobs for Reprint: | Enabled  |
| Print From USB:         | Enabled  |
| Print From MailBox:     | Disabled |
| Cloud Services:         | Disabled |

## Accounting

|                     |          |
|---------------------|----------|
| Accounting Mode:    | None     |
| Network Accounting: | Disabled |

## Security

## Authentication Configuration

|                                |                       |
|--------------------------------|-----------------------|
| Machine UI Authentication:     | Locally on the Device |
| Home:                          | Unlocked              |
| Jobs:                          | Unlocked              |
| Device:                        | Unlocked              |
| Device Website Authentication: | Locally on the Device |
| Authorization:                 | Locally on the Device |
| Retrieve E-mail from LDAP:     | Enabled               |

## Authentication Server:

## Xerox Secure Access:

## Audit Log:

## IP Sec:

## IP Filtering:

## Security Certificates

|                              |          |
|------------------------------|----------|
| Machine Certificate:         | Signed   |
| Root Certificates Installed: | 53       |
| 802.1x:                      | Disabled |

## Job Data Removal:

|             |          |
|-------------|----------|
| Scheduled:  | Disabled |
| FIPS 140-3: | Disabled |

## TLS:

|                           |                          |
|---------------------------|--------------------------|
| TLS Hash:                 | TLS 1.2 and TLS 1.3      |
| Trellix Embedded Control: | SHA-1, SHA-256 and above |
|                           | Enhanced Security        |

Common User Data

|                          |                                   |
|--------------------------|-----------------------------------|
| Machine Name:            | Xerox EC8131 Color MFP (A8:CF:22) |
| IPv4 Address:            | 10.61.16.68                       |
| Machine Serial Number:   | MQ5010512                         |
| Fax Line1:               |                                   |
| Machine URL:             | http://10.61.16.68                |
| Machine Activation Date: | Nov 18, 2020 21:42:12             |
| Black Impressions:       | 10880                             |
| Color Impressions:       | 28776                             |
| Total Impressions:       | 39656                             |

Machine Profile

|                          |                          |
|--------------------------|--------------------------|
| Xerox Asset Tag:         |                          |
| Customer Asset Tag:      |                          |
| Service Phone Number:    |                          |
| Customer Support Number: |                          |
| Supplies Phone Number:   |                          |
| System Administrator:    | Not set                  |
| Machine Location:        | machine location not set |
| Managed By               |                          |
| Primary MB Server:       |                          |

Machine Hardware

|                           |                                    |
|---------------------------|------------------------------------|
| Fax Card:                 | Not Present                        |
| Fax Memory Size:          | 0 MB                               |
| Foreign Interface Card:   | not present                        |
| Device RAM Size:          | 4096 MB                            |
| Device Storage Size:      | used= 3534MB/total= 128035MB (SSD) |
| EPC Memory Size:          | 900 MB                             |
| Finisher Type:            | Offsetting Catch Tray              |
| Finisher Punch:           | None                               |
| Finisher Folder:          | not present                        |
| Multi-feed Detection Kit: | Not Installed                      |

General Setup

|                              |                                |
|------------------------------|--------------------------------|
| Remote Services:             | Enabled                        |
| Remote Software Download:    | Enabled                        |
| Remote Services Trans. Time: | 20:45                          |
| Xerox Workplace Cloud        | Enabled                        |
| E-mail Alerts:               | Disabled                       |
| Service Plan:                | Sold                           |
| Billing Impression Mode:     | A4 Impressions                 |
| Geographic Region:           | Western Hemisphere             |
| GMT Offset:                  | 00:00                          |
| Cloning Installation         | Allowed (Encrypted Files Only) |
| File Sharing                 | Enabled                        |
| JBIG2                        | Lossless                       |

Energy Saver

|                    |               |
|--------------------|---------------|
| Deep Sleep:        | Disabled      |
| Energy Saver Mode: | Job Activated |

Smart Proximity Sensor

|                     |          |
|---------------------|----------|
| Wake on Arrival:    | Enabled  |
| Sleep on Departure: | Disabled |

Software Versions

|                     |                   |
|---------------------|-------------------|
| Device Software:    | 122.043.005.15400 |
| Patch Version:      | None              |
| Network Controller: | 122.043.15400     |
| UI Panel Firmware:  | 003.004.00000     |
| Marking Engine:     | 030.045.000       |
| Document Feeder:    | 023.026.000       |
| Finisher            | 000.000.000       |
| Fax:                | 000.000.000       |
| Scanner:            | 016.024.013       |

Machine Upgrades:

|                          |                                   |
|--------------------------|-----------------------------------|
| Last Successful Upgrade: | Allowed<br>June 11, 2025 15:18:14 |
|--------------------------|-----------------------------------|

Media Trays

|              |                                    |
|--------------|------------------------------------|
| Tray 1:      | Plain, White and A4 (210 x 297 mm) |
| Tray 2:      | Plain, White and A4 (210 x 297 mm) |
| Tray 3:      | Plain, White and A4 (210 x 297 mm) |
| Tray 4:      | Plain, White and A4 (210 x 297 mm) |
| Bypass Tray: | Plain, White and x=630mm, y=320mm  |

Installed Options

|     |           |
|-----|-----------|
| PS: | Installed |
|-----|-----------|

Connectivity

Mobile Workflows

|                            |          |
|----------------------------|----------|
| AirPrint Printing:         | Enabled  |
| Mopria Printing:           | Enabled  |
| AirPrint / Mopria Scanning | Enabled  |
| Authentication Required:   | Disabled |

Physical Connections

|                                |                   |
|--------------------------------|-------------------|
| USB Settings                   |                   |
| USB Type A Ports               | All Enabled       |
| USB Type B Port                | Disabled          |
| Wired:                         | Enabled           |
| Ethernet MAC Address:          | 9c:93:4e:a8:cf:22 |
| Ethernet Speed/Duplex Setting: | auto              |
| Wireless:                      | Disabled          |

|                       |  |
|-----------------------|--|
| Wireless MAC Address: |  |
| Network Name (SSID):  |  |
| BSSID:                |  |
| Security Mode:        |  |
| Encryption Algorithm: |  |
| Status:               |  |

|                    |               |
|--------------------|---------------|
| Wi-Fi Direct:      | Enabled       |
| Wireless Hardware: | Not Installed |

|                                       |  |
|---------------------------------------|--|
| Wi-Fi Protected Setup™ (WPS) Name:    |  |
| Access Point (SSID):                  |  |
| Show Password on Device Touch Screen: |  |

|   |               |
|---|---------------|
| NFC:                                    | Disabled      |
| iBeacon (Bluetooth®) for AirPrint Di... | Enabled       |
| iBeacon Hardware:                       | Not Installed |
| Bluetooth Device Address:               |               |
| iBeacon IP Address:                     |               |

Protocols

|                              |                          |
|------------------------------|--------------------------|
| TCP/IPv4:                    | Enabled                  |
| IPv4 Address:                | 10.61.16.68              |
| Subnet Mask:                 | 255.255.255.0            |
| Router/Gateway:              | 10.61.16.1               |
| Automatic Addressing:        | DHCP                     |
| DHCP Server:                 | 10.61.13.223             |
| DHCP Lease Expiration:       | Fri Jun 20 06:40:46 2025 |
| BOOTP Broadcast:             | Disabled                 |
| Self Assigned Address State: | Enabled                  |
| Self Assigned Address:       |                          |

|                                |                                   |
|--------------------------------|-----------------------------------|
| TCP/IPv6:                      | Enabled                           |
| Link Local Address:            | fe80::9e93:4eff:fea8:cf22         |
| Use Router Supplied Prefix:    | Enabled                           |
| Stateless Global Address 1:    | =                                 |
| Stateless Global Address 2:    | =                                 |
| Manual Address:                |                                   |
| DHCP Addressing:               | Use DHCP as directed by a router  |
| DHCP Address:                  | fd00:0:2:116::53f1:2ec9:b045:f3fb |
| Default Gateway:               | fe80::8afc:5dff:fe75:e282         |
| DUID (DHCP Unique Identifier): | 000100012fde846f9c934ea8cf22      |

|                        |                |
|------------------------|----------------|
| DNS Settings:          | XRXC934EA8CF22 |
| Requested Host Name:   |                |
| Verified Host Name:    |                |
| Requested Domain Name: |                |
| Verified Domain Name:  |                |

|   |            |
|---|------------|
| Multicast DNS:                            | Enabled    |
| Release DHCP Leases and DNS Registrati... | Disabled   |
| Primary DNS Server:                       | 10.61.7.16 |
| Prefer IPv6 DNS over IPv4:                | Enabled    |

|                       |                                   |
|-----------------------|-----------------------------------|
| Bonjour:              |                                   |
| Bonjour Printer Name: | Xerox EC8131 Color MFP (A8:CF:22) |

|  |         |
|--|---------|
| HTTP:                                      | Enabled |
| Force Traffic over Secure Connection (H... | No      |
| IPP  | Enabled |

|             |          |
|-------------|----------|
| SNMP        |          |
| SNMP v1/v2: | Enabled  |
| SNMP v3:    | Disabled |

|                  |         |
|------------------|---------|
| LPR/LPD:         | Enabled |
| Raw IP Printing: | Enabled |

|  |                         |
|--|-------------------------|
| LDAP   |                         |
| LDAP Server 1 Primary LDAP Address:          | 10.61.23.93.389         |
| LDAP Server 1 Search Directory Root:         | cn=users,dc=ts13,dc=com |
| LDAP Server 1 Secure Connection (LDA...      | Disabled                |
| LDAP Server 1 Validate Server Certificate... | Disabled                |

|                                    |                      |
|------------------------------------|----------------------|
| SMTP                               |                      |
| SMTP Server:                       | 10.61.10.8.25        |
| Connect Encryption (TLS):          | No Encryption        |
| Validate Server Certificate (TLS): |                      |
| SMTP Authentication Type:          | Basic Auth with SMTP |

## Protocols (cont.)

|                                   |             |
|-----------------------------------|-------------|
| POP3                              |             |
| POP3 Server:                      | 0.0.0.0:110 |
| POP3 Secure Connection (TLS):     | Disabled    |
| POP3 Validate Server Certificate: |             |
| E-mail Address:                   |             |
| NTP:                              | Disabled    |
| FTP Client:                       | Enabled     |
| FTP Client Mode:                  | Passive     |
| Web Services on Device:           | Enabled     |

## Apps

## Printing

|                     |               |
|---------------------|---------------|
| Banner Sheet:       | Enabled       |
| Email Sheets:       | Enabled       |
| Paper Substitution: | Enabled       |
| Tray Priority:      | 1,2,3,4,5     |
| PostScript          | Installed     |
| Level:              | 3             |
| Version:            | 3021.101      |
| PCL                 |               |
| Version:            | 6             |
| Font Name:          | Courier       |
| Custom Color Tables | Enabled       |
| Label:              | Not Installed |
| Fax:                | Not Present   |

|                           |                |
|---------------------------|----------------|
| Fax Line1:                |                |
| Fax Line2:                |                |
| Server Fax:               | Enabled        |
| Repository Protocol:      | SMTP           |
| Repository Server:        | 10.61.11.83:25 |
| Repository Document Path: |                |

## Workflow Scanning:

|                             |          |
|-----------------------------|----------|
| Email:                      | Enabled  |
| Scan to Mailbox:            | Enabled  |
| Storage Capacity (MB):      | 23443 MB |
| Storage Used (MB):          | 1279 MB  |
| Cleanup of Public Folders:  | Enabled  |
| Cleanup of Created Folders: | Enabled  |
| Cleanup Time:               | Daily    |

## Scan to Home:

|                         |          |
|-------------------------|----------|
| Scan To:                | Disabled |
| Cloud Services:         | Enabled  |
| Print From:             | Disabled |
| Saved Jobs for Reprint: | Enabled  |
| Print From USB:         | Enabled  |
| Print From MailBox:     | Disabled |
| Cloud Services:         | Disabled |

## Accounting

|                     |          |
|---------------------|----------|
| Accounting Mode:    | None     |
| Network Accounting: | Disabled |

## Security

## Authentication Configuration

|                                |                       |
|--------------------------------|-----------------------|
| Machine UI Authentication:     | Locally on the Device |
| Home:                          | Unlocked              |
| Jobs:                          | Unlocked              |
| Device:                        | Unlocked              |
| Device Website Authentication: | Locally on the Device |
| Authorization:                 | Locally on the Device |
| Retrieve E-mail from LDAP:     | Enabled               |
| Authentication Server:         | Disabled              |
| Xerox Secure Access:           | Disabled              |
| Audit Log:                     | Enabled               |
| IP Sec:                        | Disabled              |
| IP Filtering:                  | Disabled              |

## Security Certificates

|                              |          |
|------------------------------|----------|
| Machine Certificate:         | Signed   |
| Root Certificates Installed: | S3       |
| 802.1x:                      | Disabled |

## Job Data Removal:

|             |          |
|-------------|----------|
| Scheduled:  | Disabled |
| FIPS 140-3: | Disabled |

|                           |                          |
|---------------------------|--------------------------|
| TLS:                      | TLS 1.2 and TLS 1.3      |
| TLS Hash:                 | SHA-1, SHA-256 and above |
| Trellix Embedded Control: | Enhanced Security        |

## Common User Data

Machine Name: Xerox EC8131 Color MFP (A8:CF:22)  
IPv4 Address: 10.61.16.68  
Machine Serial Number: MQ5010512  
Fax Line:  
Machine URL: http://10.61.16.68  
Machine Activation Date: Nov 18, 2020 21:42:12  
Black Impressions: 10880  
Color Impressions: 28776  
Total Impressions: 39656

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location: Not set  
machine location not set  
Managed By  
Primary MB Server:

## Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 4096 MB  
Device Storage Size: used=3534MB/total=128035MB (SSD)  
EPC Memory Size: 900 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 20:45  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Sold  
Billing Impression Mode: A4 Impressions  
Geographic Region: Western Hemisphere  
Startup Config Report: Disabled  
GMT Offset: 00:00  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 0 minutes  
Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
Sleep on Departure: Disabled  
Maximize Detection Range: Disabled

## Software Versions

Device Software: 122.043.005.15400  
Patch Version: None  
Network Controller: 122.043.15400  
UI Panel Firmware: 003.004.00000  
User Interface: 122.043.15400  
Marking Engine: 030.045.000  
Copy Controller: 122.043.15400  
Document Feeder: 023.026.000  
Finisher: 000.000.000  
Fax: 000.000.000  
OS: 122.005.15400  
Scanner: 016.024.013  
Software Upgrade: 122.043.15400  
Tray 2:  
Tray 3:  
Tray 4:

## Machine Upgrades

Allowed  
Last Successful Upgrade: June 11, 2025 15:18:14  
Scheduled Auto Upgrades: Enabled  
Auto Upgrade Start Time: Daily  
Auto Upgrade Server: 10.61.9.116:21

## Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)  
Tray 3: Plain, White and A4 (210 x 297 mm)  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and x=630mm, y=320mm

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

## USB Settings

USB Type A Ports: All Enabled  
USB Type B Port: Disabled

## Wired:

Ethernet MAC Address: Enabled  
Ethernet Speed/Duplex Setting: 9c93:4e:a8:cf:22  
auto

## Wireless:

Wireless MAC Address: Disabled  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:

## Wi-Fi Direct:

Wireless Hardware: Enabled  
Wi-Fi Protected Setup™ (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:

## NFC:

iBeacon (Bluetooth®) for AirPrint Di... Disabled  
iBeacon Hardware: Enabled  
Bluetooth Device Address: Not Installed  
Beacon IP Address:

## Protocols

## TCP/IP v4:

IPv4 Address: Enabled  
10.61.16.68  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.16.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.223  
DHCP Lease Expiration: Fri Jun 20 06:40:46 2025  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IP v6:

Link Local Address: Enabled  
fe80::9e93:4eff:fea8:cf22  
Use Router Supplied Prefix: Enabled  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fd00:0:2:116:53f1:2ec9:b045:f3fb  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier): 000100012fde846f9c934ea8cf22

## DNS Settings:

Requested Host Name: XRXC9C34EA8CF22  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrat... Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: 10.61.10.6, 10.61.10.7, XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

**Bonjour:**  
 Bonjour Printer Name: Xerox EC8131 Color MFP (A8:CF:22)

**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): No  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
 IPP:  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.68:631

**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP:**  
 LDAP Server 1 Friendly Name: nantha  
 LDAP Server 1 Primary LDAP Address: 10.61.23.93:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root: cn=users,dc=ts13,dc=com  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP:**  
 SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 512  
 Number of Fragments: 50  
 Total Job Size (KB): 200000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP

**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirmation Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTS:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 FTP Client Mode: Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services:**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

## Apps

## Printing

Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Main Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: Offset Between Jobs  
 PostScript  
 Level: 3  
 Version: 3021.101  
 Image Quality: Standard

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
 Custom Color Tables: Enabled  
 Label: Not Installed

## Fax:

Fax Line1:  
 Fax Line2:  
**Server Fax:**  
 Confirmation Sheet: Enabled  
 Delay Start: Errors Only  
 Repository Protocol: Disabled  
 Repository Server: SMTP  
 Repository Document Path: 10.61.11.83:25

## Workflow Scanning:

Confirmation Sheet: Enabled  
 Errors Only  
 Default Repository Protocol: SMB  
 Default Repository Server: 10.61.23.70:445  
 Default Repository Document Path: /  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:

## Email:

Default From Address: Enabled  
 syed.habibunnisa@xeroxqa.com  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

## Scan to Mailbox:

View Mailboxes by Default: Enabled  
 Storage Capacity (MB): Enabled  
 Storage Used (MB): 23443 MB  
 Cleanup of Public Folders: 1279 MB  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Enabled  
 Daily

## Scan to Home:

Friendly Name: Disabled  
 Workflow Name: Disabled  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

## Scan To:

Cloud Services: Enabled  
 Disabled  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Disabled  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

**Audit Log:**

Enabled

**IP Set:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 53

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

