

mon User Data

ine Name:	Xerox AltaLink B8255 MFP (A2:6E:B8)
ddress:	10.61.11.193
ine Serial Number:	ZQV624012
ne1:	
ine URL:	https://10.61.11.193
ine Activation Date:	Jun 10, 2025 16:10:53
Impressions:	302

ine Profile

Asset Tag:	
mer Asset Tag:	
e Phone Number:	
mer Support Number:	
ies Phone Number:	
n Administrator:	Not set
ine Location:	machine location not set
aged By	
ary MB Server:	

ine Hardware

ard:	Not Present
emory Size:	0 MB
yn Interface Card:	not present
RAM Size:	4096 MB
Storage Size:	used=3894MB/total=256060MB (SSD)
emory Size:	900 MB
er Type:	Offsetting Catch Tray
er Punch:	None
er Folder:	not present
eed Detection Kit:	Not Installed

ral Setup

te Services:	Enabled
te Software Download:	Enabled
te Services Trans. Time:	01:51
Workplace Cloud	Enabled
Alerts:	Disabled
e Plan:	Metered
Impression Mode:	A3 Impressions
aphic Region:	Western Hemisphere
ffset:	+05:30
g Installation	Allowed (Encrypted Files Only)
aring	Enabled
	Lossless

gy Saver

o Sleep:	Disabled
gy Saver Mode:	Job Activated

rt Proximity Sensor

e on Arrival:	Enabled
o on Departure:	Disabled

ware Versions

Software:	122.041.025.16900
Version:	None
rk Controller:	122.041.16900
el Firmware:	003.005.00000
g Engine:	072.001.000
ent Feeder:	023.026.000
tr:	000.000.000
	000.000.000
er:	017.024.015
hine Upgrades:	Allowed
Successful Upgrade:	June 23, 2025 13:54:39

a Trays

:	Plain, White and A4 (210 x 297 mm)
:	Plain, White and A4 (210 x 297 mm)
:	Plain, White and A4 (210 x 297 mm)
:	Plain, White and A4 (210 x 297 mm)
Tray:	Plain, White and A4 (210 x 297 mm)

lled Options

	Installed
--	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Disabled
Ethernet MAC Address:	9c:93:4e:a2:6e:b8
Ethernet Speed/Duplex Setting:	auto
Wireless:	Enabled
Wireless MAC Address:	58:ef:68:27:71:0c
Network Name (SSID):	Xerox Lab User
BSSID:	bc:26:c7:9e:82:2e
Security Mode:	WPA2 Personal
Encryption Algorithm:	AUTO
Status:	Connected
Wi-Fi Direct:	Enabled
Wireless Hardware:	Installed
Wi-Fi Protected Setup™ (WPS) Name:	Xerox AltaLink B8255 MFP (A2:6E:
Access Point (SSID):	DIRECT-A0-Xerox AltaLink B8255 M
Show Password on Device Touch Screen:	Enabled
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.11.193
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.11.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.224
BOOTP Broadcast:	Mon Jun 30 14:00:28 2025
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPV6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::5aef:68ff:fe27:710c
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:111:270a:5699:e39:a5c
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000100012febcd1b58ef6827710c

DNS Settings:

Requested Host Name:	XRX9C934EA26EB8
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8255 MFP (A2:6E:B8)
-----------------------	-------------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	BASIC Auth with SMTP

non User Data

Device Name: Xerox AltaLink B8255 MFP (A2:6E:B8)  
Address: 10.61.11.193  
Serial Number: ZQV624012  
e1:  
URL: https://10.61.11.193  
Activation Date: Jun 10, 2025 16:10:53  
Impressions: 304

Device Profile

Asset Tag:  
Asset Tag:  
Phone Number:  
Support Number:  
Phone Number:  
Administrator:  
Location:  
MB Server:

Device Hardware

Hard Drive: Not Present  
Memory Size: 0 MB  
Interface Card: not present  
RAM Size: 4096 MB  
Storage Size: Used=3894MB/total=256060MB (SSD)  
Memory Size: 900 MB  
Tray Type: Offsetting Catch Tray  
Punch: None  
Folder: not present  
Feed Detection Kit: Not Installed

Device Setup

Services: Enabled  
Software Download: Enabled  
Services Trans. Time: 01:51  
Workplace Cloud: Enabled  
Alerts: Disabled  
Plan: Metered  
Impression Mode: A3 Impressions  
Geographic Region: Western Hemisphere  
Config Report: Enabled  
Offset: +05:30  
Installation: Allowed (Encrypted Files Only)  
Print Submission of Clone Files: Enabled  
Printing: Enabled  
Lossless

Job Saver

Sleep: Disabled  
Job Saver Mode: Job Activated  
Job Mode Timer: 0 minutes  
On-Off: Disabled

Proximity Sensor

Arrival: Enabled  
Departure: Disabled  
Proximity Detection Range: Disabled

Device Versions

Software: 122.041.025.16900  
Version: None  
Firmware: 122.041.16900  
Firmware: 003.005.00000  
Interface: 122.041.16900  
Engine: 072.001.000  
Controller: 122.041.16900  
Print Feeder: 023.026.000  
F1: 000.000.000  
F2: 000.000.000  
F3: 122.025.16300  
F4: 017.024.015  
Firmware Upgrade: 122.041.16900

Device Upgrades

Successful Upgrade: Allowed  
Scheduled Auto Upgrades: June 23, 2025 13:54:39  
Upgrade Start Time: Enabled  
Upgrade Server: Daily  
10.61.9.116:21

Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)  
Tray 3: Plain, White and A4 (210 x 297 mm)  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Tray 5: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings  
USB Type A Ports: All Enabled  
USB Type B Port: Enabled  
Connection Timeout: 5 seconds  
Wired: Disabled  
Ethernet MAC Address: 9c:93:4e:a2:6e:b8  
Ethernet Speed/Duplex Setting: auto  
Wireless: Enabled  
Wireless MAC Address: 58:ef:68:27:71:0c  
Network Name (SSID): Xerox Lab User  
BSSID: bc:26:c7:9e:82:2e  
Security Mode: WPA2 Personal  
Encryption Algorithm: AUTO  
Status: Connected  
Wi-Fi Direct: Enabled  
Wireless Hardware: Installed  
Wi-Fi Protected Setup™ (WPS) Name: Xerox AltaLink B8255 MFP (A2:6E:)  
Connection Method: Push Button Configuration (PBC)  
Subnet Prefix Address: 172.30.184.0/24  
Access Point (SSID): DIRECT-A0-Xerox AltaLink B8255 M  
Show Password on Device Touch Screen: Enabled  
NFC: Enabled  
iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
iBeacon Hardware: Not Installed  
Bluetooth Device Address:  
iBeacon IP Address:

Protocols

TCP/IPv4: Enabled  
IPv4 Address: 10.61.11.193  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.11.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.224  
DHCP Lease Expiration: Mon Jun 30 14:00:28 2025  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

TCP/IPv6

Link Local Address: Enabled  
fe80::5aef:68ff:fe27:710c  
Use Router Supplied Prefix: Enabled  
Stateless Global Address 1: ::  
Stateless Global Address 2: ::  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fd00:0:2:111:270a:5699:e39:a5c  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier): 000100012febcd1b58ef6827710c

DNS Settings

Requested Host Name: XR9C934EA26E88  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: 10.61.10.6 10.61.10.6 10.61.10.7 X...  
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

nting

nting Mode: None  
rk Accounting: Disabled

ity

entification Configuration

hine UI Authentication: Locally on the Device  
ome: Unlocked  
jbs: Unlocked  
evice: Unlocked  
ice Website Authentication: Locally on the Device  
onization: Locally on the Device

ieve E-mail from LDAP: Enabled  
entification Server: Kerberos

eros Primary Realm:  
eros Primary Address: 0.0.0.0:88  
eros Alt 1 Realm:  
eros Alt 1 Address: 0.0.0.0:88

NT Domain:  
Alt 1 NT Domain:  
rtcard Ctrl Server: 0.0.0.0:443  
rtcard Ctrl Domain:  
rtCard OCSP URL:

1 Reader Upgrade Policy: Enabled  
1 Reader Firmware Version:

x Secure Access: Disabled  
re Access Server: 0.0.0.0:443

re Access Path:  
t Log: Enabled

ec: Disabled  
ltering: Disabled  
rity Certificates

hine Certificate: Signed  
t Certificates Installed: 55

1x: Disabled

Data Removal: Disabled

cheduled Frequency: Disabled

140-3: Disabled  
TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above  
Enhanced Security

ix Embedded Control:

sible Service Setup

eneration Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
t Version: v1.3.17 c8 20140613  
t Version: v2.5.04 g9 20240123