

Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (A7A...
IPv4 Address:	10.61.11.195
Machine Serial Number:	5322480247
Fax Line1:	
Machine URL:	https://10.61.11.195
Machine Activation Date:	Jul 17, 2025 20:40:30
Black Impressions:	2095
Color Impressions:	1156
Total Impressions:	3251

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3181MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:39
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor	Not Available
Wake on Arrival:	
Sleep on Departure:	

Software Versions

Device Software:	122.024.025.19730
Patch Version:	None
Network Controller:	122.024.19730
UI Panel Firmware:	6.2
Marking Engine:	230.332
Document Feeder:	230.332
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	230.332
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	July 18, 2025 13:05:32

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Bond, White and A4 (210 x 297 mm)
Tray 5:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Physical Connections	
USB Settings	All Enabled
USB Type A Ports	Enabled
USB Type B Port	Enabled
Wired:	56:80:0e:a7:a8:9c
Ethernet MAC Address:	auto
Ethernet Speed/Duplex Setting:	Disabled
Wireless:	
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	Enabled
Wi-Fi Direct:	Not Installed
Wireless Hardware:	
Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint DL...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.11.195
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.11.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Fri Aug 1 06:47:20 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::5480:eff:fea7:a89c
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:111:4919:2f2e:446:9d50
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	0003000156800ea7a89c

DNS Settings:

Requested Host Name:	XXR56800EA7A89C
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	Enabled
Multicast DNS:	Disabled
Release DHCP Leases and DNS Registrati...	10.61.7.16
Primary DNS Server:	Enabled
Prefer IPv6 DNS over IPv4:	

Bonjour:

Bonjour Printer Name:	Xerox VersaLink C625 Color MFP (A7A...
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates
Machine Certificate: Signed
Root Certificates Installed: 53
802.1x: Disabled

Job Data Removal: Disabled
Scheduled:
Scheduled Frequency:

FIPS 140-3: Disabled
TLS: TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2405_012_0100.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123