

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC:3...  
 IPv4 Address:  
 Machine Serial Number: UQA188091  
 Fax Line1: 04433163293  
 Machine URL:  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 62787  
 Color Impressions: 134215  
 Total Impressions: 197002

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Embedded; 1 Line  
 Fax Memory Size: 738 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used= 3195MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:14  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.024.025.19120  
 Patch Version: None  
 Network Controller: 122.024.19120  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.332  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 003.021.023  
 Scanner: 230.332  
**Machine Upgrades:**  
 Not Allowed  
 Last Successful Upgrade: July 17, 2025 11:55:53

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Lightweight Glossy Cardstock, White and L...

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:35:8a  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

Enabled  
 iBeacon (Bluetooth®) for AirPrint DL... Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

Disabled  
 IPv4 Address:  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fc358a  
 Enabled  
 Use Router Supplied Prefix:  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:db96:d913:7480:5f45  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DJUID (DHCP Unique Identifier): 000300019c934efc358a

**DNS Settings:**

Requested Host Name: XRX9C934EFC358A  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink C625 Color MFP (FC:3...

**HTTP:**

Force Traffic over Secure Connection (HL... Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled  
 Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA... Disabled  
 LDAP Server 1 Validate Server Certificate... Disabled

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC:3...  
 IPv4 Address:  
 Machine Serial Number: UQA188091  
 Fax Line1: 04433163293  
 Machine URL:  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 62787  
 Color Impressions: 134215  
 Total Impressions: 197002

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Embedded; 1 Line  
 Fax Memory Size: 738 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=3196MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:14  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.024.025.19120  
 Patch Version: None  
 Network Controller: 122.024.19120  
 UI Panel Firmware: 6.2  
 User Interface: 122.024.19120  
 Marking Engine: 230.332  
 Copy Controller: 122.024.19120  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 003.021.023  
 OS: 230.332  
 Scanner: 230.332  
 Software Upgrade: 005.016  
 ALTBOOT Software Upgrade: 005.016  
**Machine Upgrades:**  
 Last Successful Upgrade: July 17, 2025 11:55:53  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Lightweight Glossy Cardstock, White and L...

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds

**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c93:4efc:358a  
 auto

**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
 iBeacon (Bluetooth®) for AirPrint DL...: Enabled  
 iBeacon Hardware: Not Installed

Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fc358a  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:db96:d913:7480:5f45  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUJD (DHCP Unique Identifier): 000300019c934efc358a

**DNS Settings:**

Requested Host Name: XRX9C934EFC358A  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Alternate DNS Server 1: ::  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos: Kerberos  
 Kerberos Primary Realm:  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm:  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.0:443

**Audit Log:**

Audit Log: Enabled

**IP Sec:**

IP Sec: Disabled

**IP Filtering:**

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 53

**802.1x:**

802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:**

FIPS 140-3: Disabled

**TLS:**

TLS Hash: TLS 1.2 and TLS 1.3  
 TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC:3...  
 IPv4 Address:  
 Machine Serial Number: UQA188091  
 Fax Line1: 04433163293  
 Machine URL:  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 62790  
 Color Impressions: 134217  
 Total Impressions: 197007

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Embedded; 1 Line  
 Fax Memory Size: 738 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=3198MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:14  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.024.025.191.20  
 Patch Version: None  
 Network Controller: 122.024.191.20  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.332  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 003.021.023  
 Scanner: 230.332  
**Machine Upgrades:**  
 Last Successful Upgrade: Not Allowed  
 July 17, 2025 11:55:53

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Lightweight Glossy Cardstock, White and L...

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: 9c:93:4e:fc:35:8a  
 Ethernet Speed/Duplex Setting: auto  
**Wireless:** Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:** Enabled  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:** Disabled

IPv4 Address:  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fe9c:358a  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:db96:d913:7480:5f45  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc358a

**DNS Settings:**

Requested Host Name: XRX9C934EFC358A  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink C625 Color MFP (FC:3...

**HTTP:**

Force Traffic over Secure Connection (H...: Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:** Enabled

**Raw IP Printing:** Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

## Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (FC:3...
IPv4 Address:	
Machine Serial Number:	UQA188091
Fax Line1:	04433163293
Machine URL:	
Machine Activation Date:	Jan 01, 1970 05:30:00
Black Impressions:	62791
Color Impressions:	134218
Total Impressions:	197009

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set

## Managed By

Primary MB Server:

## Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	738 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3199MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	08:14
Xerox Workplace Cloud:	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing:	Enabled
JBIG2:	Lossless
<b>Energy Saver</b>	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

## Software Versions

Device Software:	122.024.025.19120
Patch Version:	None
Network Controller:	122.024.19120
UI Panel Firmware:	6.2
User Interface:	122.024.19120
Marking Engine:	230.332
Copy Controller:	122.024.19120
Document Feeder:	230.332
Finisher:	000.000.000
Fax:	003.021.023
OS:	230.332
Scanner:	230.332
Software Upgrade:	005.016
ALTBOT Software Upgrade:	005.016
<b>Machine Upgrades:</b>	
Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	July 17, 2025 11:55:53
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily 0.0.0.0:21

## Media Trays

Tray 1:	Plain, White and Letter (8.5 x 11')
Bypass Tray:	Lightweight Glossy Cardstock, White and L...

## Connectivity

### Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

### Physical Connections

<b>USB Settings</b>	
USB Type A Ports:	All Enabled
USB Type B Port:	Enabled
Connection Timeout:	5 seconds
<b>Wired:</b>	
Ethernet MAC Address:	9c:93:4e:fc:35:8a
Ethernet Speed/Duplex Setting:	auto
<b>Wireless:</b>	
Wireless MAC Address:	Disabled

Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
<b>Wi-Fi Direct:</b>	
Wireless Hardware:	Enabled
Wi-Fi Protected Setup™ (WPS) Name:	Not Installed

Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
<b>NFC:</b>	
iBeacon (Bluetooth®) for AirPrint DL...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

## Protocols

### TCP/IPv4:

IPv4 Address:	Disabled
Subnet Mask:	255.0.0.0
Router/Gateway:	::
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address %rate:	Enabled
Self Assigned Address:	

### TCP/IPv6:

Link Local Address:	Enabled fe80::9e93:4eff:fe9c:358a
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	24030:22b:4:db96:d913:7480:5f45
Default Gateway:	fe80::4e42:1eff:fe9e:7967
DUID (DHCP Unique Identifier):	000300019c934efc358a

### DNS Settings:

Requested Host Name:	XRX9C934EFC358A
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	24030:22b:4:7006:5a52:f43b:a95f
Alternate DNS Server 1:	::
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	
Prefer IPv6 DNS over IPv4:	Enabled

## Installed Options

PS:	Installed
-----	-----------

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked

Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Address: Kerberos  
 Kerberos Primary Realm: 0.0.0.0:88  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm: 0.0.0.0:88  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.0:443

**Audit Log:**

Audit Log: Enabled

**IP Sec:**

IP Sec: Disabled

**IP Filtering:**

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 53

**802.1x:**

802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:**

FIPS 140-3: Disabled

**TLS:**

TLS Hash: TLS 1.2 and TLS 1.3

**Trellix Embedded Control:**

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC:3...  
 IPv4 Address:  
 Machine Serial Number: UQA188091  
 Fax Line1: 04433163293  
 Machine URL:  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 62784  
 Color Impressions: 134213  
 Total Impressions: 196997

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Embedded; 1 Line  
 Fax Memory Size: 738 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=3190MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:14  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Sold  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.024.025.19120  
 Patch Version: None  
 Network Controller: 122.024.19120  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.332  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 003.021.023  
 Scanner: 230.332  
**Machine Upgrades:**  
 Last Successful Upgrade: July 17, 2025 11:55:53

**Media Trays**

Troy 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Lightweight Glossy Cardstock, White and L...

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: 9c:93:4efc:35:8a  
 Ethernet Speed/Duplex Setting: auto

**Wireless:**

Wireless MAC Address: Disabled

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Not Installed

Wi-Fi Protected Setup™ (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled

iBeacon Hardware: Not Installed

Bluetooth Device Address:

iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fe9c:358a  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:db96:d913:7480:5f45  
 Default Gateway: fe80::4e42:1eff:fe9e:7967  
 DUID (DHCP Unique Identifier): 000300019c934efc358a

**DNS Settings:**

Requested Host Name: XRXC934EFC358A  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:95f  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink C625 Color MFP (FC:3...

**HTTP:**

Force Traffic over Secure Connection (H...: Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...: Disabled

LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (FC:3...  
 IPv4 Address:  
 Machine Serial Number: UQA188091  
 Fax Line1: 04433163293  
 Machine URL:  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 62784  
 Color Impressions: 134213  
 Total Impressions: 196997

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
 machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Embedded; 1 Line  
 Fax Memory Size: 738 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=3190MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 08:14  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Sold  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.024.025.19120  
 Patch Version: None  
 Network Controller: 122.024.19120  
 UI Panel Firmware: 6.2  
 User Interface: 122.024.19120  
 Marking Engine: 230.332  
 Copy Controller: 122.024.19120  
 Document Feeder: 230.332  
 Finisher: 000.000.000  
 Fax: 003.021.023  
 OS: 230.332  
 Scanner: 230.332  
 Software Upgrade: 005.016  
 ALTB00T Software Upgrade: 005.016  
**Machine Upgrades:**  
 Last Successful Upgrade: July 17, 2025 11:55:53  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Lightweight Glossy Cardstock, White and L...

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:fc:35:8a  
 auto  
**Wireless:**  
 Disabled

**Wireless:**  
 Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint DL...  
 iBeacon Hardware: Enabled  
 Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IPv4 Address: Disabled  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: :  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::9e93:4eff:fc:358a  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: :  
 Stateless Global Address 2: :  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: 2403:0:22b:4:db96:d913:7480:5f45  
 fe80::4e42:1eff:fe9e:7967  
 Default Gateway: 000300019c934efc358a  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX9C934EFC358A  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 2403:0:22b:4:7006:5a52:f43b:a95f  
 Alternate DNS Server 1: :  
 Alternate DNS Server 2: :  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 53

802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123