

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (A2:6E:B8)
IPv4 Address:	
Machine Serial Number:	ZQV624012
Fax Line 1:	3338
Machine URL:	
Machine Activation Date:	Jul 10, 2025 12:43:45
Total Impressions:	1329

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	USB; 1 Line
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used = 3829MB/total = 256060MB (SSD)
EPF Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	05:01
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Enabled
GNT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	1 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	122.041.025.20910
Patch Version:	None
Network Controller:	122.041.20910
UI Panel Firmware:	003.005.00000
User Interface:	122.041.20910
Marking Engine:	072.001.000
Copy Controller:	122.041.20910
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.021.026
OS:	122.025.20900
Scanner:	017.024.015
Software Upgrade:	122.041.20910
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	August 1, 2025 19:00:39
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:b8
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Disabled
IPv4 Address:	
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	STATIC
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6eb8
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	2403:0:22b:4:9e93:4eff:fea2:6eb8
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	2403:0:22b:4:15d9:d474:bf2b:471f
Default Gateway:	fe80::4e42:1eff:fe9e:7967
DUID (DHCP Unique Identifier):	000300019c934ea26eb8

DNS Settings:

Requested Host Name:	XXR9C934EA26EB8
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	2403:0:22b:4:7006:5a52:f43b:a95f
Alternate DNS Server 1:	::
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

## Accounting

Accounting Mode: None  
Network Accounting: Disabled

## Security

## Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

## Authentication Server:

Kerberos Primary Realm: Kerberos  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm: 0.0.0.0:88  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

## Xerox Secure Access:

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

## Audit Log:

Audit Log: Enabled

## IP Sec:

IP Sec: Disabled

## IP Filtering:

IP Filtering: Disabled

## Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 53

## 802.1x:

802.1x: Disabled

## Job Data Removal:

Job Data Removal: Disabled

Scheduled:

Scheduled Frequency:

## FIPS 140-3:

FIPS 140-3: Disabled

## TLS:

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

## Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

## Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

## Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (A2:6E:B8)
IPV4 Address:	
Machine Serial Number:	ZQV624012
Fax Line1:	3338
Machine URL:	
Machine Activation Date:	Jul 10, 2025 12:43:45
Total Impressions:	1319

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

## Machine Hardware

Fax Card:	USB; 1 Line
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3828MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	05:01
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JB/G2	Lossless

## Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

## Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

## Software Versions

Device Software:	122.041.025.20910
Patch Version:	None
Network Controller:	122.041.20910
UI Panel Firmware:	003.005.00000
Marking Engine:	072.001.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.021.026
Scanner:	017.024.015
Machine Upgrades:	Allowed
Last Successful Upgrade:	August 1, 2025 19:00:39

## Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

## Installed Options

PS	Installed
----	-----------

## Connectivity

## Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:b8
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

## Protocols

TCP/IPv4:	Disabled
IPv4 Address:	
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	STATIC
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6eb8
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	2403:0:22b:4:9e93:4eff:fea2:6eb8
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	2403:0:22b:4:15d9:d474:bfb2b:471f
Default Gateway:	fe80::4e42:1eff:fe9e:7967
DUID (DHCP Unique Identifier):	000300019c934ea26eb8

## DNS Settings:

Requested Host Name:	XRX9C934EA26EB8
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	2403:0:22b:4:7006:5a52:f43b:a95f
Prefer IPv6 DNS over IPv4:	Enabled

## Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8255 MFP (A2:6E:B8)
-----------------------	-------------------------------------

## HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

## SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

## LPR/LPD:

	Enabled
--	---------

## Raw IP Printing:

	Enabled
--	---------

## LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

## SMTP

SMTP Server:	2403:0:22b:4:3951:a52e:3a47:6c1b:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP