



Common User Data

Machine Name:	Xerox VersaLink B620 Printer (FE:F8:00)
IPv4 Address:	10.61.16.34
Machine Serial Number:	5320705764
Machine URL:	https://10.61.16.34
Machine Activation Date:	Dec 09, 2024 11:36:45
Total Impressions:	7582

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=2701MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	used=79MB/total=500107MB (HDD)
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	09:56
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.027.025.23900
Patch Version:	None
Network Controller:	122.027.23900
UI Panel Firmware:	6.3
User Interface:	122.027.23900
Marking Engine:	230.334
Finisher:	000.000.000
OS:	230.334
Software Upgrade:	005.016
ALTBOOT Software Upgrade:	005.016
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	
Ethernet MAC Address:	Enabled
Ethernet Speed/Duplex Setting:	9c:93:4e:fe:f8:00
Wireless:	auto
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	
IPv4 Address:	Enabled
Subnet Mask:	10.61.16.34
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Tue Sep 9 08:05:37 2025
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:	
Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fe:f800
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	fd00:0:2:116:da78:4f93:64a0:37f8
DUID (DHCP Unique Identifier):	fe80::8afc:5dff:fe:75e282
	000300019c934efef800

DNS Settings:	
Requested Host Name:	
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs Pathway: Unlocked  
Printer Pathway: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 53

802.1x: Disabled

Image Overwrite

Immediate: Installed/Enabled  
Scheduled: Disabled  
Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name:	Xerox VersaLink B620 Printer (FE:F8:00)
IPv4 Address:	10.61.16.34
Machine Serial Number:	5320705764
Machine URL:	https://10.61.16.34
Machine Activation Date:	Dec 09, 2024 11:36:45
Total Impressions:	7580

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=2700MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	used=78MB/total=500107MB (HDD)
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	09:56
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Not Available
Sleep on Departure:	

Software Versions

Device Software:	122.027.025.23900
Patch Version:	None
Network Controller:	122.027.23900
UI Panel Firmware:	6.3
Marking Engine:	230.334
Finisher:	000.000.000
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

P5:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Moprio Printing:	Enabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:fe:f8:00
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed

Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.16.34
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Tue Sep 9 08:05:37 2025
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fe:fe:f800
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:116:da78:4f93:64a0:37f8
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000300019c934efef800

DNS Settings:

Requested Host Name:	XR9C934EFEF800
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox VersaLink B620 Printer (FE:F8:00)
-----------------------	---

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

	Enabled
--	---------

Raw IP Printing:


LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

## Control Panel

Available apps can vary based on your printer setup. For details about apps and features, refer to the *User Guide*.



- 1** Home returns to the main app screen.
- 2** Power/Wake starts the printer or provides options to sleep, restart or power off the printer.
- 3** Reset restores settings to their default values in all apps.
- 4** Language provides choice of screen languages.
- 5** Log In provides special access to tools and settings.
- 6** Device app provides access to printer information and settings.
- 7** Notification banner shows printer status and warnings. To see all notifications, touch the banner. To close the banner, touch the down arrow.
- 8** Status LED indicates printer status. For detailed information, refer to the *User Guide*.
- 9** NFC Area allows pairing with a mobile device to print from an app.

## Device app

The Device app provides access to supplies status, printer information, and settings. Some menus and settings require log in with the administrator name and password.



## Billing and Usage Information

In the Device features menu, to view basic impression counts, touch **Billing/Usage**. To view detailed usage counts, touch **Usage Counters**. The list provides detailed impression count categories.

