

## Common User Data

Machine Name: Xerox AltaLink C8270 Color MFP (19:D...  
IPv4 Address: 10.61.11.225  
Machine Serial Number: ZQZ654001  
Fax Line1:  
Machine URL: https://10.61.11.225  
Machine Activation Date: May 13, 2024 17:07:12  
Block Impressions: 89933  
Color Impressions: 75686  
Total Impressions: 165619

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
Recycling Phone Number:  
System Administrator: Not set  
Machine Location: machine location not set  
Managed By  
Primary MB Server: 10.61.7.89:80

## Machine Hardware

Fax Card: Embedded; 1 Line  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 8192 MB  
Device Storage Size: used= 3691MB/total=256060MB (SSD)  
EPC Memory Size: 1000 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 08:28  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Plan Activated  
Billing Impression Mode: A3 Impressions  
Geographic Region: Western Hemisphere  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated

## Smart Proximity Sensor

Wake on Arrival: Disabled  
Sleep on Departure: Disabled

## Software Versions

Device Software: 123.040.005.28100  
Patch Version: None  
Network Controller: 123.040.28100  
UI Panel Firmware: 003.005.00000  
Marking Engine: 034.046.000  
Document Feeder: 001.035.000  
Finisher: 000.000.000  
Fax: 003.022.004  
Scanner: 017.025.003  
Machine Upgrades: Not Allowed  
Last Successful Upgrade: October 13, 2025 12:09:16

## Media Trays

Troy 1: Plain, White and Tabloid (11 x 17")  
Troy 2: Plain, White and Legal (8.5 x 14")  
Troy 3: Plain, White and Letter (8.5 x 11")  
Troy 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and Legal (8.5 x 14")

## Installed Options

PS: Installed

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled

## Physical Connections

## USB Settings

USB Type A Ports: All Enabled  
USB Type B Port: Enabled

## Wired:

Ethernet MAC Address: e8:4d:ec:19:da:04  
Ethernet Speed/Duplex Setting: auto  
Disabled

## Wireless:

Wireless MAC Address:  
Network Name (SSID):

## BSSID:

## Security Mode:

## Encryption Algorithm:

## Status:

## Wi-Fi Direct:

Wireless Hardware: Enabled  
Wi-Fi Protected Setup™ (WPS) Name: Not Installed  
Access Point (SSID):

## Show Password on Device Touch Screen:

## NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
iBeacon Hardware: Enabled  
Bluetooth Device Address: Not Installed  
iBeacon IP Address:

## Protocols

## TCP/IPv4:

IPv4 Address: Enabled  
Subnet Mask: 10.61.11.225  
Router/Gateway: 255.255.255.0  
Automatic Addressing: 10.61.11.1  
DHCP Server: DHCP  
DHCP Lease Expiration:

## BOOTP Broadcast:

## Self Assigned Address State:

## Self Assigned Address:

## TCP/IPv6:

Link Local Address:  
Use Router Supplied Prefix:  
Stateless Global Address 1: Disabled  
Stateless Global Address 2: Enabled

## Manual Address:

## DHCP Addressing:

## DHCP Address:

## Default Gateway:

## DUID (DHCP Unique Identifier):

## DNS Settings:

Requested Host Name: XRXE84DEC19DA04  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:

## Multicast DNS:

## Release DHCP Leases and DNS Registrati...

## Primary DNS Server:

## Prefer IPv6 DNS over IPv4:

## Bonjour:

Bonjour Printer Name: Xerox AltaLink C8270 Color MFP (19:D...  
HTTP: Enabled

## HTTP:

Force Traffic over Secure Connection (H...: Yes  
IPP: Enabled

## SNMP

## SNMP v1/v2:

## SNMP v3:

## LPR/LPD:

## Raw IP Printing:

## LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
LDAP Server 1 Search Directory Root:  
LDAP Server 1 Secure Connection (LDA...: Disabled  
LDAP Server 1 Validate Server Certificate...: Disabled

## SMTP

SMTP Server: 10.61.11.225:25  
Connect Encryption (TLS): No Encryption  
Validate Server Certificate (TLS): Basic Auth with SMTP  
SMTP Authentication Type:

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	2,3,4,1,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Disabled

Fax Line1:	
Fax Line2:	

Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
--------------------	---------

Email:	Enabled
--------	---------

Scan to Mailbox:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2626 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
Cloud Services:	Disabled

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked

Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

## Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	48

802.1x:	Disabled
---------	----------

Job Data Removal:	Disabled
Scheduled:	Disabled

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.2 and TLS 1.3
------	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------



## Common User Data

Machine Name: Xerox AltaLink C8270 Color MFP (19-D...  
IPv4 Address: 10.61.11.225  
Machine Serial Number: ZQ2654001  
Fax Line 1:  
Machine URL: https://10.61.11.225  
Machine Activation Date: May 13, 2024 17:07:12  
Black Impressions: 89933  
Color Impressions: 75686  
Total Impressions: 165619

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
Recycling Phone Number:  
System Administrator:  
Machine Location:  
Managed By  
Primary MB Server: 10.61.7.89:80

## Machine Hardware

Fax Card: Embedded, 1 Line  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 8192 MB  
Device Storage Size: used= 3691MB/total= 256060MB (SSD)  
EPC Memory Size: 1000 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 08:28  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Plan Activated  
Billing Impression Mode: A3 Impressions  
Geographic Region: Western Hemisphere  
Startup Config Report: Enabled  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
Document Feeder Multi-feed Detection: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 30 minutes  
Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Disabled  
Sleep on Departure: Disabled  
Maximize Detection Range: Disabled

## Software Versions

Device Software: 123.040.005.28100  
Patch Version: None  
Network Controller: 123.040.28100  
UI Panel Firmware: 003.005.00000  
User Interface: 123.040.28100  
Marking Engine: 034.046.000  
Copy Controller: 123.040.28100  
Document Feeder: 001.035.000  
Finisher: 000.000.000  
Fax: 003.022.004  
OS: 123.005.27910  
Scanner: 017.025.003  
Software Upgrade: 123.040.28100  
Machine Upgrades:  
Last Successful Upgrade: Not Allowed  
Scheduled Auto Upgrades: October 13, 2025 12:09:16  
Auto Upgrade Start Time: Disabled  
Auto Upgrade Server: Daily  
Auto Upgrade Server: 0.0.0.0:21

## Media Trays

Tray 1: Plain, White and Tabloid (11 x 17")  
Tray 2: Plain, White and Legal (8.5 x 14")  
Tray 3: Plain, White and Letter (8.5 x 11")  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and Legal (8.5 x 14")

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

USB Settings  
USB Type A Ports: All Enabled  
USB Type B Port: Enabled  
Connection Timeout: 5 seconds  
Wired:  
Ethernet MAC Address: Enabled  
Ethernet Speed/Duplex Setting: e8:4d:ec:19:da:04  
auto  
Disabled

## Wireless:

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:  
Wi-Fi Direct: Enabled  
Wireless Hardware: Not Installed  
Wi-Fi Protected Setup™ (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:  
NFC:  
iBeacon (Bluetooth®) for AirPrint Di...  
iBeacon Hardware: Enabled  
Bluetooth Device Address: Enabled  
iBeacon IP Address: Not Installed

## Protocols

## TCP/IPV4:

IPv4 Address: 10.61.11.225  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.11.1  
Automatic Addressing: DHCP  
DHCP Server:  
DHCP Lease Expiration:  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPV6:

Link Local Address:  
Use Router Supplied Prefix:  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing:  
DHCP Address:  
Default Gateway:  
DUID (DHCP Unique Identifier):

## DNS Settings:

Requested Host Name: XRXE84DEC19DA04  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink C8270 Color MFP (19:D...
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Disabled
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.11.225:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.11.225:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Secur...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	2,3,4,1,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
PCL:	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
Fax:	Disabled
Fax Line1:	
Fax Line2:	
Server Fax:	
Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	0.0.0.0/0
Workflow Scanning:	
Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	10.61.11.43:21
Default Repository Login Credentials:	/
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0/0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0/0
Email:	
Default From Address:	Enabled
Confirmation Sheet:	xerox@xerox.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
Scan to Mailbox:	Disabled
View Mailboxes by Default:	Enabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2626 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
Scan to Home:	Daily
Friendly Name:	Disabled
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
Scan To:	Enabled
Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode:  
Network Accounting:

None  
Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 48  
802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3

TLS Hash:

SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123



