

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (19:DA:41)
IPv4 Address:	10.61.11.61
Machine Serial Number:	ZQV624012
Fax Line1:	3337
Machine URL:	https://10.61.11.61
Machine Activation Date:	Jan 01, 2021 05:45:36
Total Impressions:	322

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set

Managed By

Primary MB Server:	
--------------------	--

Machine Hardware

Fax Card:	Embedded; 2 Lines
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3394MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21:04
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	123.041.005.29510
Patch Version:	None
Network Controller:	123.041.29510
UI Panel Firmware:	003.005.00000
Marking Engine:	072.002.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.022.006
Scanner:	017.025.004
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 27, 2025 17:58:08

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A3 (297 x 420 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Disabled
Ethernet MAC Address:	e8:4d:ec:19:da:41
Ethernet Speed/Duplex Setting:	auto

Wireless:

Wireless MAC Address:	58:ef:68:27:67:40
Network Name (SSID):	Xerox Lab User
BSSID:	bc:26:c7:9e:82:2e
Security Mode:	WPA2 Personal
Encryption Algorithm:	AUTO
Status:	Connected

Wi-Fi Direct:

Wireless Hardware:	Installed
Wi-Fi Protected Setup™ (WPS) Name:	Xerox AltaLink B8255 MFP (19:DA:DIRECT-o7-Xerox AltaLink B8255 M
Access Point (SSID):	Enabled
Show Password on Device Touch Screen:	Enabled

NFC:

iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.11.61
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.11.1
Automatic Addressing:	DHCP

DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:

Link Local Address:	fe80::5aef:68ff:fe27:6740
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	fd00:0:2:111:b5e2:50ec:4aa:dec4
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XRXE84DEC19DA41
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8255 MFP (19:DA:41)
-----------------------	-------------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL	
Version:	6
Font Name:	Courier

Custom Color Tables	
Label:	Not Installed

Fax:	Enabled/Displayed
Fax Line1:	3337
Fax Line2:	3338

Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
Email:	Enabled

Scan to Mailbox:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2472 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
Scan To:	Enabled

Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
Xerox Secure Access:	Disabled

Audit Log:	Enabled
IP Sec:	Disabled

IP Filtering:	Disabled
Security Certificates	

Machine Certificate:	Signed
Root Certificates Installed:	48
802.1x:	Disabled

Job Data Removal:	
Scheduled:	Disabled

FIPS 140-3:	Disabled
TLS:	TLS 1.2 and TLS 1.3

TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (19:DA:41)
IPv4 Address:	10.61.11.61
Machine Serial Number:	ZQV624012
Fax Line1:	3337
Machine URL:	https://10.61.11.61
Machine Activation Date:	Jan 01, 2021 05:45:36
Total Impressions:	327

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
Recycling Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded; 2 Lines
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3402MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21:04
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	123.041.005.29510
Patch Version:	None
Network Controller:	123.041.29510
UI Panel Firmware:	003.005.00000
User Interface:	123.041.29510
Marking Engine:	072.002.000
Copy Controller:	123.041.29510
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.022.006
OS:	123.005.29010
Scanner:	017.025.004
Software Upgrade:	123.041.29510
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 27, 2025 17:58:08
Scheduled Auto Upgrades:	Enabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	10.61.9.116:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A3 (297 x 420 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds

Wired:

Ethernet MAC Address:	e8:4d:ec:19:da:41
Ethernet Speed/Duplex Setting:	auto

Wireless:

Wireless MAC Address:	Enabled
Network Name (SSID):	58:ef:68:27:67:40
BSSID:	Xerox Lab User
Security Mode:	bc:26:c7:9e:82:2e
Encryption Algorithm:	WPA2 Personal
Status:	AUTO

Wi-Fi Direct:

Wireless Hardware:	Connected
Wi-Fi Protected Setup™ (WPS) Name:	Enabled
Connection Method:	Installed
Subnet Prefix Address:	Xerox AltaLink B8255 MFP (19:DA:
Access Point (SSID):	Push Button Configuration (PBC)
Show Password on Device Touch Screen:	172.26.65.0/24

NFC:

iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.11.61
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.11.1
DHCP Server:	DHCP

DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled

Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::5aef:68ff:fe27:6740
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	::
DHCP Addressing:	fd00:0:2:111:b5e2:50ec:4aa:dec4
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	
DUID (DHCP Unique Identifier):	fe80::8afc:5dff:fe75:e282

DNS Settings:

Requested Host Name:	XRXE84DEC19DA41
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:		Xerox AltaLink B8255 MFP (19:DA:41)
Bonjour Printer Name:		Enabled
HTTP:		80
Port Number:		Yes
Force Traffic over Secure Connection (H...		443
Secure HTTP Port Number:		Manual
Proxy Server:		www.mc.xerox.com:8000
Proxy Server Address:		Enabled
IPP		IPP and Secure IPPS
Secure IPP Mode:		http://10.61.11.61:631
IPP Network Path:		
SNMP		
SNMP v1/v2:		Enabled
SNMP v3:		Disabled
LPR/LPD:		Enabled
Port Number:		515
PDL Switching:		Disabled
PDL Banner Override:		Disabled
Raw IP Printing:		Enabled
Port Number 1:		9100
Bidirectional:		Disabled
End of Job Timeout:		300
PDL Switching:		Disabled
LDAP		
LDAP Server 1 Friendly Name:		
LDAP Server 1 Primary LDAP Address:		0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:		0.0.0.0:389
LDAP Server 1 Search Directory Root:		
LDAP Server 1 Secure Connection (LDA...		Disabled
LDAP Server 1 Validate Server Certificate...		Disabled
SMTP		
SMTP Server:		0.0.0.0:25
Connect Encryption (TLS):		No Encryption
Validate Server Certificate (TLS):		
Max Message Size (KB):		10240
Number of Fragments:		1
Total Job Size (KB):		300000
Job Splitting Boundary:		Page Boundary
Credentials for Auto E-mails:		None
Credentials for Walkup User:		None
SMTP Authentication Type:		Basic Auth with SMTP
POP3		
POP3 Server:		0.0.0.0:110
POP3 Secure Connection (TLS):		Disabled
POP3 Validate Server Certificate:		
E-mail Address:		
Receipt of E-mail via POP3:		Disabled
Send Confirm on Request:		Enabled
Incoming E-mail cover sheet:		Enabled
NTP:		Disabled
Primary Server:		0.0.0.0:123
Alternate Server:		0.0.0.0:123
SLP:		Disabled
FTP Client:		Enabled
FTP Client Mode:		Passive
Web Services on Device:		Enabled
WS-Discovery:		Enabled
WS-Discovery Multicast:		Enabled
WS-Print:		Enabled
WS-Scan:		Enabled
Web Services		
Copy Submission:		Enabled
Digital Certificate Management and Securi...		Enabled
Extensible Service Registration:		Enabled
Job Limits:		Enabled
Job Management Extension:		Enabled
Device Configuration:		Enabled
Scan Submission:		Enabled
Scan Workflow Management:		Enabled
Session Data:		Enabled
User Interface Configuration:		Enabled
EIP Proxy Configuration:		Enabled
Xerox Secure Access:		Disabled
EIP SNMP Configuration:		Enabled
Print Submission:		Enabled
Scan Template Mgmt:		Enabled
Mass Storage Access:		Enabled
Card Reader Access:		Enabled
Authentication & Accounting Configur...		Enabled
Export Audit Log:		Enabled
Trellix Embedded Control:		Enabled

Apps

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	
Level:	Installed
Version:	3
Image Quality:	3021.101
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	
Label:	Enabled

Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	3337
Server Fax:	
Confirmation Sheet:	3338
Delay Start:	Enabled
Repository Protocol:	Errors Only
Repository Server:	Disabled
Repository Document Path:	SMB

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	10.61.23.93:445
Default Repository Login Credentials:	/
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0

Email:

Default From Address:	Enabled
Confirmation Sheet:	
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2472 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
Print From:	
Saved Jobs for Reprint:	Disabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Authentication Server:

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Enabled
IP Filtering: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 48
802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3:

TLS: Disabled
TLS Hash: TLS 1.2 and TLS 1.3
SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

