

Protocols (cont.)

Bonjour:	Bonjour Printer Name:	Enabled
HTTP:	Port Number:	80
Force Traffic over Secure Connection (H...):	Secure HTTP Port Number:	Yes
Proxy Server:	Proxy Server Address:	10.1.77.8.91:8080
IPP:	Secure IPP Mode:	IPP and Secure IPPS
SNMP v1/v2:	SNMP v1/v2:	Enabled
SNMP v3:	SNMP v3:	Disabled
LPR/LPD:	Port Number:	515
Raw IP Printing:	Raw IP Printing:	Enabled
Port Number:	Port Number:	515
Port Switching:	Port Switching:	Disabled
Raw IP Printing:	Raw IP Printing:	Enabled
Port Number:	Port Number:	9100
Port Switching:	Port Switching:	Disabled
End of Job Timeout:	End of Job Timeout:	300
Port Switching:	Port Switching:	Disabled
LDAP:	LDAP Server 1 Friendly Name:	LDAP Server 1
LDAP Server 1 Primary LDAP Address:	LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	LDAP Server 1 Search Directory Root:	0.0.0.0:389
LDAP Server 1 Secure Connection (LDAP...):	LDAP Server 1 Secure Connection (LDAP...):	Disabled
LDAP Server 1 Validate Server Certificate:	LDAP Server 1 Validate Server Certificate:	Disabled
SMTP:	SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	Connect Encryption (TLS):	No Encryption
Valid Message Size (KB):	Valid Message Size (KB):	10240
Number of Fragments:	Number of Fragments:	1
Total Job Size (KB):	Total Job Size (KB):	300000
Job Splitting Boundary:	Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	Credentials for Auto E-mails:	None
SMTP Authentication Type:	SMTP Authentication Type:	Basic Auth with SMTP
POP3:	POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	POP3 Validate Server Certificate:	Disabled
E-mail Address:	E-mail Address:	0.0.0.0:110
Receipt of E-mail via POP3:	Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Incoming E-mail cover sheet:	Disabled
NTP:	Primary Server:	0.0.0.0:123
Alternate Server:	Alternate Server:	0.0.0.0:123
SLP:	Client:	Disabled
FTP Client Mode:	FTP Client Mode:	Passive
Web Services on Device:	Web Services on Device:	Enabled
WS-Discovery:	WS-Discovery:	Enabled
WS-Discovery Multicast:	WS-Discovery Multicast:	Enabled
WS-Print:	WS-Print:	Enabled
WS-Scan:	WS-Scan:	Enabled
Web Services:	Web Services:	Enabled
Copy Submission:	Copy Submission:	Enabled
Digital Certificate Management and Secur...:	Digital Certificate Management and Secur...:	Enabled
Extensible Service Registration:	Extensible Service Registration:	Enabled
Job Limits:	Job Limits:	Enabled
Job Management Extension:	Job Management Extension:	Enabled
Scan Submission:	Scan Submission:	Enabled
Scan Workflow Management:	Scan Workflow Management:	Enabled
Session Data:	Session Data:	Enabled
User Interface Configuration:	User Interface Configuration:	Enabled
EEP Proxy Configuration:	EEP Proxy Configuration:	Enabled
Xerox Secure Access:	Xerox Secure Access:	Disabled
EEP SNMP Configuration:	EEP SNMP Configuration:	Enabled
Print Submission:	Print Submission:	Enabled
Scan Template Mgmt:	Scan Template Mgmt:	Enabled
Mass Storage Access:	Mass Storage Access:	Enabled
Card Reader Access:	Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Export Audit Log:	Enabled
Telnet Embedded Control:	Telnet Embedded Control:	Enabled
Printing	Printer Sheet:	Enabled
System Start Job:	System Start Job:	Yes
Delete Held Jobs After:	Delete Held Jobs After:	443
Error Sheets:	Error Sheets:	Manual
Paper Substitution:	Paper Substitution:	10.1.77.8.91:8080
Troy Priority:	Troy Priority:	Enabled
Default Copies:	Default Copies:	1
Default Paper Size:	Default Paper Size:	Normal Print
Default Paper Color:	Default Paper Color:	White
Default 2 Sided Printing:	Default 2 Sided Printing:	2 Sided
Default Output Tray:	Default Output Tray:	Center Tray
Default Output Color:	Default Output Color:	Black & White
Default Collated Sets:	Default Collated Sets:	Enabled
Default Stapling:	Default Stapling:	Not Available
Offsetting Between Jobs:	Offsetting Between Jobs:	Off
Archival Marking Mode:	Archival Marking Mode:	Installed
Level:	Level:	3
Version:	Version:	3021.101
Image Quality:	Image Quality:	Enhanced
PCL	PCL:	6
Version:	Version:	10.00
Point Size:	Point Size:	12.00
Font Name:	Font Name:	Courier
Lines Per Page:	Lines Per Page:	64
Custom Color Tables:	Custom Color Tables:	Enabled
Label:	Label:	Not Installed
Fax:	Fax Line1:	Disabled
Fax Line2:	Fax Line2:	Disabled
Server Fax:	Confirmation Sheet:	Enabled
Delay Start:	Delay Start:	Errors Only
Repository Protocol:	Repository Protocol:	Disabled
Repository Server:	Repository Server:	SNMP
Repository Document Path:	Repository Document Path:	0.0.0.0:0
Workflow Scanning:	Confirmation Sheet:	Enabled
Default Repository Protocol:	Default Repository Protocol:	Errors Only
Default Repository Server:	Default Repository Server:	SNMP
Default Repository Document Path:	Default Repository Document Path:	0.0.0.0:0
Default Repository Login Credentials:	Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	Alt1 Repository Protocol:	SNMP
Alt1 Repository Server:	Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	Alt1 Repository Document Path:	Device
Alt1 Repository Login Credentials:	Alt1 Repository Login Credentials:	0.0.0.0:0
Workflow Pool Server:	Workflow Pool Server:	SNMP
Workflow Pool Path:	Workflow Pool Path:	0.0.0.0:0
Email:	Default From Address:	Enabled
Confirmation Sheet:	Confirmation Sheet:	Errors Only
Auto Send to Self:	Auto Send to Self:	Disabled
E-mail Security:	E-mail Security:	Disabled
Scan to Mailbox:	View Mailboxes by Default:	Disabled
Storage Capacity (MB):	Storage Capacity (MB):	672 MB
Storage Used (MB):	Storage Used (MB):	50 MB
Cleanup of Created Folders:	Cleanup of Created Folders:	Enabled
Cleanup Time:	Cleanup Time:	Daily
Scan to Home:	Friendly Name:	Disabled
Workflow Name:	Workflow Name:	Disabled
Auto Create Subdir:	Auto Create Subdir:	Disabled
Append User Name to Path:	Append User Name to Path:	Disabled
Auto Create User Name Dir:	Auto Create User Name Dir:	Disabled
Scan To:	Cloud Services:	Disabled
Print From:	Cloud Services:	Disabled
Saved Jobs for Reprint:	Print From USB:	Enabled
Print From Mailbox:	Print From Mailbox:	Enabled
Cloud Services:	Cloud Services:	Disabled

Security

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos
Kerberos Primary Realm:	0.0.0.0:88
Kerberos Primary Address:	0.0.0.0:88
Kerberos Alt 1 Realm:	0.0.0.0:88
Kerberos Alt 1 Address:	0.0.0.0:88
SmartCard Alt 1 NT Domain:	0.0.0.0:443
SmartCard Crt: Server:	0.0.0.0:443
SmartCard Crt: Domain:	0.0.0.0:443
SmartCard OCSP URL:	Enabled
Card Reader Upgrade Policy:	Disabled
Card Reader Firmware Version:	0.0.0.0:443
Xerox Secure Access:	0.0.0.0:443
Secure Access Path:	Secure Access Path:
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled
Security Certificates:	Disabled
Machine Certificate:	Signed
Root Certificates Installed:	54
Job Data Removal:	Disabled
802.1X:	Disabled
FIPS 140-3:	Disabled
Scheduled Frequency:	Disabled
TLS:	Disabled
TLS Hash:	TLS 1.2 and TLS 1.3
Trellix Embedded Control:	Enhanced Security
Third Generation Browser:	X3G_3.24.23.240.5.012.01.00.00
Widget Version:	v1.3.17 68 20140613
Widget Version:	v2.5.04 g9 20240123

